

- Adams, P.B. and D.F. Howard. 1996. Natural mortality of the rockfish, *Sebastes mystinus*, during their first year in nearshore benthic habitats. Fish. Bull., 94:156-162.
- Alcalay, O. and P. Sikkel. 1994. Diel periodicity of hatching of demersal eggs in the temperate damselfish, *Hypsypops rubicundus*. Bull. Mar. Sci., 54:565-569.
- Allen, L.G. 1983. Larval development of the northern clingfish, *Gobiesox maeandricus*. Copeia, 1983(2):551-554.
- Allen, L.G. 1988. Recruitment, distribution, and feeding habits of young-of-the-year California halibut, (*Paralichthys californicus*) in the vicinity of Alamitos Bay Long Beach Harbor, California, 1983-1985. Bull. S. Cal. Acad. Sci., 87:19-30.
- Allen, L.G. and H.E. Block 2012. Planktonic larval duration, settlement, and growth rates of the young-of-the-year of two sand basses (*Paralabrax nebulifer* and *P. maculatofasciatus*: fam. Serranidae) from Southern California. Bull. S. Calif. Acad. Sci., 111(1):15-21.
- Allen, L.G. and M.P. Franklin 1988. Distribution and abundance of young-of-the-year white seabass (*Atractoscione nobilis*) in the vicinity of Long Beach Harbor, California, 1984-1987. Calif. Dept. Fish Game, 74(4):245-248.
- Allen, L.G. and M.P. Franklin 1992. Abundance, distribution, and settlement of young-of-the-year white seabass, *Atractoscione nobilis*, in the Southern California Bight, 1988-1989. Fish. Bull., 90:633-641.
- Allen, L.G., R.E. Jensen, and J.R. Sears. 1990. Open coast settlement and distribution of young-of-the-year California halibut (*Paralichthys californicus*) along the Southern California coast between Point Conception and San Mateo Point, June-October, 1988. Pp. 145-152. In: The California halibut, *Paralichthys californicus*, resource and fisheries. C.W. Haugen (ed.). Calif. Dept. Fish and Game, Fish Bull. 174.

- Allen, L.G., S.A. Benseman, M.C. Couffer 2019. Baby Giants are found at the heads of submarine canyons. *Ecology*, 100(1):1-3.
- Allen, L.G., T. Hovey, M. Love, and T. Smith 1995. The life history of the spotted sand bass (*Paralabrax maculatofasciatus*) within the Southern California Bight. *CalCOFI Rep.*, 36:193-203.
- Allen, M.J., and K.T. Herbinson. 1990. Settlement of juvenile California halibut, *Paralichthys californicus*, along the coasts of Los Angeles, Orange, and San Diego counties in 1989. *CalCOFI Rep.*, 31:84-96.
- Almany, G.R. 2002. Priority effects in coral-reef fish communities. *Ecology*, 84:1920-1935.
- Almany, G.R., Berumen, M.L., Thorrold, S.R., Planes, S. and Jones, G.P., 2007. Local replenishment of coral reef fish populations in a marine reserve. *Science*, 316(5825):742-744.
- Almany, G.R., S. Planes, S.R. Thorrold, M.L. Berumen, M. Bode, P. Saenz-Agudelo, M.C. Bonin, A.J. Frisch, H.B. Harrison, V. Messmer, G.B. Nanninga, M.A. Priest, M. Srinivasan, T. Sinclair-Taylor, D.H. Williamson, and G.P. Jones. 2017. Larval fish dispersal in a coral-reef seascape. *Nature Ecol. Evol.*, 1:0148.
- Ambrose, R., P. Raimondi, S. Anderson, M. Baskett, J. Caselle, M. Carr, C. Edwards, M. Kent, K. Nickols, E. Ramanujam, and N. Reynolds. 2018. Ocean Restoration Methods: Scientific Guidance for Once-Through Cooling Mitigation Policy. California Ocean Science Trust.
- Ammann, A.J. 2001. SMURFs: standard monitoring unit for the recruitment of temperate reef fishes. *J. Exp. Mar. Biol. Ecol.*, 299:135-154.
- Anderson, T.W. 1983. Identification and development of nearshore juvenile rockfishes (genus *Sebastes*) in central California kelp forests. Calif. State Univ., Fresno.

- Anderson, T.W. 1994. Role of macroalgal structure in the distribution and abundance of temperate a reef fish. *Mar. Ecol. Prog. Ser.*, 113:279-290.
- Anderson, T.W. 2001. Predator responses, prey refuges, and density-dependent mortality of a marine fish. *Ecology*, 82:245-257.
- Anderson, T.W., and B D. Sabado. 1995. Correspondence between food availability and growth of a planktivorous temperate reef fish. *J. Exp. Mar. Biol. Ecol.*, 189:65-76.
- Armstrong, P.R. 2002. Recruitment limitation, population regulation, and larval connectivity in reef fish metapopulations. *Ecology*, 83:1092-1104.
- Baetscher, D.S., E.C. Anderson, E.A. Gilbert-Horvath, D.P. Malone, E.T. Saarman, M.H. Carr, and J.C. Garza. 2019. Dispersal of a nearshore marine fish connects marine reserves and adjacent fished areas along an open coast. *Mol. Ecol.*, 28(7):1611-1623.
- Bailey, K.M. 1994. Predation on juvenile flatfish and recruitment variability. *Netherlands J. Sea Res.*, 32:175-189.
- Bailey, K M., and E.D. Houde. 1989. Predation on eggs and larvae of marine fishes and the recruitment problem. *Adv. Mar. Biol.*, 25:1-83.
- Basilio, A., S. Searcy and A.R. Thompson 2017. Effects of the Blob on settlement of spotted sand bass, *Paralabrax maculatofasciatus*, to Mission Bay, San Diego, CA. *PLOS One*, 12(11):e0188449.
- Baskin, Y., M. W. Beck, K.L. Heck, K.W. Able, D.L. Childers, D.B. Eggleston, B.M. Gillanders, B.S. Halpern, C.G. Hays, K. Hoshino, T.J. Minello, R.J. Orth, P.F. Sheridan, and P.M. Weinstein. 2003. The role of nearshore ecosystems as fish and shellfish nurseries. *Issues Ecol.*, 11:1-12.

- Beck, M.W., K.L. Heck, K.W. Able, D.L. Childers, D.B. Eggleston, B.M. Gillanders, B. Halpern, C.G. Hays, K. Hoshino, T.J. Minello, R.J. Orth, P.F. Sheridan, and M.P. Weinstein. 2001. The identification, conservation, and management of estuarine and marine nurseries for fish and invertebrates. *Biosci.*, 51:633-641.
- Behrens, K.C. 1987. The influence of shelter availability on recruitment and early juvenile survivorship of *Lythrypnus dalli* Gilbert (Pisces: Gobiidae). *J. Exp. Mar. Biol. Ecol.*, 107:45-60.
- Bell, J.D., A.S. Steffe, and M. Westoby. 1988. Location of seagrass beds in estuaries: effects on associated fish and decapods. *J. Exp. Mar. Biol. Ecol.*, 122:127-146.
- Bell, J.D., and M. Westoby. 1986. Variation in seagrass height and density over a wide spatial scale: effects on common fish and decapods. *J. Exp. Mar. Biol. Ecol.*, 104:275-295.
- Bell, J.D., M. Westoby, and A S. Steffe. 1987. Fish larvae settling in seagrass: do they discriminate between beds of different leaf density? *J. Exp. Mar. Biol. Ecol.*, 111:133-144.
- Benseman, S.A. and L.G. Allen. 2018. Distribution and recruitment of Young-of-the-Year giant sea bass, *Stereolepis gigas*, off Southern California. *Copeia*, 106(2):312-320.
- Bjorkstedt, E.P., B. Grantham, Y. Shkedy, L. Rosenfeld, and J. Roughgarden. 2002. Distribution of larval rockfishes *Sebastes* spp. across nearshore fronts in a coastal upwelling region. *Mar. Ecol. Prog. Ser.*, 242:215-228.
- Block, H.E., 2011. Selection on larval traits in early post-settlement temperate and tropical reef fishes. Master's Thesis, Calif. State Univ., Northridge.

- Bode, M., Leis, J.M., Mason, L.B., Williamson, D.H., Harrison, H.B., Choukroun, S. and Jones, G.P., 2019. Successful validation of a larval dispersal model using genetic parentage data. *PLOS One*, 17(7):.e3000380.
- Bodkin, J.L. 1988. Effects of kelp forest removal on associated fish assemblages in central California [USA]. *J. Exp. Mar. Biol. Ecol.*, 117:227-238.
- Boehlert, G.W. 1977. Timing of surface-to-benthic migration in juvenile rockfish, *Sebastes diploproa*, off southern California. *Fish. Bull.*, 75:887-890.
- Boehlert, G.W., and B.C. Mundy. 1988. Roles of behavioral and physical factors in larval and juvenile fish recruitment to estuarine nursery areas. *Am. Fish. Soc. Symp.*, 3:51-67.
- Boehlert, G.W., and M.M. Yoklavich. 1983. Effects of temperature, ration, and fish size on growth of juvenile black rockfish, *Sebastes melanops*. *Environ. Biol. Fish.*, 8:17-28.
- Booth, D.J. 1991. The effects of sampling frequency on estimates of recruitment of the domino damselfish *Dascyllus albisella* Gill. *J. Exp. Mar. Biol. Ecol.*, 145:149-160.
- Booth, D. J. 1992. Larval settlement patterns and preferences by domino damselfish *Dascyllus albisella* Gill. *J. Exp. Mar. Biol. Ecol.*, 155:85-104.
- Booth, D.J., and D.M. Brosnan. 1995. The role of recruitment dynamics in rocky shore and coral reef fish communities. *Adv. Ecol. Res.*, 26:309-385.
- Botsford, L.W., D.R. Brumbaugh, C. Grimes, J.B. Kellner, J. Largier, M.R. O'Farrell., S. Ralston, E. Soulanille, and V. Wespestad. 2009. Connectivity, sustainability, and yield: bridging the gap between conventional fisheries management and marine protected areas. *Rev. Fish Biol. Fish.*, 19:69-95.
- Botsford, L.W., J.W. White, and A. Hastings. 2019. Population dynamics for conservation. Oxford Univ. Press.

- Bray, R.N. 1981. Influence of water currents and zooplankton densities on daily foraging movements of blacksmith, *Chromis punctipinnis*, a planktivorous reef fish. Fish. Bull., 78:829-841.
- Breitburg, D.L. 1989. Demersal schooling prior to settlement by larvae of the naked goby. Env. Biol. Fish., 26:97-103.
- Breitburg, D.L. 1991. Settlement patterns and pre-settlement behavior of the naked goby, *Gobiosoma boscii*, a temperate oyster reef fish. Mar. Biol., 109:213-221.
- Breitburg, D.L. 1992. Episodic hypoxia in Chesapeake Bay interacting effects of recruitment behavior and physical disturbance. Ecol. Monogr., 62:525-546.
- Breitburg, D.L., N. Steinberg, S. Dubeau, C. Cooksey, and E.D. Houde. 1994. Effects of low dissolved oxygen on predation on estuarine fish larvae. Mar. Ecol. Prog. Ser., 104:235-246.
- Brooks, A.J., R.J. Schmitt, and S.J. Holbrook. 2002. Declines in regional fish populations: Have species responded similarly to environmental change? Mar. Fresh. Res., 53:189-198.
- Brothers, E.B. 1975. The comparative ecology and behavior of three sympatric California gobies. Ph.D. diss., Univ. Calif. San Diego.
- Brothers, E.B., and R.E. Thresher. 1985. Pelagic duration, dispersal, and the distribution of Indo-Pacific coral reef fishes, Pp. 53-69. In: The ecology of coral reefs, NOAA Symp. Ser. Undersea Res. Vol. 3. M.L. Reaka (ed.). NOAA.
- Brothers, E.B., D.M. Williams, and P.F. Sale. 1983. Length of larval life in twelve families of fishes at "One Tree Lagoon," Great Barrier Reef, Australia. Mar. Biol., 76:319-324.
- Burford, M.O. and R.J. Larson. 2007. Genetic heterogeneity in a single year-class from a panmictic population of adult blue rockfish (*Sebastes mystinus*). Mar. Biol., 151:451-465.

- Burgess, S.C., K.J. Nickols, C.D. Griesemer, L.A. Barnett, A.G. Dedrick, E.V. Satterthwaite, L. Yamane, S.G. Morgan, J.W. White. and L.W. Botsford. 2014. Beyond connectivity: how empirical methods can quantify population persistence to improve marine protected-area design. *Ecol. Appl.*, 24(2):257-270.
- Butler, J.L. 1991. Mortality and recruitment of Pacific sardine, *Sardinops sagax caerulea*, larvae in the California Current, [Pacific Ocean]. *Can. J. Fish. Aqua. Sci.*, 48:1713-1723.
- Cailliet, G.M., E.J. Burton, J.M. Cope, and L.A. Kerr. 2000. Biological characteristics of nearshore fishes of California: A review of existing knowledge. Final Report and Excel Data Matrix, Pacific States Marine Fisheries Commission, Calif. Dept. Fish Game.
- Caley, M.J., M.H. Carr, M.A. Hixon, T.P. Hughes, G.P. Jones, and B.A. Menge. 1996. Recruitment and the local dynamics of open marine populations. *Ann. Rev. Ecol. Sys.*, 27:477-500.
- Campana, S.E., 1999. Chemistry and composition of fish otoliths: pathways, mechanisms and applications. *Mar. Ecol. Prog. Ser.*, 188:263-297.
- Carr, M.H. 1989. Effects of macroalgal assemblages on the recruitment of temperate zone reef fishes. *J. Exp. Mar. Biol. Ecol.*, 126:59-76.
- Carr, M.H. 1991. Habitat selection and recruitment of an assemblage of temperate zone reef fishes. *J. Exp. Mar. Biol. Ecol.*, 146:113-137.
- Carr, M.H. 1994a. Effects of macroalgal dynamics on recruitment of a temperate reef fish. *Ecology*, 75:1320-1333.
- Carr, M.H. 1994b. Predicting recruitment of temperate reef fishes in response to changes in macrophyte density caused by disturbance. Pp. 255-269. In: *Theory and application in*

- fish feeding ecology. D.J. Stouder, K.L. Fresh, and R.J. Feller (eds.). Univ. South Carolina Press.
- Carr, M.H., T.W. Anderson, and M.A. Hixon. 2002. Biodiversity, population regulation, and the stability of coral-reef fish communities. *P. Natl. Acad. Sci.*, 99:11241-11245.
- Caselle, J.E., B.P. Kinlan, and R.R. Warner 2010a. Temporal and spatial scales of influence on nearshore fish settlement in the Southern California Bight. *Bull. Mar. Sci.*, 86(2):355-385.
- Caselle, J.E., J.R. Wilson, M.H. Carr, D.P. Malone, and D.E. Wendt 2010b. Can we predict interannual and regional variation in delivery of pelagic juveniles to nearshore populations of rockfishes (genus *Sebastes*) using simple proxies of ocean conditions? *CalCOFI Rep.*, 51:91-105.
- Chambers, R.C., and E.A. Trippel. 1997. Early life history and recruitment in fish populations. Chapman and Hall.
- Chesson, P. 1996. Matters of scale in the dynamics of populations and communities. Pp. 353-368. In: *Frontiers of Population Ecology*. R.B. Floyd, A.W. Sheppard, and P.J. De Barro (eds.). CSIRO Publishing.
- Chesson, P. 1998a. Recruitment limitation: A theoretical perspective. *Austr. J. Ecol.*, 23:234-240.
- Chesson, P. 1998b. Spatial scales in the study of reef fishes: A theoretical perspective. *Austr. J. Ecol.*, 23:209-215.
- Chesson, P.L., and R.R. Warner. 1981. Environmental variability promotes coexistence in lottery competitive systems. *Am. Nat.*, 117:923-943.

- Choat, J.H., and A.M. Ayling. 1987. The relationship between habitat structure and fish faunas on New Zealand Reefs. *J. Exp. Mar. Biol. Ecol.*, 110:257-284.
- Clarke, T. 1970. Territorial behavior and population dynamics of a pomacentrid fish, the garibaldi, *Hypsypops rubicundus*. *Ecol. Mono.*, 40:191-197.
- Connolly, S.R., Menge, B.A. and Roughgarden, J., 2001. A latitudinal gradient in recruitment of intertidal invertebrates in the northeast Pacific Ocean. *Ecology*, 82(7):1799-1813.
- Cordes, J.F. and L.G. Allen 1997. Estimates of age, growth, and settlement from otoliths of young-of-the-year kelp bass (*Paralabrax clathratus*). *Bull. S. Cal. Acad. Sci.*, 96(2):43-60.
- Cowen, R. 1985. Large scale pattern of recruitment by the labrid, *Semicossyphus pulcher*: Causes and implications. *J. Mar. Res.*, 43:719-742.
- Cowen, R. 1990. Sex change and life history patterns of the labrid, *Semicossyphus pulcher*, across an environmental gradient. *Copeia*, 1990:787-795.
- Cowen, R.K. 2002. Larval dispersal and retention and consequences for population connectivity. Pp. 149-170. In: *Coral Reef Fishes: Dynamics and Diversity in a Complex Ecosystem*. P.F. Sale (ed.). Academic Press.
- Cowen, R.K., K.M. Lwiza, S. Sponaugle, C.B. Paris, and D.B. Olson. 2000. Connectivity of marine populations: Open or closed? *Science*, 287:857-859.
- Cushing, D.H. 1990. Plankton production and year class strength in fish populations: an update of the match/mismatch hypothesis. *Adv. Mar. Biol.*, 26:249-293.
- Cushing, D.H. 1995. *Population production and regulation in the sea: a fisheries perspective*. Cambridge University Press.

D'Aloia, C.C., S.M. Bogdanowicz, R.K. Francis, J.E. Majoris, R.G. Harrison, and P.M. Buston.

2015. Patterns, causes, and consequences of marine larval dispersal. *P. Natl. Acad. Sci.*, 112(45):13940-13945.

Davis, J.L.D., and L.A. Levin. 2002. Importance of pre-recruitment life-history stages to population dynamics of the woolly sculpin *Clinocottus analis*. *Mar. Ecol. Prog. Ser.*, 234:229-246.

Dedrick, A.G., K.A. Catalano, M.R. Stuart, J.W. White, H.R. Montes Jr., and M.L. Pinsky. 2021. Persistence of a reef fish metapopulation via network connectivity: theory and data. *Ecol. Lett.*, 24(6):1121-1132.

DeMartini, E.E. 1976. The adaptive significance of territoriality and egg cannibalism in the painted greenling, *Oxylebius pictus* Gill, a northeastern Pacific marine fish. Ph.D. Diss., Univ. Washington.

DeMartini, E.E. 1978. Spatial aspects of reproduction in buffalo sculpin, *Enophrys bison*. *Environ. Biol. Fish.*, 3:331-336.

DeMartini, E.E. 1987. Paternal defense, cannibalism, and polygamy: Factors influencing the reproductive success of painted greenling (Pisces, Hexagrammidae). *Anim. Behav.*, 35:1145-1158.

DeMartini, E.E. and M. Anderson. 1980. Comparative survivorship and life history of painted greenling (*Oxylebius pictus*) in Puget Sound, Washington and Monterey Bay, California. *Environ. Biol. Fish.*, 5:33-47.

DeMartini, E.E., and D.A. Roberts. 1990. Effects of giant kelp (*Macrocystis*) on the density and abundance of fishes in a cobble-bottom kelp forest. *Bull. Mar. Sci.*, 46:287-300.

- DeMartini, E.E., and P.C. Sikkel. 2006. Pp. 483-523. In: The ecology of marine fishes: California and adjacent waters. L G. Allen, D.J. Pondella II, and M.H. Horn (eds.). Univ. Calif. Press.
- Deza, A.A., and T.W. Anderson. 2010. Habitat fragmentation, patch size, and the recruitment and abundance of kelp forest fishes. Mar. Ecol. Prog. Ser., 416: 229-240.
- DFO. 2020. Bocaccio (*Sebastes paucispinis*) stock assessment for British Columbia in 2019, including guidance for rebuilding plans (Science Advisory Report No. 2020/025). Fisheries and Oceans Canada.
- Di Lorenzo, E., N. Schneider, K.M. Cobb, P.J.S. Franks, K. Chhak, A.J. Miller, J.C. McWilliams, S;J. Bograd, H. Arango, E. Curchitser, and T.M. Powell. 2008. North Pacific Gyre Oscillation links ocean climate and ecosystem change. Geophys. Res. Lett., 35:L08607.
- Dingeldein, A.L., and J.W. White. 2016. Larval traits carry over to affect post-settlement behaviour in a common coral reef fish. J. Anim. Ecol., 85(4):903-914.
- Dixon, P.A., M.J. Milicich, and G. Sugihara. 1999. Episodic fluctuations in larval supply. Science, 283:1528-1530.
- Doherty, P.J. 1981. Coral reef fishes: recruitment-limited assemblages? Proc. Fourth Internat. Coral Reef Symp., 2:465-470.
- Doherty, P.J. 1982. Some effects of density on the juveniles of two species of tropical, territorial damselfish. J. Exp. Mar. Biol. Ecol., 65:249-261.
- Doherty, P.J. 1991. Spatial and temporal patterns in recruitment. The ecology of fishes on coral reefs. Academic Press.

- Doherty, P J. 2002. Variable replenishment and the dynamics of reef fish populations. Pp. 327-355. In: Coral Reef Fishes: Dynamics and Diversity in a Complex Ecosystem. P.F. Sale (ed.). Academic Press.
- Doherty, P.J., and D.M. Williams. 1988. The replenishment of coral-reef fish populations. *Oceanogr. Mar. Biol.*, 26:487-551.
- Donohoe, C.J. 1997. Age, growth, distribution, and food habits of recently settled white seabass, *Atractoscion nobilis*. off San Diego, California. *Fish. Bull.*, 95:709-721.
- Drake, P.T., C.A. Edwards, S.G. Morgan, and E.V. Satterthwaite. 2018. Shoreward swimming boosts modeled nearshore larval supply and pelagic connectivity in a coastal upwelling region. *J. Mar. Syst.*, 187:96-110.
- Easter, E.E., M.S. Adreani, S.L. Hamilton, M.A. Steele, S. Pang, and J.W. White. 2020. Influence of protogynous sex change on recovery of fish populations within marine protected areas. *Ecol. Appl.*, 30(3):e02070.
- Ebeling, A.W., and R.N. Bray. 1976. Day versus night activity of reef fishes in a kelp forest off Santa Barbara, California. *Fish. Bull.*, 74:703-717.
- Ebeling, A.W., and D.R. Laur. 1985. The influence of plant cover on surfperch abundance at an offshore temperate reef. *Env. Biol. Fish.*, 12:169-180.
- Echeverria, T. 1987. Thirty-four species of California rockfishes: maturity and seasonality of reproduction. *Fish. Bull.*, 85:229-250.
- Eldridge, M.B., and B.M. Jarvis. 1995. Temporal and spatial variation in fecundity of yellowtail rockfish. *Trans. Am. Fish. Soc.*, 124:16-25.

- Elsmore, K., K.J. Nickols, T. Ford, K.C. Cavanaugh and B. Gaylord. 2022. *Macrocystis pyrifera* forest development shapes the physical environment through current velocity reduction. Mar. Ecol. Prog. Ser., 694:45-59.
- Feeney, R. 1987. Development of the eggs and larvae of the yellowchin sculpin, *Icelinus quadriseriatus* (Pisces: Cottidae). Fish. Bull., 85:201-212.
- Feeney, R. 1992. Post-yolk sac larval development of two southern California sculpins, *Clinocottus analis* and *Orthonopias triacis* (Pisces: Cottidae). Fish. Bull., 90:454-468.
- Ferrell, D.J., and J.D. Bell. 1991. Differences among assemblages of fish associated with *Zostera capricorni* and bare sand over a large spatial scale. Mar. Ecol. Prog. Ser., 72:15-24.
- Field, J.C., R.R. Miller, J.A. Santora, N. Tolimieri, M.A. Haltuch, R.D. Brodeur, T.D. Auth, E.J. Dick, M.H. Monk, K.M. Sakuma, and B.K. Wells, 2021. Spatiotemporal patterns of variability in the abundance and distribution of winter-spawned pelagic juvenile rockfish in the California Current. PLOS One, 16(5):e0251638.
- Figueira, W.F., and L. B. Crowder. 2006. Defining patch contribution in source-sink metapopulations: the importance of including dispersal and its relevance for marine systems. Popul. Ecol., 48:215-224.
- Findlay, A.M., and L.G. Allen. 2002. Temporal patterns of settlement in the temperate reef fish *Paralabrax clathratus*. Mar. Ecol. Prog. Ser., 238:237-248.
- Forrester, G.E., 2015. Competition in reef fishes. Pp.34-40. In: Ecology of fishes on coral reefs. C. Camilo (ed.). Cambridge Univ. Press.
- Forrester, G., R.R. Vance, and M.A. Steele. 2002. Simulating large-scale population dynamics using small-scale data. Pp. 275-301. In: Coral Reef Fishes: Dynamics and Diversity in a Complex Ecosystem. P.F. Sale (ed.). Academic Press.

- Franklin, M.P., C.L. Chabot, and L.G. Allen 2016. A baseline investigation into the population structure of white seabass, *Atractoscion nobilis*, in California and Mexican Waters using microsatellite DNA analysis. Bull. S. Calif. Acad. Sci., 115(2):126-135.
- Free, C.M., S.C. Anderson, E.A. Hellmers, B.A. Muhling, M.O. Navarro, K. Richerson, L.A. Rogers, W.H. Satterthwaite, A.R. Thompson, J.M. Burt, S.D. Gaines, K.N. Marshall, J.W. White, and L.F. Bellquist. 2023. Impact of the 2014-2016 marine heatwave on US and Canada West Coast fisheries: Surprises and lessons from key case studies. Fish and Fish., 24(4):652-674.
- Frid, A. and Marliave, J., 2010. Predatory fishes affect trophic cascades and apparent competition in temperate reefs. Biol. Lett., 6(4):533-536.
- Gaines, S.D., and J. Roughgarden. 1987. Fish in offshore kelp forest affect recruitment to intertidal barnacle populations. Science, 235:479-481.
- Gallagher, M.B., and S.S. Heppell. 2010. Essential habitat identification for age-0 rockfish along the central Oregon coast. Mar. Coast. Fish., 2(1):60-72.
- Garavelli, L., J.W. White, I. Chollett, and L.M. Chérubin. 2018. Population models reveal unexpected patterns of local persistence despite widespread larval dispersal in a highly exploited species. Conserv. Lett., 11(5):e12567.
- Gerlach, G., J. Atema, M.J. Kingsford, K.P. Black, and V. Miller-Sims. 2007. Smelling home can prevent dispersal of reef fish larvae. P. Natl. Acad. Sci., 104(3):858-863.
- Gillanders, B.M., K.W. Able, J.A. Brown, D.B. Eggleston, and P.F. Sheridan. 2003. Evidence of connectivity between juvenile and adult habitats for mobile marine fauna: an important component of nurseries. Mar. Ecol. Prog. Ser., 247:281-295.

- Garrison, K.J., and B.S. Miller. 1982. Review of the early life history of Puget sound fishes. FRI-UW-8216, Fish. Res. Inst. Univ. Wash.
- Grossman, G. 1979. Demographic characteristics of an intertidal bay goby (*Lepidogobius lepidus*). Environ. Biol. Fish., 4:207-218.
- Grorud-Colvert, K. and S. Sponaugle. 2006. Influence of condition on behavior and survival potential of a newly settled coral reef fish, the bluehead wrasse *Thalassoma bifasciatum*. Mar. Ecol. Prog. Ser., 327:279-288.
- Hallacher, L.E., and D.A. Roberts. 1985. Differential utilization of space and food by the inshore rockfishes (Scorpaenidae: *Sebastes*) of Carmel Bay, California [USA]. Env. Biol. Fish., 12:91-110.
- Haltuch M.A., N. Tolimieri, Q. Lee, and M.G. Jacox 2020. Oceanographic drivers of petrale sole recruitment in the California Current Ecosystem. Fish Oceanogr., 29:122-136.
- Hamilton, S.L., J.W. White, J.E. Caselle, S.E. Swearer, and R.R. Warner. 2006. Consistent long-term spatial gradients in replenishment for an island population of a coral reef fish. Mar. Ecol. Prog. Ser., 306:247-256.
- Hamilton, S.L., J. Regetz, and R.R. Warner. 2008. Postsettlement survival linked to larval life in a marine fish. P. Natl. Acad. Sci., 105(5):1561-1566.
- Hamman, E.A., S.A. McKinley, A.C. Stier, and C.W. Osenberg, 2018. Landscape configuration drives persistent spatial patterns of occupant distributions. Theor. Ecol., 11:111-127.
- Hanski, I. A., and M. E. Gilpin. 1997. Metapopulation Biology: Ecology, Genetics, and Evolution. Academic Press.
- Harrison, C.S., D.A. Siegel, and S. Mitarai. 2013. Filamentation and eddy– eddy interactions in marine larval accumulation and transport. Mar. Ecol. Prog. Ser., 472:27-44.

- Hartney, K.B., and K.A. Grorud. 2002. The effect of sea urchins as biogenic structures on the local abundance of a temperate reef fish. *Oecologia*, 131:506-513.
- Hastings, A., and L.W. Botsford. 2006. A simple persistence condition for structured populations. *Ecol. Lett.*, 9(7):846-852.
- He, X., and J.C. Field. 2019. Effects of recruitment variability and fishing history on estimation of stock-recruitment relationships: two case studies from US west coast fisheries. *Fish. Res.*, 217:21-34.
- Heath, M.R. 1992. Field investigations of the early life history of marine fish. *Adv. Mar. Biol.*, 28:1-174.
- Heck, K.L., Jr., K.W. Able, M.P. Fahay, and C.T. Roman. 1989. Fishes and decapod crustaceans of Cape Cod eelgrass meadows: species composition, seasonal abundance patterns and comparison with unvegetated substrates. *Estuar.*, 12:56-65.
- Hickey, B.M. 1979. The California Current System - hypothesis and facts. *Progr. Oceanogr.* 8(4):191-279.
- Hillary, R.M., M.V. Bravington, T.A. Patterson, P. Grewe, R. Bradford, P. Feutry, R. Gunasekera, V. Peddemors, J. Werry, M.P. Francis. and C.A.J. Duffy. 2018. Genetic relatedness reveals total population size of white sharks in eastern Australia and New Zealand. *Sci. Rep.*, 8(1):2661.
- Hixon, M.A., 1980. Competitive interactions between California reef fishes of the genus *Embiotoca*. *Ecology*, 61(4):918-931.
- Hixon, M.A., 2015. Predation: piscivory and the ecology of coral reef fishes. Pp. 41-53. In: *Ecology of fishes on coral reefs*. M. Camilo (ed.). Cambridge Univ. Press.

- Hixon, M.A., and M.H. Carr. 1997. Synergistic predation, density dependence, and population regulation in marine fish. *Science*, 277:946-949.
- Hixon, M.A., and M.S. Webster. 2002. Density dependence in reef fish populations. Pp. 303-325. In: *Coral reef fishes: dynamics and diversity in a complex ecosystem*. P.F. Sale (ed.). Academic Press.
- Hjort, J., 1914. Fluctuations in the great fisheries of northern Europe viewed in the light of biological research. *Rapports et Proces-Verbaux Vol. XX*. En Commission Chez, Andr. Fred. Host & Fils, Copenhagen.
- Hjort, J. 1926. Fluctuations in the year classes of important food fishes. *Journal du Conseil.*, 1:1-38.
- Hobson, E.S., and J.R. Chess. 1976. Trophic interactions among fishes and zooplankters near shore at Santa Catalina Island, California. *Fish. Bull.*, 74:567-598.
- Hobson, E.S., and J.R. Chess 1986. Relationships among fishes and their prey in a nearshore sand community off southern California. *Env. Biol. Fish.*, 17:201-226.
- Hobson, E.S., and J.R. Chess 2001. Influence of trophic relations on form and behavior among fishes and benthic invertebrates in some California marine communities. *Env. Biol. Fish.*, 60:411-457.
- Hobson, E.S., and D.F. Howard. 1989. Mass strandings of juvenile shortbelly rockfish and pacific hake along the coast of northern California USA. *Calif. Fish Game*, 75:169-172.
- Hobson, E.S., J.R. Chess, and D.F. Howard. 2001. Interannual variation in predation on first-year *Sebastes* spp. by three northern California predators. *Fish. Bull.*, 99:292-302.
- Holbrook, S.J., and R.J. Schmitt. 1984. Experimental analyses of patch selection by foraging black surfperch (*Embiotoca jacksoni* Agazzi). *J. Exp. Mar. Biol. Ecol.*, 79:39-64.

- Holbrook, S.J., and R.J. Schmitt. 1997. Settlement patterns and process in a coral reef damselfish: in situ nocturnal observations using infrared video. Pp. 1143-1148. In: Proceedings of the 8th International Coral Reef Symposium. Vol. 2. H.A. Lessios, and I.G. Macintyre (eds.). Smithsonian Tropical Research Institute.
- Holbrook, S.J., M.H. Carr, R.J. Schmitt, and J.A. Coyer. 1990a. Effect of giant kelp on local abundance of reef fishes the importance of ontogenetic resource requirements. *Bull. Mar. Sci.*, 47:104-114.
- Holbrook, S.J., R. J. Schmitt, and R.F. Ambrose. 1990b. Biogenic habitat structure and characteristics of temperate reef fish assemblages. *Austr. J. Ecol.*, 15:489-504.
- Holbrook, S. J., R. J. Schmitt, and J. S. Stephens. 1997. Changes in an assemblage of temperate reef fishes associated with a climate shift. *Ecol. Appl.*, 7:1299-1310.
- Holm, E.R. 1990. Effects of density-dependent mortality on the relationship between recruitment and larval settlement. *Mar. Ecol. Prog. Ser.*, 60:141-146.
- Hopf, J.K., J.E. Caselle, and J.W. White. 2022. Recruitment variability and sampling design interact to influence the detectability of protected area effects. *Ecol. Appl.*, 32(2):e2511.
- Houde, E.D. 1987. Fish early life dynamics and recruitment variability. *Am. Fish. Soc. Symposium*, 2:17-29.
- Houde, E.D. 2016. Recruitment Variability. Pp. 98-187. In: Fish reproductive biology: implications for assessment and management. T. Jakobsen, M.J. Fogarty, B.A. Megrey, and E. Moksness (eds.). Wiley Online Library.
- Hsieh, C., C.S. Reiss, J.R. Hunter, J.R. Beddington, R.M. May, and G. Sugihara. 2006. Fishing elevates variability in the abundance of exploited species. *Nature*, 443:859-862.

- Hubbs, C. 1927. Notes on the blennioid fishes of Western North America. Papers. Mich. Acad. Sci., Arts, Lett., 7:351-394.
- Hughes, G. 1986. Observations on the reproductive ecology of the crescent gunnel, *Pholis laeta*, from marine inshore waters of southern British Columbia. Can. Field Nat., 100:367-370.
- Hubbell, S.P., J.A. Ahumada, R. Condit. and R.B. Foster. 2001. Local neighborhood effects on long-term survival of individual trees in a neotropical forest. Ecol. Res., 16:859-875.
- Jacox, M.G., C.A. Edwards, E.L. Hazen, and S.J. Bograd. 2018. Coastal upwelling revisited: Ekman, Bakun, and improved upwelling indices for the US West Coast. J. Geophys. Res., 123(10):7332-7350.
- Jacox, M.G., D. Tommasi, M.A. Alexander, G. Hervieux, and C.A. Stock. 2019. Predicting the evolution of the 2014-2016 California Current System marine heatwave from an ensemble of coupled global climate forecasts. Front. Mar. Sci., 6:497.
- Johansson, M.L., M.N. Litz, R.D. Brodeur, T.A. Britt, C.A. Vanegas, J.R. Hyde, and M.A. Banks. 2018. Seasonal distribution of late larval and juvenile rockfish (*Sebastes* spp.) and associated environmental conditions off Oregon and Washington: new insights based on genetics. Fish. Bull., 116(3-4):266-291.
- Johnson, D.W., 2006a. Density dependence in marine fish populations revealed at small and large spatial scales. Ecology, 87(2):319-325.
- Johnson, D.W., 2006b. Predation, habitat complexity, and variation in density-dependent mortality of temperate reef fishes. Ecology, 87(5):1179-1188.
- Johnson D.W., M.R. Christie MR, and T.J. Pusack et al. 2018. Integrating larval connectivity with local demography reveals regional dynamics of a marine metapopulation. Ecology, 99:1419-29.

- Jones, G.P. 1984. Population ecology of the temperate reef fish *Pseudolabrus celidotus* Bloch and Schnieder (Pisces: Labridae). I. Factors Influencing recruitment. J. Exp. Mar. Biol. Ecol., 75:257-276.
- Jones, M.K., and T. Mulligan 2014. Juvenile rockfish recruitment in Trinidad Bay, California, Trans. Am. Fish. Soc., 143(2)543-551.
- Jones, G.P., M.J. Milicich, M.J. Emslie, and C. Lunow. 1999. Self-recruitment in a coral reef fish population. Nature, 402(6763):802-804.
- Jones, G.P., S. Planes, and S.R. Thorrold. 2005. Coral reef fish larvae settle close to home. Curr. Biol., 15(14):1314-1318.
- Jones, G.P., G.R. Almany, G.R. Russ, P.F. Sale, R.S. Steneck, M.J. van Oppen, and B.L. Willis. 2009. Larval retention and connectivity among populations of corals and reef fishes: history, advances and challenges. Coral Reefs, 28:307-325.
- Kashef, N.S., S.M. Sogard, R. Fisher, and J.L Largier. 2014. Ontogeny of critical swimming speeds for larval and pelagic juvenile rockfishes (*Sebastes* spp., family Scorpaenidae). Mar. Ecol. Prog. Ser., 500:231-243.
- Kendall, M.L. 1992. Determination of age and settlement date in juvenile speckled sanddabs, *Citharichthys stigmaeus*, using daily increments on otoliths. Master's thesis. San Francisco State Univ..
- Keough, M.J., and B.J. Downes. 1982. Recruitment of marine invertebrates: the role of active larval choices and early mortality. Oecologia, 54:348-352.
- Kingsford, M.J. 1993. Biotic and abiotic structure in the pelagic environment: Importance to small fishes. Bull. Mar. Sci., 53:393-415.

- Kingsford, M.J. 1995. Drift algae: A contribution to near-shore habitat complexity in the pelagic environment and an attractant for fish. *Mar. Ecol. Prog. Ser.*, 116:297-301.
- Kingsford, M.J., and C. A. Gray. 1996. Influence of pollutants and oceanography on abundance and deformities of wild fish larvae. Pp. 235-252. In: *Detecting ecological impacts: concepts and applications in coastal habitats*. R.J. Schmitt and C.W. Osenberg (eds.). Academic Press.
- Kingsford, M.J., and A.B. MacDiarmid. 1988. Interrelations between planktivorous reef fish and zooplankton in temperate waters. *Mar. Ecol. Prog. Ser.*, 48:103-117.
- Kinlan, B.P., and S.D. Gaines. 2003. Propagule dispersal in marine and terrestrial environments: A community perspective. *Ecology*, 84:2007-2020.
- Kramer, S.H. 1991. Growth, mortality, and movements of juvenile California halibut *Paralichthys californicus* in shallow coastal and bay habitats of San Diego County, California. *Fish. Bull.*, 89:195-207.
- Krigsman, L.M. 2000. A review of larval duration for Pacific coast temperate reef fishes, including kelp rockfish, *Sebastes atrovirens*, 32 pp. In: *Biology*. Univ. Calif., Santa Cruz.
- Kritzer, J.P., and P.F. Sale, 2006. The metapopulation ecology of coral reef fishes. Pp. 31-67. In: *Marine metapopulations*. Academic Press.
- Krug, J.M., and Steele, M.A., 2013. Larval exposure to shared oceanography does not cause spatially correlated recruitment in kelp forest fishes. *Mar. Ecol. Prog. Ser.*, 477:177-188.
- Kumar, V.S., and T.M. Naseef, 2015. Performance of ERA-Interim wave data in the nearshore waters around India. *J. Atmos. Ocean. Tech.*, 32(6):1257-1269.

- Laidig, T.E., J.R. Chess, D.F. and Howard. 2007. Relationship between abundance of juvenile rockfishes (*Sebastes* spp.) and environmental variables documented off northern California and potential mechanisms for the covariation. Fish. Bull., 105(1):39-49.
- Largier, J.L., 2003. Considerations in estimating larval dispersal distances from oceanographic data. Ecol. Appl., 13(sp1):71-89.
- Larson, R.J. 1980a. Competition, habitat selection, and the bathymetric segregation of two rockfish (*Sebastes*) species. Ecol. Monogr., 50:221-239.
- Larson, R.J. 1980b. Influence of territoriality on adult density in two rockfishes of the genus *Sebastes*. Mar. Biol., 58:123-132.
- Larson, R.J., and E.E. DeMartini. 1984. Abundance and vertical distribution of fishes in a cobble-bottom kelp forest off San Onofre, California. Fish. Bull., 82:37-53.
- Larson, R.J., W.H. Lenarz, and S. Ralston. 1994. The distribution of pelagic juvenile rockfish of the genus *Sebastes* in the upwelling region off central California. CalCOFI Rep., 35:175-221.
- Lasker, R. 1981. Factors contributing to variable recruitment of the northern anchovy (*Engraulis mordax*) in the California Current: contrasting years, 1975 through 1978. Conseil international pour l' Exploration de la Mer, 178:375-388.
- Leggett, W.C., and E. Deblois. 1994. Recruitment in marine fishes: Is it regulated by starvation and predation in the egg and larval stages? Netherlands J. Sea Res., 32:119-134.
- Leichter, J.J., A.L. Alldredge, G. Bernardi, A.J. Brooks, C.A. Carlson, R.C. Carpenter, P.J. Edmunds, M.R. Fewings, K.M. Hanson, J.L. Hench, and S.J. Holbrook. 2013. Biological and physical interactions on a tropical island coral reef: transport and retention processes on Moorea, French Polynesia. Oceanog., 26(3):52-63.

Leis, J.M. 1991. The pelagic stage of reef fishes: the larval biology of coral reef fishes. Pp. 183-230. In: The Ecology of Fishes on Coral Reefs. PF. Sale (ed.). Academic Press.

Leis, J.M., 2010. Ontogeny of behaviour in larvae of marine demersal fishes. Ichthy. Res., 57:325-342.

Leising, A.W., I.D. Schroeder, S.J. Bograd, J. Abell, R. Durazo, G. Gaxiola-Castro, E.P.

Bjorkstedt, J. Field, K. Sakuma, R.R. Robertson, and R. Goericke. 2015. State of the California Current 2014-15: Impacts of the Warm-Water" Blob". CalCOFI Rep., 56:31-68.

Lenarz, W.H., and T.W. Echeverria. 1986. Comparison of visceral fat and gonadal fat volumes of yellowtail rockfish, *Sebastes flavidus*, during a normal year and a year of El Nino conditions. Fish. Bull., 84:743-745.

Lenarz, W.H., D.A. Ventresca, W.M. Graham, F B. Schwing, and F. Chavez. 1995. Explorations of El Nino events and associated biological population dynamics off central California. CalCOFI Rep., 36:106-119.

Lester, S.E., B.I. Ruttenberg, S.D. Gaines, S.D., and B.P. Kinlan. 2007, The relationship between dispersal ability and geographic range size. Ecol. Lett., 10:745-758.

Levin, P.S. 1991. Effects of microhabitat on recruitment variation in a Gulf of Maine reef fish. Mar. Ecol. Prog. Ser., 75:183-189.

Levin, L.A., R. Petrik, and J.C. Malone. 1997. Interactive effects of habitat selection, food supply and predation on recruitment of an estuarine fish. Oecologia, 112:55-63.

Levin, P.S. 1993. Habitat structure, conspecific presence and spatial variation in the recruitment of a temperate reef fish. Oecologia, 94:176-185.

- Levin, P.S. 1994a. Fine-scale temporal variation in recruitment of a temperate demersal fish - the importance of settlement versus post settlement loss. *Oecologia*, 97:124-133.
- Levin, P.S. 1994b. Small-scale recruitment variation in a temperate fish - the roles of macrophytes and food-supply. *Env. Biol. Fish.*, 40:271-281.
- Levin, P.S. 1998. The significance of variable and density-independent post-recruitment mortality in local populations of reef fishes. *Austr. J. Ecol.*, 23:246-251.
- Levin, P.S., and M.E. Hay. 1996. Responses of temperate reef fishes to alterations in algal structure and species composition. *Mar. Ecol. Prog. Ser.*, 134:37-47.
- Levin, P.S., W. Chiasson, and J.M. Green. 1997. Geographic differences in recruitment and population structure of a temperate reef fish. *Mar. Ecol. Prog. Ser.*, 161:23-35.
- Limbaugh, C. 1964. Notes on the life history of two Californian pomacentrids: *garibaldis*, *Hypsypops rubicunda* (Girard), and blacksmiths, *Chromis punctipinnis* (Cooper). *Pac. Sci.*, 18:41-50.
- Lockwood, S.J. 1980. Density-dependent mortality in O-group plaice (*Pleuronectes platessa* L.) populations. *J. Cons. Int. Explor. Mer.*, 39:148-153.
- Love, M S. 1991. Probably more than you wanted to know about the fishes of the Pacific coast. Really Big Press.
- Love, M.S., J.E. Caselle, and K. Herbinson. 1998a. Declines in nearshore rockfish recruitment and populations in the southern California Bight as measured by impingement rates in a coastal electrical power generating stations. *Fish. Bull.*, 96:492-501.
- Love, M.S., J.E. Caselle, and W. Van Buskirk. 1998b. A severe decline in the commercial passenger fishing vessel rockfish (*Sebastes* spp.) catch in the Southern California Bight, 1980-1996. *CalCOFI Rep.*, 39:180-195.

- Love, M.S., M.H. Carr, and L.J. Haldorson. 1991. The ecology of substrate-associated juveniles of the genus *Sebastes*. *Env. Biol. Fish.*, 30:225-244.
- Love, M.S., M. Yoklavich, and L. Thorsteinson. 2002. The rockfishes of the Northeast Pacific. Univ. California Press.
- MacFarlane, R.B., and E.C. Norton. 1999. Nutritional dynamics during embryonic development in the viviparous genus *Sebastes* and their application to the assessment of reproductive success. *Fish. Bull.*, 97:273-281.
- Majoris, J.E., M.A. Foretich, Y. Hu, K.R. Nickles, C.L. Di Persia, R. Chaput, E. Schlatter, J.F. Webb, C.B. Paris, and P.M. Buston, P.M., 2021. An integrative investigation of sensory organ development and orientation behavior throughout the larval phase of a coral reef fish. *Sci. Rep.*, 11(1):12377.
- Mantua, N.J., S.R. Hare, Y. Zhang, J.M. Wallace, and R.C. Francis. 1997. A Pacific interdecadal climate oscillation with impacts on salmon production. *Bull. Am. Meteorol. Soc.*, 78(6):1069-1080.
- Marko, P.B., and M.W. Hart. 2018. Genetic analysis of larval dispersal, gene flow, and connectivity. Pp. 165-166. In: *Evolutionary ecology of marine invertebrate larvae*. T. Carrier, A. Reitzel, and A. Heyland (eds.). Oxford Univ. Press.
- Marliave, J. 1975. The behavioral transformation from the planktonic larval stage of some marine fishes reared in the laboratory. Ph.D. Univ. British Columbia.
- Marliave, J. 1978. Laboratory culture of wolf eels. *Annu. Proc., Am. Assoc. Zool. Parks Aquar.*, Pp. 160-167.
- Marliave, J.B. 1986. Lack of planktonic dispersal of rocky intertidal fish larvae. *Trans. Am. Fish. Soc.*, 115:149-154.

- Marliave, J. 1987. The life history and captive reproduction of the wolf-eel *Anarrhichthys ocellatus* at the Vancouver Public Aquarium. *Int. Zool. Year.*, 26:70-81.
- Marliave, J., S. Todd, and A. Baker. 1985. Larvae of the manacled sculpin, *Synchirus gilli*, F. Cottidae. Pp. 49-54. In: Description of early life history stages of selected fishes: From the 3rd international symposium on the early life history of fishes and 8th annual larval conference. A. Kendall, and J. Marliave (eds.). *Can. Tech. Rep. Fish. Aquat. Sci.*
- Matarese, A., A.W. Kendell, Jr., D.M. Blood, and B.M. Vinter. 1989. Laboratory Guide to Early Life History Stages of Northeast Pacific Fishes. NOAA Technical Report NMFS 80, NOAA.
- Mattiasen, E.G., N.S. Kashef, D.M. Stafford, C.A. Logan, S.M. Sogard, E.P. Bjorkstedt, and S.L. Hamilton. 2020. Effects of hypoxia on the behavior and physiology of kelp forest fishes. *Glob. Change Biol.*, 26(6):3498-3511.
- Middaugh, D., M.J. Memmer, J.M. Shenker, and T. Takita. 1990. Laboratory culture of jacksmelt, *Atherinopsis californiensis*, and topsmelt, *Atherinops affinis* (Pisces: Atherinidae), with a description of larvae. *Calif. Fish Game*, 76:4-13.
- Misitano, D. 1978. Description of laboratory-reared larvae of the buffalo sculpin, *Enophrys bison* (Pisces: Cottidae). *Copeia*, 1978:635-642.
- Mora, C., 2015. Large-scale patterns and processes in reef fish richness. Pp. 88-96. In: *Ecology of Fishes on Coral Reefs*. C. Moira (ed.). Cambridge Univ. Press.
- Morris, R. 1952. Early development of the cottid fish, *Clinocottus recalvus* (Greeley). *Calif. Fish Game*, 37:281-300.
- Moser, H. (ed.). 1996. The early stages of fishes in the California Current region. CalCOFI.

- Moser, H.G., and G.W. Boehlert. 1991. Ecology of pelagic larvae and juveniles of the genus *Sebastes*. *Env. Biol. Fish.*, 30:203-224.
- Mullin, M.M. 1993. Webs and scales: physical and ecological processes in marine fish recruitment. Univ. Washington Press.
- Munk, K. 2001. Maximum ages of groundfishes in waters off Alaska and British Columbia and considerations of age determination. *Alaska Fish. Res. Bull.*, 8:12-21.
- Myers, R.A., and N.G. Cadigan. 1993b. Density-dependent juvenile mortality in marine demersal fish. *Can. J. Fish. Aqua. Sci.*, 50:1576-1590.
- Nelson, P.A. 2001. Behavioral ecology of young-of-the-year kelp rockfish, *Sebastes atrovirens* Jordan and Gilbert (Pisces: Scorpaenidae). *J. Exp. Mar. Biol. Ecol.*, 256:33-50.
- Nickols, K.J., J.W. White, J.L., Largier, and B. Gaylord. 2015. Marine population connectivity: reconciling large-scale dispersal and high self-retention. *Amer. Nat.*, 185(2):196-211.
- Ninos, M. 1984. Settlement and metamorphosis in *Hypsoblennius* (Pisces, Blenniidae). Ph.D. diss., Univ. Southern California.
- Nisbet, R.M., W.W. Murdoch, and A. Stewart-Oaten. 1996. Consequences for adult fish stocks of human-induced mortality on immatures. Pp. 257-275. In: *Detecting ecological impacts: concepts and applications in coastal habitats*. R J. Schmitt, and C.W. Osenberg (eds.). Academic Press.
- Norris, K.S. 1963. The functions of temperature in the ecology of the percoid fish *Girella nigricans* (Ayres). *Ecol. Monogr.*, 33:23-62.
- O'Connor, K.C., and T.W. Anderson. 2010. Consequences of habitat disturbance and recovery to recruitment and the abundance of kelp forest fishes. *J. Exp. Mar. Biol. Ecol.*, 386(1-2):1-10.

- Ohman, M.D., Eiane, K., Durbin, E.G., Runge, J.A., and H.-J. Hirche. 2004. A comparative study of *Calanus finmarchicus* mortality patterns at five localities in the North Atlantic. ICES J. Mar. Sci., 61:687-697.
- Okamoto, D.K., R.J. Schmitt, S.J., Holbrook, and D.C. Reed, D.C., 2012. Fluctuations in food supply drive recruitment variation in a marine fish. P. Roy. Soc. B, 279(1747):4542-4550.
- Olafsson, E.B., C.H. Peterson, and W.G. Ambrose. 1994. Does recruitment limitation structure populations and communities of macro-invertebrates in marine soft sediments: the relative significance of pre- and post-settlement processes. Ann. Rev. Oceanogr. Mar. Biol., 32:65-109.
- Orth, R.J., and K.L. Heck, Jr. 1980. Structural components of eelgrass (*Zostera marina*) meadows in the lower Chesapeake Bay-fishes. Estuar., 3:278-288.
- Orth, R. J., K.L. Heck, Jr., and J.V. Van Montfrans. 1984. Faunal communities in seagrass beds: a review of the influence of plant structure and prey characteristics on predatory-prey relationships. Estuar., 7:339-350.
- Osenberg, C.W., C.M. St. Mary, R.J. Schmitt, S.J. Holbrook, P.L. Chesson, and B.A. Byrne. 2002. Rethinking ecological inference: density dependence in reef fishes. Ecol. Lett., 5:715-721.
- Palumbi, S.R. 1994. Genetic divergence, reproductive isolation, and marine speciation. Ann. Rev. Ecol. Syst., 25:547-572.
- Palumbi, S.R. 2003. Population genetics, demographic connectivity, and the design of marine reserves. Ecol. Appl., 13:S146-S1158.

- Paris, C.B., L.M. Chérubin, and R.K. Cowen. 2007. Surfing, spinning, or diving from reef to reef: effects on population connectivity. *Mar. Ecol. Prog. Ser.*, 347:285-300.
- Paris, C.B., J. Atema, J.O. Irisson, M. Kingsford, G. Gerlach, and C.M. Guigand. 2013. Reef odor: a wake up call for navigation in reef fish larvae. *PloS One*, 8(8):e72808.
- Parrish, R.H., C.S. Nelson, and A. Bakun. 1981. Transport mechanisms and reproductive success of fishes in the California Current. *Biol. Oceanogr.* 1:175-203.
- Petrik, C.M., F. González Taboada, C.A. Stock, and J.L. Sarmiento. 2021. An updated life-history scheme for marine fishes predicts recruitment variability and sensitivity to exploitation. *Glob. Ecol. Biogeogr.*, 30(4):870-882.
- Pfister, C. 1995. Estimating competition coefficients from census data: a test with field manipulations of tidepool fishes. *Amer. Nat.*, 146:271-291.
- Pfister, C. 1996. The role and importance of recruitment variability to a guild of tide pool fishes. *Ecology*, 77:1928-1941.
- Pfister, C. 1997. Demographic consequences of within-year variation in recruitment. *Mar. Ecol. Prog. Ser.*, 153:229-238.
- Philander, S.G.H., N.C. Lau, R.C. Pacanowski, and M.J. Nath. 1989. Two different simulations of the Southern Oscillation and El Niño with coupled ocean-atmosphere general circulation models. *Philos T. Roy. Soc. Lon. A*, 329(1604):167-178.
- Planes, S. 2002. Biogeography and larval dispersal inferred from population genetic analysis. Pp. 221-238. In: *Coral Reef Fishes: Dynamics and Diversity in a Complex Ecosystem*. P.F. Sale (ed.). Academic Press.

- Plummer, K.M., E.E. DeMartini, and D A. Roberts. 1983. The feeding habits and distribution of juvenile-small adult California halibut, (*Paralichthys californicus*) in coastal waters off northern San Diego County. CalCOFI Rep., 24:194-201.
- Politikos D.V., K.A. Rose, E.N. Curchitser, D.M. Checkley Jr., R.R. Rykaczewski, and J. Fiechter 2021. Climate variation and anchovy recruitment in the California Current: a cause-and-effect analysis of an end-to-end model simulation. Mar. Ecol. Prog. Ser., 680:111-136.
- Raimondi, P.T., and D.C. Reed. 1996. Determining the spatial extent of ecological impacts caused by local anthropogenic disturbances in coastal marine habitats. Pp. 179-196. In: Detecting ecological impacts: coastal applications in coastal habitats. R.J. Schmitt and C.W. Osenberg (eds.). Academic Press.
- Ralston, S., and D.F. Howard. 1995. On the development of year-class strength and cohort variability in two northern California rockfishes. Fish. Bull., 93:710-720.
- Ralston, S., K.M. Sakuma, and J.C. Field. 2013. Interannual variation in pelagic juvenile rockfish (*Sebastes* spp.) abundance - going with the flow. Fish. Oceanogr., 22:288-308.
- Richards, W.J., and K.C. Lindeman. 1987. Recruitment dynamics of reef fishes planktonic processes settlement and demersal ecologies and fishery analysis. Bull. Mar. Sci., 41:392-410.
- Rassweiler, A., C. Costello, and D.A. Siegel. 2012. Marine protected areas and the value of spatially optimized fishery management. P. Natl. Acad. Sci., 109(29):11884-11889.
- Rassweiler, A., E. Ojea, and C. Costello. 2020. Strategically designed marine reserve networks are robust to climate change driven shifts in population connectivity. Environ. Res. Lett., 15(3):034030.

- Robertson, D.R., D.G. Green, and B.C. Victor. 1988. Temporal coupling of production and recruitment of larvae of a Caribbean reef fish. *Ecology*, 69:370-381.
- Rothschild, B.J. 1986. Dynamics of marine fish populations. Harvard University Press.
- Ruttenberg, B.I., and R.R. Warner. 2006. Spatial variation in the chemical composition of natal otoliths from a reef fish in the Galapagos Islands. *Mar. Ecol. Prog. Ser.*, 328:225-236.
- Sakuma, K.M., and R.J. Larson. 1995. Distribution of pelagic metamorphic-stage sanddabs *Citharichthys sordidus* and *C. stigmaeus* within areas of upwelling off central California. *Fish. Bull.*, 93:516-529.
- Sale, P.F. 1980. The ecology of fishes on coral reefs. *Oceanogr. Mar. Biol.*, 18:367-421.
- Sale, P.F. 1991. Reef fish communities open nonequilibrium systems. Pp. 564-596. In: The ecology of coral reef fishes. P.F. Sale (ed.). Academic Press.
- Sale, P.F. 2002. Coral reef fishes: dynamics and diversity in a complex ecosystem. Academic Press.
- Sano, M. 1997. Temporal variation in density dependence: Recruitment and post recruitment demography of a temperate zone sand goby. *J. Exp. Mar. Biol. Ecol.*, 214:67-84.
- Sassaman, C., R. Yoshiyama, and J.D.S. Darling. 1983. Temporal stability of lactate dehydrogenase-A clines of the high cockscomb, *Anoplarchus purpureus*. *Evol.*, 37:472-483.
- Samhuri, J.F., 2009. Food supply influences offspring provisioning but not density-dependent fecundity in a marine fish. *Ecology*, 90(12):3478-3488.
- Schmid, M.S., S. Sponaugle, A.W. Thompson, K.R. Sutherland, and R.K. Cowen. 2023. Drivers of plankton community structure in intermittent and continuous coastal upwelling

- systems-from microbes and microscale in-situ imaging to large scale patterns. *Front. Mar. Sci.*, 10:1166629.
- Schmitt, R.J., and S.J. Holbrook. 1990. Contrasting effects of giant kelp on dynamics of surfperch populations. *Oecologia*, 84:419-429.
- Schroeder, I.D., J.A. Santora, S.J. Bograd, E.L. Hazen, K.M. Sakuma, A.M. Moore, C.A. Edwards, B.K. Wells, and J.C. Field. 2019. Source water variability as a driver of rockfish recruitment in the California Current Ecosystem: implications for climate change and fisheries management. *Can. J. Fish. Aquat. Sci.*, 76(6):950-960.
- Schwartzkopf, B.D., A.D. Whitman, A.J. Lindsley, S.A. and Heppell. 2020. Temporal and habitat differences in the juvenile demersal fish community at a marine-dominated northeast Pacific estuary. *Fish. Res.*, 227:105557
- Searcy, S.P., and S. Sponaugle. 2001. Selective mortality during the larval-juvenile transition in two coral reef fishes. *Ecology*, 82:2452-2470.
- Sears-Hartley, J.R. 1994. Age, growth and early life history of *Paralichthys californicus* derived from otolith microstructure. Master's Thesis. Calif. State Univ., Northridge.
- Selkoe, K.A., and R.J. Toonen. 2011. Marine connectivity: a new look at pelagic larval duration and genetic metrics of dispersal. *Mar. Ecol. Prog. Ser.*, 436:291-305.
- Selkoe, K.A., S.D. Gaines, J.E. Caselle, and R.R. Warner. 2006. Current shifts and kin aggregation explain genetic patchiness in fish recruits. *Ecology*, 87:3082-3094.
- Shanks, A.L. 1983. Surface slicks associated with tidally forced internal waves may transport pelagic larvae of benthic invertebrates and fishes shoreward. *Mar. Ecol. Prog. Ser.*, 13:311-315.

- Shanks, A.L. 1988. Further support for the hypothesis that internal waves can cause shoreward transport of larval invertebrates and fish. *Fish. Bull.*, 86:703-714.
- Shanks, A.L., and G.L. Eckert. 2005. Population persistence of California current fishes and benthic crustaceans: a marine drift paradox. *Ecol. Mono.*, 75(4):505-524.
- Shanks, A.L., A.B. Grantham, and M.H. Carr. 2003. Propagule dispersal distance and the size and spacing of marine reserves. *Ecol. Appl.*, 13:S159-S169.
- Shchepetkin, A.F., and J.C. McWilliams. 2005. The regional oceanic modeling system (ROMS): a split-explicit, free-surface, topography-following-coordinate oceanic model. *Ocean Model.*, 9(4):347-404.
- Shulman, M.J., and J. C. Ogden. 1987. What controls tropical reef fish populations: recruitment or benthic mortality? An example in the Caribbean reef fish *Haemulon flavolineatum*. *Mar. Ecol. Prog. Ser.*, 39:233-242.
- Siegel, D.A., B.P. Kinlan, B. Gaylord, and S.D. Gaines. 2003. Lagrangian descriptions of marine larval dispersion. *Mar. Ecol. Prog. Ser.*, 260:83-96.
- Siegel, D.A., S. Mitarai, C.J. Costello, S.D. Gaines, B.E. Kendall, R.R. Warner, R.R., and K.B. Winters. 2008. The stochastic nature of larval connectivity among nearshore marine populations. *P. Natl. Acad. Sci.*, 105(26):8974-8979.
- Sinclair, M. 1988. Marine populations: an essay on population regulation and speciation. Univ. Washington Press.
- Sissenwine, M.P. 1984. Why do fish populations vary? Pp. 59-94. In: *Exploitation of marine communities*. R.M. May (ed.). Springer-Verlag.
- Sogard, S.M. 1992. Variability in growth rates of juvenile fishes in different estuarine habitats. *Mar. Ecol. Prog. Ser.*, 85:35-53.

- Sogard, S.M. 1997. Size-selective mortality in the juvenile stage of teleost fishes: A review. *Bull. Mar. Sci.*, 60:1129-1157.
- Sogard, S.M., G.V.N. Powell, and J.G. Holmquist. 1987. Epibenthic fish communities on Florida Bay banks: relations with physical parameters and seagrass cover. *Mar. Ecol. Prog. Ser.*, 40:25-39.
- Sponaugle, S., C. Paris, K.D. Walter, V. Kourafalou, and E.D. Alessandro. 2012. Observed and modeled larval settlement of a reef fish to the Florida Keys. *Mar. Ecol. Prog. Ser.*, 453:201-212.
- Staaterman, E. and C.B. Paris. 2014. Modelling larval fish navigation: the way forward. *ICES J. Mar. Sci.*, 71(4):918-924.
- Stachura, M.M., T.E. Essington, N.J. Mantua, A.B. Hollowed, M.A. Haltuch, P.D. Spencer, T.A. Branch, and M.J. Doyle. 2014. Linking Northeast Pacific recruitment synchrony to environmental variability. *Fish. Oceanogr.*, 23: 389-408.
- Starr, P.J., and R. Haigh. 2022. Bocaccio (*Sebastes paucispinis*) stock assessment for British Columbia in 2019, including guidance for rebuilding plans (DFO Can. Sci. Advis. Sec. Res. No. 2022/001). Fisheries and Oceans Canada.
- Stein, R. 1973. Description of laboratory-reared larvae of *Oligocottus maculosus* Girard (Pisces: Cottidae). *Copeia*, 1973:373-377.
- Steele, M.A. 1995. The contributions of predation, competition, and recruitment to population regulation of two temperate reef fishes. Ph.D. diss., Univ. Calif., Santa Barbara.
- Steele, M.A. 1997a. The relative importance of processes affecting recruitment of two temperate reef fishes. *Ecology*, 78:129-145.

- Steele, M.A. 1997b. Population regulation by post-settlement mortality in two temperate reef fishes. *Oecologia*, 112:64-74.
- Steele, M.A. 1998. The relative importance of predation and competition in two reef fishes. *Oecologia*, 115:222-232.
- Steele, M.A. 1999. Effects of shelter and predators on reef fishes. *J. Exp. Mar. Biol. Ecol.*, 233:65-79.
- Steele, M.A., and T.W. Anderson. 2006. Pp. 428-448. In: *The Ecology of Marine Fishes: California and Adjacent Waters*. L.G. Allen, D.J. Pondella II, and M.H. Horn (eds.). Univ. Calif. Press.
- Steele, M.A., and G.E. Forrester. 2002. Early post-settlement predation on three reef fishes: effects on spatial patterns of recruitment. *Ecology*, 83:1076-1091.
- Steele, M.A., G.E. Forrester, and G.R. Almany. 1998. Influences of predators and conspecifics on recruitment of a tropical and a temperate reef fish. *Mar. Ecol. Prog. Ser.*, 172:115-125.
- Steele, M.A., J.C. Malone, A.M. Findlay, M. Carr, and G. Forrester. 2002. A simple method for estimating larval supply in reef fishes and a preliminary test of population limitation by larval delivery in the kelp bass *Paralabrax clathratus*. *Mar. Ecol. Prog. Ser.*, 235:195-203.
- Stephens, J., Jr, R. Johnson, G. Key, and J. McCosker. 1970. The comparative ecology of three sympatric species of California blennies of the genus *Hypsoblennius*. *Ecol. Mono.*, 40:213-233.
- Stephens, J.S., Jr., and K.E. Zerba. 1981. Factors affecting fish diversity on a temperate reef. *Env. Biol. Fish.*, 6:111-121.

- Stephens, J.S., Jr., G.A. Jordan, P.A. Morris, M.M. Singer, and G. McGowen. 1986. can we relate larval fish abundance to recruitment or population stability? A preliminary analysis of recruitment to a temperate rocky reef. CalCOFI Rep., 27:65-83.
- Stepien, C. 1986. Life history and larval development of the giant kelpfish, *Heterostichus rostratus* Girard, 1854. Fish. Bull., 84:809-826.
- Stier, A.C., and C.W. Osenberg. 2010. Propagule redirection: Habitat availability reduces colonization and increases recruitment in reef fishes. Ecology, 91(10):2826-2832.
- Stevens, E., W. Watson, and H. Moser. 1989. Development and distribution of larvae and pelagic juveniles of three kyphosid fishes (*Girella nigricans*, *Medialuna californiensis*, and *Hermosilla azurea*) off California and Baja California. Fish. Bull., 87:745-768.
- Swearer, S.E., J.E. Caselle, D.W. Lea, and R.R. Warner. 1999. Larval retention and recruitment in an island population of a coral-reef fish. Nature, 402(6763):799-802.
- Swearer, S.E., Shima, J.S., Hellberg, M.E., Thorrold, S R., Jones, G.P., Robertson, D.R., Morgan, S.G., Selkoe, K.A., Ruiz, G.M., and R.R. Warner. 2002. Evidence of self-recruitment in demersal marine populations. Bull. Mar. Sci., 70:251-271.
- Sweatman, H.P.A. 1983. Influence of conspecifics on choice of settlement sites by larvae of two pomacentrid fishes (*Dascyllus aruanus* and *D. reticulatus*) on coral reefs. Mar. Biol., 75:225-229.
- Szabo, A.R. 2002. Experimental tests of intercohort competition for food and cover in the tidepool sculpin (*Oligocottus maculosus* Girard). Can. J. Zool., 80:137-144.
- Taylor, M.S., and M.E. Hellberg. 2003. Genetic evidence for local retention of pelagic larvae in a Caribbean reef fish. Science, 299(5603):107-109.

- Thorrold, S.R., C.M. Jones, P.K. Swart, and T.E. Targett. 1998. Accurate classification of juvenile weakfish *Cynoscion regalis* to estuarine nursery areas based on chemical signatures in otoliths. Mar. Ecol. Prog. Ser., 173: 253-265.
- Thorrold, S.R., G.P. Jones, M.E. Hellberg, R.S. Burton, S.E. Swearer, J.E. Neigel, S.G. Morgan, and R.R. Warner 2002. Quantifying larval retention and connectivity in marine populations with artificial and natural markers. Bull. Mar. Sci., 70:291-308.
- Thresher, R.E., P L. Colin, and L.J. Bell. 1989. Planktonic duration, distribution and population structure of Western and Central Pacific damselfishes (Pomacentridae). Copeia, 1989:420-434.
- Tolimieri, N., M.A. Haltuch, Q. Lee, M.G. Jacox, and S.J. Bograd. 2018. Oceanographic drivers of sablefish recruitment in the California Current. Fish. Oceanogr., 27(5):458-474.
- Tupper, M., and R. G. Boutilier. 1995. Effects of conspecific density on settlement, growth and post settlement survival of a temperate reef fish. J. Exp. Mar. Biol. Ecol., 191:209-222.
- Valle, C.F., J.W. O'Brien, and K.B. Wiese. 1999. Differential habitat use by California halibut, *Paralichthys californicus*, barred sand bass, *Paralabrax nebulifer*, and other juvenile fishes in Alamitos Bay, California. Fish. Bull., 97:646-660.
- Ventresca, D.A., R.H. Parrish, J.L. Houk, M.L. Gingras, S.D. Short, and N.L. Crane. 1995. El Nino effects on the somatic and reproductive condition of blue rockfish, *Sebastes mystinus*. CalCOFI Rep., 36:167-174.
- Victor, B.C. 1986a. Larval settlement and juvenile mortality in a recruitment-limited coral reef fish population. Ecol. Monogr., 56:145-160.
- Victor, B.C. 1986b. Duration of the planktonic larval stage of one hundred species of Pacific Atlantic wrasses (family Labridae). Mar. Biol., 90:317-326.

- Waples, R.S. 1987. A multi-species approach to the analysis of gene flow in marine shore fishes. *Evolution*, 41:385-400.
- Waples, R.S. 1998. Separating the wheat from the chaff: patterns of genetic differentiation in high gene flow species. *J. Heredity*, 89:438-450.
- Waples, R.S., and R.H. Rosenblatt. 1987. Patterns of larval drift in southern California marine shore fishes from allozyme data. *Fish. Bull.*, 85:1-12.
- Warner, R.R., and P.L. Chesson. 1985. Coexistence mediated by recruitment fluctuations: A field guide to the storage effect. *Am. Nat.*, 125:769-787.
- Warner, R.R., and T.P. Hughes. 1988. The population dynamics of reef fishes Pp. 149-155. In: *Proc. 6th Intern. Coral Reef Symposium. Vol. 1.*
- Warner, R.R., S.E. Swearer, J.E. Caselle, M. Sheehy, and G. Paradis. 2005. Natal trace-elemental signatures in the otoliths of an open-coast fish. *Limnol. Oceanogr.*, 50(5):1529-1542.
- Washington, B. 1981. Identification and systematics of larvae of *Artedius*, *Clinocottus*, and *Oligocottus* (Scorpaeniformes: Cottidae). Master's Thesis. Oregon State Univ.
- Washington, B. 1986. Systematic relationships and ontogeny of the sculpins *Artedius*, *Clinocottus*, and *Oligocottus* (Cottidae: Scorpaeniformes). *P. Calif. Acad. Sci.*, 44:157-224.
- Washington, B., H. Moser, W. Laroche, and W. Richards. 1984. Scorpaeniformes: Development. Pp. 421. In: *Ontogeny and Systematics of Fishes*. H. Moser, W. Richards, D. Cohen, M. Fahay, A. Kendall, Jr, and S. Richardson (eds.). *Am. Soc. Ichthyol. Herpetol., Spec. Publ.* No 1.
- Watson, W. 1982. development of eggs and larvae of the white croaker, *Genyonemus lineatus* Ayres (Pisces: Sciaenidae), off the southern California coast. *Fish. Bull.*, 80:403-417.

- Watson, J.R., S. Mitarai, D.A. Siegel, J.E. Caselle, C. Dong, and J.C. McWilliams. 2010. Realized and potential larval connectivity in the Southern California Bight. *Mar. Ecol. Prog. Ser.*, 401:31-48.
- Watson, J.R., B. E. Kendall, D.A. Siegel, and S. Mitarai. 2012. Changing seascapes, stochastic connectivity, and marine metapopulation dynamics. *Amer. Nat.*, 180(1):99-112.
- Weisel, G.F., 1947. Breeding behavior and early development of the mudsucker, a gobiid fish of California. *Copeia*, 1947(2):77-85.
- Wellington, G.M., and B.C. Victor. 1989. Planktonic larval duration of one hundred species of Pacific and Atlantic damselfishes (Pomacentridae). *Mar. Biol.*, 101:557-567.
- Wells, A. 1986. Aspects of ecology and life history of the woolly sculpin, *Clinocottus analis*, from Southern California. *Cal. Fish and Game*, 72:213-226.
- White C., K.A. Selkoe, J. Watson, et al. 2010. Ocean currents help explain population genetic structure. *P. Roy. Soc. B*, 277:1685-94.
- White, J.W., 2007. Spatially correlated recruitment of a marine predator and its prey shapes the large-scale pattern of density-dependent prey mortality. *Ecol. Lett.*, 10(11):1054-1065.
- White, J.W., 2008. Spatially coupled larval supply of marine predators and their prey alters the predictions of metapopulation models. *Amer. Nat.*, 171(5):E179-E194.
- White, J.W., 2011. Can inverse density dependence at small spatial scales produce dynamic instability in animal populations? *Theor. Ecol.*, 4:357-370.
- White, J.W., and J.E. Caselle. 2008. Scale-dependent changes in the importance of larval supply and habitat to abundance of a reef fish. *Ecology*, 89:1323-1333.
- White, J.W., and J.F. Samhour. 2011. Oceanographic coupling across three trophic levels shapes source-sink dynamics in marine metacommunities. *Oikos*, 120(8):1151-1164.

- White, J.W., and R.R. Warner. 2007. Safety in numbers and the spatial scaling of density-dependent mortality in a coral reef fish. *Ecology*, 88(12):3044-3054.
- White, J.W., J.F. Samhouri, A.C. Stier, C.L. Wormald, S.L. Hamilton, and S. Sandin. 2010a. Synthesizing mechanisms of density dependence in reef fishes: behavior, habitat configuration, and observational scale. *Ecology*, 91:1949-1961.
- White, J.W., K.J. Nickols, L. Clarke, and J.L. Largier. 2010b. Larval entrainment in cooling water intakes: spatially explicit models reveal effects on benthic metapopulations and shortcomings of traditional assessments. *Can. J. Fish. Aquat. Sci.*, 67:2014-2031
- White, J.W., S.G. Morgan, and J.L. Fisher. 2014. Planktonic larval mortality rates are lower than widely expected. *Ecology*, 95(12):3344-3353.
- White, J.W., M.H. Carr, J.E. Caselle, L. Washburn, C.B. Woodson, S.R. Palumbi, P.M. Carlson, R.R. Warner, B.A. Menge, J.A. Barth, C.A., Blanchette, P.T. Raimondi P.T., and K. Milligan. 2019a. Connectivity, dispersal, and recruitment. *Oceanogr.*, 32(3):50-59.
- White, J.W., M.H. Carr, J.E. Caselle, S.R. Palumbi, R.R. Warner, B.A. Menge, and K. Milligan, 2019b. Sidebar: Empirical approaches to measure connectivity. *Oceanogr.*, 32(3):60-61.
- White, J.W., L.W. Botsford, A. Hastings, M.L. Baskett, D.M. Kaplan, and L.A. Barnett. 2013. Transient responses of fished populations to marine reserve establishment. *Conserv. Lett.*, 6(3):180-191.
- Wiley, J. 1976. Life histories and systematics of the western North American gobies *Lythrypnus dalli* (Gilbert) and *Lythrypnus zebra* (Gilbert). *San Diego Soc. Nat. Hist., Trans.*, 18:169-184.
- Wilson, J.R., B.R. Broitman, J.E. Caselle, and D.E. Wendt 2008. Recruitment of coastal fishes and oceanographic variability in central California, *Estuar. Coast. Shelf S.*, 79(3)483-490.

- Wingert, R. 1974. Comparative reproductive cycles and growth in two species of *Xiphister* (Pisces, Stichaeidae), from San Simeon, California. Master's Thesis, Calif. State Univ., Fullerton.
- Woodson, C.B., M.A. McManus, J.A. Tyburczy, J.A. Barth, L. Washburn, L., J.E. Caselle, M.H. Carr, D.P. Malone, P.T. Raimondi, B.A. Menge, and S.R. Palumbi. 2012. Coastal fronts set recruitment and connectivity patterns across multiple taxa. *Limnol. Oceanogr.*, 57(2):582-596.
- Wourms, J., and D. Evans. 1974a. The annual reproductive cycle of the black prickleback, *Xiphister atropurpureus*, a Pacific Coast blennioid fish. *C. J. Zool.*, 52:795-802.
- Wourms, J., and D. Evans. 1974b. The embryonic development of the black prickleback, *Xiphister atropurpureus*, a Pacific Coast blennioid fish. *C. J. Zool.*, 52:879-887.