

- Able, K.W., and M.P. Fahay. 1998. The first year in the life of estuarine fishes in the Middle Atlantic Bight. Vol. 342. Rutgers University Press.
- Adams, S.M. 1976. The ecology of eelgrass, *Zostera marina* (L.), fish communities. I. Structural analysis. J. Exp. Mar. Biol. Ecol., 22(3):269-291.
- Aguilar-Medrano, R., J.R. Durand, V.H. Cruz-Escalona, and P.B. Moyle. 2019. Fish functional groups in the San Francisco Estuary: Understanding new fish assemblages in a highly altered estuarine ecosystem. Estuar. Coast. Shelf Sci., 227:1-9.
- Allen, G.R., and D.R. Robertson. 1994. Fishes of the tropical eastern Pacific. University of Hawaii Press.
- Allen, L.G. 1982. Seasonal abundance, composition, and productivity of the littoral fish assemblage of Upper Newport Bay, California. Fish. Bull., 80:769-790.
- Allen, L.G. 1988a. Results of a two-year monitoring study on the fish populations in the restored, uppermost portion of Newport Bay, California, with emphasis on the impact of additional estuarine habitat on fisheries-related species. National Marine Fisheries Service.
- Allen, L.G. 1988b. Recruitment, distribution, and feeding habits of young-of-the-year California halibut (*Paralichthys californicus*) in the vicinity of Alamitos Bay-Long Beach Harbor, California, 1983-1985. Bull. S. Calif. Acad. Sci., 87(1):19-30.
- Allen, L.G., A.M. Findlay, and C.M. Phalen 2002. Structure and standing stock of the fish assemblages of San Diego Bay, California from 1994 to 1999. Bull. S. Calif. Acad. Sci., 101(2):49-85.
- Allen, L.G., J.P. Williams, J. Bredvik-Curran, D.J. Pondella II, S. Graham, and N. Martinez-Takeshita 2022. A quarter century of monitoring the fish assemblages of San Diego Bay, California from 1995 to 2019. Bull. S. Calif. Acad. Sci., 121(3):111-134.
- Allen, L.G., and M.H. Horn. 1975. Abundance, diversity and seasonality of fishes in Colorado Lagoon, Alamitos Bay, California. Estuar. Coast. Shelf Sci., 3(3):371-380.
- Allen, L.G., M.M. Yoklavich, G.M. Cailliet, and M.H. Horn. 2006. Bays and estuaries. Pp. 119-148 In The ecology of marine fishes: California and adjacent waters, L.G. Allen, D.J. Pondella II, and M.H. Horn (eds.). Univ. Calif. Press.
- Allen, L.G., Jensen, R.E. and Sears, J.R., 1990. Open coast settlement and distribution of young-of-the-year California halibut (*Paralichthys californicus*) along the Southern California coast between Point Conception and San Mateo Point, June–October, 1988. The California Halibut, *Paralichthys californicus*, Resource and Fisheries. Calif. Dept. Fish Game, Fish Bull., 174:145-152.
- Ambrose, R.F., and D.J. Meffert. 1999. Fish-assemblage dynamics in Malibu Lagoon, a small, hydrologically altered estuary in southern California. Wetlands, 19(2):327-340.
- Andruszkiewicz, E.A., H.A. Starks, F.P. Chavez, L.M. Sassoubre, B.A. Block, and A.B. Boehm. 2017. Biomonitoring of marine vertebrates in Monterey Bay using eDNA metabarcoding. PLoS One, 12(4):e0176343.
- Aplin, J.A. 1967. Biological survey of San Francisco Bay, 1963-66. California Department of Fish and Game.
- Armor, C. and P.L. Herrgesell. 1985. Distribution and abundance of fishes in the San Francisco Bay estuary between 1980 and 1982. Hydrobiologia, 129:211-227.
- Bane, G.W., and A.W. Bane. 1971. Bay fishes of Northern California with emphasis on the Bodega-Tomales Bay area. Mariscos Publications.
- Barbier, E.B., S.D. Hacker, C. Kennedy, E.W. Koch, A.C. Stier, and B.R. Silliman. 2011. The value of estuarine and coastal ecosystem services. Ecol. Monogr., 81(2):169-193.

- Bardach, J.E. 1959. The summer standing crop of fish on a shallow Bermuda Reef. *Limnol. Oceanogr.*, 4(1):77-85.
- Barnhart, R.A., M.J. Boyd, and J.E. Pequegnat. 1992. The ecology of Humboldt Bay, California: an estuarine profile. U.S. Fish and Wildlife Service.
- Barry, J.P., M.M. Yoklavich, G.M. Cailliet, D.A. Ambrose, and B.S. Antrim. 1996. Trophic ecology of the dominant fishes in Elkhorn Slough, California, 1974–1980. *Estuaries*. 19(1):115-138.
- Beck, M.W., K.L. Heck, Jr., K.W. Able, D.L. Childers, D.B. Eggleston, B.M. Gillanders, B. Halpern, C.G. Hays, K. Hoshino, and T.J. Minello. 2001. The identification, conservation, and management of estuarine and marine nurseries for fish and invertebrates. *Bioscience.*, 51(8):633-641.
- Beltrán-Félix, J.L., M.G. Hammann, A. Chagoya-Guzmán, and S. Alvarez-Borrego. 1986. Ichthyofauna of Estero De Punta Banda, Ensenada, Baja California. Mexico, before a mayor dredging operation. *Ciencias Mar.*, 12 (1):79-92.
- Berdan, E.L., and R.C. Fuller. 2012. A test for environmental effects on behavioral isolation in two species of killifish. *Evolution: Int. J. Org. Evol.*, 66(10):3224-3237.
- Borin, J.M., M.L. Moser, A.G. Hansen, D.A. Beauchamp, S.C. Corbett, B.R. Dumbauld, C. Pruitt, J.L. Ruesink, and C. Donoghue. 2017. Energetic requirements of green sturgeon (*Acipenser medirostris*) feeding on burrowing shrimp (*Neotrypaea californiensis*) in estuaries: importance of temperature, reproductive investment, and residence time. *Environ. Biol. Fish.*, 100(12):1561-1573.
- Brooks, A.J. 2000. Factors influencing the structure of an estuarine fish community: The role of interspecific competition (*Gillichthys mirabilis*, *Leptocottus armatus*). Ph.D. Dissertation, Univ. Calif., Santa Barbara.
- Brophy, L.S., et al. 2019. Insights into estuarine habitat loss in the western United States using a new method for mapping maximum of tidal Wetlands. *PLoS One*, 14(8):e0218558.
- Brown, L.R., Kimmerer, W., Conrad, J.L., Lesmeister, S. and Mueller-Solger, A., 2016. Food webs of the Delta, Suisun Bay, and Suisun Marsh: an update on current understanding and possibilities for management. *San Francisco Estuary and Watershed Science*, 14(3):1-43.
- Browning, B.M., and J.A. Aplin. 1972. The natural resources of Elkhorn Slough: their present and future use. Calif. Dept. Fish Game.
- Cailliet, G.M., B. Antrim, D. Ambrose, S. Pace, and M. Stevenson. 1977. Species composition, abundance and ecological studies of fishes, larval fishes, and zooplankton in Elkhorn Slough. Moss Landing Marine Laboratories.
- Carpelan, L.H. 1961. Salinity tolerances of some fishes of a southern California coastal lagoon. *Copeia*, 1961(1):32-39.
- Chapman, E.D., E.A. Miller, G.P. Singer, A.R. Hearn, M.J. Thomas, W.N. Brostoff, P.E. LaCivita, and P. Klimley. 2019. Spatiotemporal occurrence of green sturgeon at dredging and placement sites in the San Francisco estuary. *Environ. Biol. Fish.*, 102(1):27-40.
- Chapman, G.A. 1963. Mission Bay—a review of previous studies and the status of the sport fishery. *Calif. Fish Game*, 49(1):30-43.
- Chase, D.A., E.E. Flynn, and A.E. Todgham. 2016. Survival, growth and stress response of juvenile tidewater goby, *Eucyclogobius newberryi*, to interspecific competition for food. *Conserv. Physiol.* 4(1):1-14.

- Clark, F.N. 1929. The life history of the California jacksmelt, *Atherinopsis californiensis*. Fish. Bull., 16.
- Clark, R., and K. O'Connor. 2019. A systematic survey of bar-built estuaries along the California coast. Estuar. Coast. Shelf Sci., 226:1-14.
- Clarke, G.L., W.T. Edmondson, and W.E. Ricker. 1946. Dynamics of production in a marine area. Ecol. Monogr., 16(4):321-337.
- Colombano, D.D., A.D. Manfree, T.A. O'Rear, J.R. Durand, and P.B. Moyle. 2020. Estuarine-terrestrial habitat gradients enhance nursery function for resident and transient fishes in the San Francisco Estuary. Mar. Ecol. Prog. Ser., 637:141-157.
- Cook Jr, S.F., and R.L. Moore. 1970. Mississippi silversides, *Menidia audens* (Atherinidae), established in California. Trans. Amer. Fish. Soc., 99(1):70-73.
- Costa, M.J., H.N. Cabral, P. Drake, A.N. Economou, C. Fernandez-Delgado, L. Gordo, J. Marchand, and R. Thiel. 2002. Recruitment and production of commercial species in estuaries. Pp. 54-123 In: Fishes in estuaries. M. Elliot, and K. Hemingway (eds.). Blackwell Science.
- Cristescu, M.E., and P.D.N. Hebert. 2018. Uses and misuses of environmental DNA in biodiversity science and conservation. Annu. Rev. Ecol. Evol. Syst., 49:209-230.
- Davis, B.E., D.E. Cocherell, T. Sommer, R.D. Baxter, T. Hung, A.E. Todgham, and N.A. Fangue. 2019. Sensitivities of an endemic, endangered California smelt and two non-native fishes to serial increases in temperature and salinity: implications for shifting community structure with climate change. Conserv. Physiol., 7(1):1-16.
- Davis, B.E., et al. 2022. Wakasagi in the San Francisco Bay-Delta watershed: Comparative trends in distribution and life-history traits with native delt smelt. San Francisco Estuar. Wat. Sci., 20(3):1-30.
- Davis, J.A., M.D. May, B.K. Greenfield, R. Fairey, C. Roberts, G. Ichikawa, M.S. Stoelting, J.S. Becker, and R.S. Tjeerdema. 2002. Contaminant concentrations in sport fish from San Francisco Bay, 1997. Mar. Pollut. Bull., 44(10):1117-1129.
- Dawson, M.N., J.L. Staton, and D.K. Jacobs. 2001. Phylogeography of the tidewater goby, *Eucyclogobius newberryi* (Teleostei, Gobiidae), in coastal California. Evolution, 55:1167-1179.
- Deegan, L.A., A. Wright, S.G. Ayvazian, J.T. Finn, H. Golden, R.R. Merson, and J. Harrison. 2002. Nitrogen loading alters seagrass ecosystem structure and support of higher trophic levels. Aquatic Conserv. Mar. Freshw. Ecosyst., 12:193-212.
- Desmond, J.S., D.H. Deutschman, and J.B. Zedler. 2002. Spatial and temporal variation in estuarine fish and invertebrate assemblages: analysis of an 11-year data set. Estuaries, 25:552-569.
- Desmond, J.S., J.B. Zedler, and G.D. Williams. 2000. Fish use of tidal creek habitats in two southern California salt marshes. Ecol. Engineer, 14:233-252.
- Dill, W.A., and A.J. Cordone. 1997. History and status of introduced fishes in California, 1871-1996. Calif. Dept. Fish Game Fish Bull., 178.
- Durand, J.R., 2015. A conceptual model of the aquatic food web of the upper San Francisco Estuary. San Francisco Estuary and Watershed Science, 13(3):1-37.
- Eagles-Smith, C.A., and J.T. Ackerman. 2014. Mercury bioaccumulation in estuarine wetland fishes: Evaluating habitats and risk to coastal wildlife. Environ. Poll., 193:147-155.
- Elliott, M. 2002. An overview of the status, study and management of fishes in estuaries. Pp. 555-575 In: Fishes in estuaries. M. Elliot and K. Hemingway (eds.). Blackwell Science.

- Elliott, M., and D.S. McLusky. 2002. The need for definitions in understanding estuaries. *Estuar. Coast. Shelf Sci.*, 55(6):815-827.
- Elliott, M., and C.J.L. Taylor. 1989. The structure and functioning of an estuarine/marine fish community in the Forth estuary, Scotland. *Proceedings of the 21st European Marine Biology Symposium*, Gdansk, Warsaw, 14-19 September 1986.
- Emmett, R.L., S.A. Hinton, S.L. Stone, and M.E. Monaco. 1991. Distribution and abundance of fishes and invertebrates in west coast estuaries, Volume II: Species life history summaries. ELMR Rep. No. 4. Strategic Assessment Branch, NOS/NOAA.
- Farrugia, T.J., M. Espinoza, and C. G. Lowe. 2014. The fish community of a newly restored southern California estuary: ecological perspective 3 years after restoration. *Environ. Biol. Fish.*, 97(10):1129-1147.
- Ferren, W.R., Jr., P.L. Fiedler, and R.A. Leidy. 1996a. Wetlands of California, Part I: History of wetland habitat classification. *Madroño*, 43:105-124.
- Ferren, W.R., Jr., P.L. Fiedler, and R.A. Leidy, K. Lafferty, and L.A.K. Mertes. 1996b. Wetlands of California, Part II: Classification and description of wetlands of the central and southern California coast and coastal watersheds. *Madroño*, 43:125-182.
- Ferren, W.R., Jr., P.L. Fiedler, and R.A. Leidy, K. Lafferty, and L.A.K. Mertes. 1996c. Wetlands of California, Part III: Key to and catalogue of wetlands of the central and southern California coast and coastal watersheds. *Madroño*, 43:183-233.
- Feyrer, F., M. Young, D. Fong, K.E. Limburg, and R.C. Johnson. 2020. Cryptic lives of conspicuous animals: otolith chemistry chronicles life histories of coastal lagoon fishes. *Front. Mar. Sci.*, 7:1-9.
- Fierstine, H.L., K.F. Kline, and G.R. Garman. 1973. Fishes collected in Morro Bay, California, between January, 1969 and December, 1970. *Calif. Fish Game*, 59:73-88.
- Fodrie, F.J., and G. Mendoza. 2006. Availability, usage and expected contribution of potential nursery habitats for the California halibut. *Estuar. Coast. Shelf Sci.*, 68:149-164.
- Forrester, G.E., and S.E. Swearer. 2002. Trace elements in otoliths indicate the use of open-coast versus bay nursery habitats by juvenile California halibut. *Mar. Ecol. Prog. Ser.*, 241:201-213.
- Foxgrover, A.C., M. Marvin-DiPasquale, B.E. Jaffe, and T.A. Fregoso. 2019. Slough evolution and legacy mercury remobilization induced by wetland restoration in South San Francisco Bay. *Estuar. Coast. Shelf Sci.*, 220:1-12.
- Freedman, R.M., C. Espasandin, E.F. Holcombe, C.R. Whitcraft, B.J. Allen, D. Witting, and C.G. Lowe. 2016. Using movements and habitat utilization as a functional metric of restoration for estuarine juvenile fish habitat. *Mar. Coast. Fish.*, 8(1):361-373.
- Galván, M.F., F.J. Gutierrez-Sanchez, L.A. Abitia-Cardenas. and J. Rodríguez-Romero. 2000. The distribution and affinities of the shore fishes of Baja California Sur lagoons. Pp. 383-398. In: M. Munawar, S. Lawrence, I.F. Munawar and D. Malley (eds.). *Aquatic ecosystems of Mexico: Status and scope*. Backhuys Publishers.
- Ganssle, D. 1966. Fishes and decapods of San Pablo and Suisun Bays, Pp. 64-94. In *Ecological studies of the Sacramento-San Joaquin estuary*. Part 1. D.W. Kelley (ed.). *Calif. Dept. Fish Game, Fish Bull.* 136.
- Garwood, R.S. 2017. Historic and contemporary distribution of Longfin Smelt (*Spirinchus thaleichthys*) along the California coast. *Calif. Fish Game*, 103(3):96-117.
- Gende, S.M., R.T. Edwards, M.F. Wilson, and M.S. Wipfli. 2002. Pacific salmon in aquatic and terrestrial ecosystems. *BioScience*, 52:917-928.

- Gerdes, G.L., E.R.J. Primbs, and B.M. Browning. 1974. Natural resources of Morro Bay, their status and future. California Dept. Fish Game Coastal Wetl. Ser., No. 8.
- Gewant, D., and S.M. Bollens. 2012. Fish assemblages of interior tidal marsh channels in relation to environmental variables in the upper San Francisco Estuary. *Environ. Biol. Fish.*, 94(2):483-499.
- Gibson, R.N. 1994. Impact of habitat quality and quantity on the recruitment of juvenile flatfishes. *Netherlands J. Sea Res.*, 32(2):191-206.
- Giguere, P.E., M.A. Sturgeon, M.W. Inlay, J.A. Aplin, G.W. Markel, J. Speth, and G. Arnett. 1970. The natural resources of Bolinas Lagoon: their status and future. Calif. Dept. Fish Game.
- Gillanders, B.M., K.W. Able, J.A. Brown, D.B. Eggleston, and P.F. Sheridan. 2003. Evidence of connectivity between juvenile and adult habitats for mobile marine fauna: an important component of nurseries. *Mar. Ecol. Prog. Ser.*, 247:281-295.
- Gittman, R.K., C.H. Peterson, C.A. Currin, F.J. Fodrie, M.F. Piehler, and J.F. Bruno. 2016. Living shorelines can enhance the nursery role of threatened estuarine habitats. *Ecol. Appl.*, 26(1):249-263.
- Green, R.E. 1975. A preliminary list of fishes collected from Richardson Bay, California 1972-73. *Calif. Fish Game*, 61:104-106.
- Greenfield, B.K., and A. Jahn. 2010. Mercury in San Francisco Bay forage fish. *Environ. Poll.*, 158(8):2716-2724.
- Gustafson, R.G., M.J. Ford, P.B. Adams, J.S. Drake, R.L. Emmett, K.L. Fresh, M. Rowse, E.A.K. Spangler, R.E. Spangler, and D.J. Teel. 2012. Conservation status of eulachon in the California Current. *Fish and Fish.*, 13(2):121-138.
- Haaker, P.L., 1979. Two Asiatic gobiid fishes, *Tridentiger trigonocephalus* and *Acanthogobius flavimanus*, in southern California. *Bull. S. Calif. Acad. Sci.*, 78(1):56-61
- Haedrich, R.L. 1983. Estuarine fishes. Pp. 183-207. In: *Ecosystems of the world*. B.H. Ketchum (ed.). Elsevier.
- Haedrich, R.L., and C.A.S. Hall. 1976. Fishes and estuaries. *Oceanus*, 19(5):55-63.
- Hagan, S.M., and K.W. Able. 2003. Seasonal changes of the pelagic fish assemblage in a temperate estuary. *Estuar. Coast. Shelf Sci.*, 56:15-29.
- Hammann, M.G., and J.A. Rosales-Casián. 1990. Taxonomía y estructura de la comunidad de peces del Estero de Punta Banda y Bahía de Todos Santos, Baja California, México. Pp. 153-192. In: *Temas de Oceanografía Biológica en México*, J. Rosa-Velez and F. Gonzalez-Farias (eds.), Ensenada: Universidad Autónoma de Baja California.
- Hammock, B.G., R. Hartman, S.B. Slater, A. Hennessy, and S.J. Teh. 2019. Tidal wetlands associated with foraging success of delta smelt. *Estuar. and Coast.*, 42(3):857-867.
- Hardwick, J. E. 1973. Biomass estimates of spawning herring, *Clupea harengus pallasii*, herring eggs, and associated vegetation in Tomales Bay. *Calif. Fish Game*, 59:36-61.
- Harvey, H.W. 1950. On the production of living matter in the sea off Plymouth. *J. Mar. Biol. Assoc. U.K.*, 29:97-137.
- Hastings, P.A. 2000. Biogeography of the Tropical Eastern Pacific: distribution and phylogeny of chaenopsid fishes. *Zool. J. Linn. Soc.*, 128:319-335.
- Heady, W.N., R.P. Clark, K. O'Connor, C. Clark, C. Endris, S. Ryan, and S. Stoner-Duncan. 2015. Assessing California's bar-built estuaries using the California Rapid Assessment Method. *Ecol. Indic.*, 58:300-310.

- Heck, K.L., G. Hays, and R.J. Orth. 2003. Critical evaluation of the nursery role hypothesis for seagrass meadows. *Mar. Ecol. Prog. Ser.*, 253:123-136.
- Hellier, T. R. Jr. 1962. Fish production and biomass studies in relation to photosynthesis in the Laguna Madre of Texas. *Publ. Inst. Mar. Sci.*, 8:1-22.
- Hirase, S., S. Chambers, K. Hassell, M. Carew, V. Pettigrove, K. Soyano, M. Nagae, and W. Iwasaki. 2017. Phylogeography of the yellowfin goby *Acanthogobius flavimanus* in native and non-native distributions. *Mar. Biol.*, 164(5):1-12.
- Hobbs, J., P.B. Moyle, N. Fangue, and R.E. Connon. 2017. Is extinction inevitable for delta smelt and longfin smelt? An opinion and recommendations for recovery. *San Francisco Estuar. Watershed Sci.*, 15(2):1-19.
- Hodgson, E.E., S.M. Wilson, and J.W. Moore. 2020. Changing estuaries and impacts on juvenile salmon: A systematic review. *Glob. Change Biol.*, 26(4):1986-2001.
- Holčik, J. 1970. Standing crop, abundance, production and some ecological aspects of shallow-water fish populations in some inland waters of Cuba. *Vestn. Cesk. Spol. Zool.*, 34:184-201.
- Horn, M.H. 1980. Diel and seasonal variation in abundance and diversity of shallow-water fish populations in Morro Bay, California. *Fish. Bull.*, 78:759-770.
- Horn, M.H., and L.G. Allen. 1976. Numbers of species and faunal resemblance of marine fishes in California bays and estuaries. *Bull. So. Calif. Acad. Sci.*, 75:159-170.
- Horn, M.H., and L.G. Allen. 1978. A distributional analysis of California coastal marine fishes. *J. Biogeogr.*, 5:23-42.
- Horn, M.H., and L.G. Allen. 1985. Fish community ecology in southern California bays and estuaries, p. 169-190. In *Fish community ecology in estuaries and coastal lagoons: towards an ecosystem integration*. A. Yañez-Arancibia (ed.). UNAM Press.
- Horn, M.H., and L.G. Allen, and F.D. Hagner. 1984. Ecological status of striped bass, *Morone saxatilis*, in upper Newport Bay, California. *Calif. Fish Game*, 70:180-184.
- Howard, S., and M. Booth. 2016. Range expansion of the shimofuri goby (*Tridentiger bifasciatus*) in southern California, with emphasis on the Santa Clara River. *Calif. Fish Game*, 102(2):45-49.
- Hubbs, C.L. 1948. Changes in the fish fauna of western North America correlated with changes in ocean temperature. *J. Mar. Res.*, 7:459-482.
- Hubbs, C.L. 1960. The marine vertebrates of the outer coast. *Syst. Zool.*, 9:134-147.
- Hubbs, C. 1965. Developmental temperature tolerance and rates of four southern California fishes, *Fundulus parvipinnis*, *Atherinops affinis*, *Leuresthes tenuis*, and *Hypsoblennius* sp. *Calif. Fish Game*, 51:113-122.
- Hubbs, C.L. 1974. Book review: *Marine zoogeography* by J.C. Briggs. *Copeia*, 1974:1002-1005.
- Hubbs, C.L. and Miller, R.R., 1965. Studies of cyprinodont fishes, XXII: Variation in *Lucania parva*, its establishment in western United States, and description of a new species from an interior basin in Coahuila, Mexico. *Miscellaneous Publications. Museum of Zoology, Univ. Michigan*, No. 127.
- Hughes, J.E., L.A. Deegan, J. C. Wyda, M.J. Weaver, and A. Wright. 2002. The effects of eelgrass habitat loss on estuarine fish communities of southern New England. *Estuaries.*, 25:235-249.
- Hung, T., M. Rosales, T. Kurobe, T. Stevenson, L. Ellison, G. Tigan, M. Sandford, C. Lam, A. Schultz, and S. Teh. 2019. A pilot study of the performance of captive-reared delta smelt *Hypomesus transpacificus* in a semi-natural environment. *J. Fish Biol.*, 95(6):517-1522.

- Jarrett, K.W., E. Bell, E.A. Wilson, T. Dudley, and C.M. Geraghty. 2019. Using eDNA to validate predation on native *Oncorhynchus mykiss* by invasive Sacramento pikeminnow (*Ptychocheilus grandis*). Calif. Fish Game., 105:177-187.
- Jeffries, K.M., R.E. Connon, C.E. Verhille, T.F. Dabruzzi, M.T. Britton, B.P. Durbin-Johnson, and N.A. Fangue. 2019. Divergent transcriptomic signatures in response to salinity exposure in two populations of an estuarine fish. Evol. Appl., 12(6):1212-1226.
- Jeffries, K.M., L.M. Komoroske, J. Truong, I. Werner, M. Hasenbein, S. Hasenbein, N.A. Fangue, and R.E. Connon. 2015. The transcriptome-wide effects of exposure to a pyrethroid pesticide on the Critically Endangered delta smelt *Hypomesus transpacificus*. Endanger. Spec. Res., 28(1):43-60.
- Jeppesen, R., M. Rodriguez, J. Rinde, J. Haskins, B. Hughes, L. Mehner, and K. Wasson. 2018. Effects of hypoxia on fish survival and oyster growth in a highly eutrophic estuary. Estuar. Coast., 41(1):89-98.
- Jerde, C.L., A.R. Mahon, W.L. Chadderton, and D.M. Lodge. 2011. Sight-unseen detection of rare aquatic species using environmental DNA. Conserv. Let., 4(2):150-157.
- Kamer, K., K.A. Boyle, and P. Fong. 2001. Macroalgal bloom dynamics in a highly eutrophic southern California estuary. Estuaries, 24:623-635.
- Kelly, J.T., and A.P. Klimley. 2012. Relating the swimming movements of green sturgeon to the movement of water currents. Environ. Biol. Fish., 93(2):151-167.
- Knudsen, S.W., R.B. Ebert, M. Hesselsoe, F. Kuntke, J. Hassingboe, P.B. Mortensen, P. Francis Thomsen, E.E. Sigsgaard, B.K. Hansen, and E.E. Nielsen. 2019. Species-specific detection and quantification of environmental DNA from marine fishes in the Baltic Sea. J. Exper. Mar. Biol. Ecol., 510:31-45.
- Kramer, S.H. 1990. Habitat specificity and ontogenetic movements of juvenile California halibut, *Paralichthys californicus*, and other flatfishes in shallow waters of southern California. Ph.D. Thesis, University of California, San Diego.
- Kramer, S.H. 1991. Growth, mortality, and movements of juvenile California halibut *Paralichthys californicus* in shallow coastal and bay habitats of San Diego County, California. Fish. Bull., 89:195-207.
- Krug, J.M., E. Bell, and R. Dagit. 2012. Growing up fast in a small creek: diet and growth of a population of *Oncorhynchus mykiss* in Topanga Creek, California. Calif. Fish Game, 98(1):38-46.
- Kurobe, T., M.O. Park, A. Javidmehr, F. Teh, S.C. Acuña, C.J. Corbin, A.J. Conley, W.A. Bennett, and S.J. Teh. 2016. Assessing oocyte development and maturation in the threatened Delta Smelt, *Hypomesus transpacificus*. Environ. Biol. Fish., 99(4):423-432.
- Kusher, D.I., S.E. Smith, and G.M. Cailliet. 1992. Validated age and growth of the leopard shark, *Triakis semifasciata*, with comments on reproduction. Environ. Biol. Fish., 35:187-203.
- Kwak, T.J., and J.B. Zedler. 1997. Food web analysis of southern California coastal wetlands using multiple stable isotopes. Oecologia, 110:262-277.
- Lafferty, K., C. Swift, and R.F. Ambrose. 1999. Extirpation and recovery of local populations of the endangered tidewater goby, *Eucyclogobius newberryi*. Conserv. Biol. 13:1447-1453.
- Lane, E.D., and C.W. Hill (eds.). 1975. Marine resources of Anaheim Bay. Calif. Dept. Fish Game, Fish Bull, 165.
- Lazzari, M.A., S. Sherman, and J.K. Kanwit. 2003. Nursery use of shallow habitats by epibenthic fishes in Maine nearshore waters. Estuar. Coast. Shelf Sci., 56(1):73-84.

- Leet, W.S., C.M. Dewees, R. Klingbeil, and E. J. Larson (eds.). 2001. California's living marine resources: a status report. Calif. Dept. Fish Game.
- Lewis, L.S., M. Willmes, A. Barros, P.K. Crain, and J.A. Hobbs. 2020. Newly discovered spawning and recruitment of threatened Longfin Smelt in restored and underexplored tidal wetlands. *Ecology*, 101(1):e02868.
- López-Rasgado, F.J., and S.Z. Herzka. 2009. Assessment of habitat quality for juvenile California halibut (*Paralichthys californicus*) in a seasonally arid estuary. *Fish. Bull.*, 107(3):343-358.
- Madon, S.P., G.D. Williams, J.M. West, and J.B. Zedler. 2001. The importance of marsh access to growth of the California killifish, *Fundulus parvipinnis*, evaluated through bioenergetics modeling. *Ecol. Model.*, 135:149-165.
- Mahardja, B., J.L. Conrad, L. Lusher, and B. Schreier. 2016. abundance trends, distribution, and habitat associations of the invasive Mississippi silverside (*Menidia audens*) in the Sacramento–San Joaquin Delta, California, USA. *San Francisco Estuar. Water. Sci.*, 14(1):1-16.
- Mahardja, B., M.J. Farruggia, B. Schreier, and T. Sommer. 2017. Evidence of a shift in the littoral fish community of the Sacramento-San Joaquin Delta. *PLoS One*, 12(1):e0170683.
- Mahardja, B., A. Goodman, A. Goodbla, A.D. Schreier, C. Johnston, R.C. Fuller, D. Contreras, and L. McMartin. 2020. Introduction of bluefin killifish *Lucania goodei* into the Sacramento-San Joaquin Delta. *San Francisco Estuar. Water. Sci.*, 18(2):1-17.
- Martin, L.K., and G.M. Cailliet. 1988a. Aspects of the reproduction of the bat ray, *Myliobatis californica*, in central California. *Copeia*, 1988:754-762.
- Martin, L.K., and G.M. Cailliet. 1988b. Age and growth determination of the bat ray, *Myliobatis californica* Gill, in central California. *Copeia*, 1988:762-773.
- Matern, S.A. 1999. The invasion of the shimofuri goby (*Tridentiger bifasciatus*) into California: establishment, potential for spread, and likely effects. Ph.D. Dissertation, Univ. California, Davis.
- Matern, S.A., and L.R. Brown. 2005. Invaders eating invaders: exploitation of novel alien prey by the alien shimofuri goby in the San Francisco Estuary, California. *Biol. Inv.*, 7(3):497-507.
- Matern, S.A., P.B. Moyle, and L.C. Pierce. 2002. Native and alien fishes in a California estuarine marsh: twenty-one years of changing assemblages. *Trans. Amer. Fish. Soc.*, 131(5):797-816.
- McHugh, J.L. 1967. Estuarine nekton. Pp. 581-619 In: *Estuaries*. G.H. Lauff (ed.). American Association for the Advancement of Science.
- Meredith, W.H., and V.A. Lotrich. 1979. Production dynamics of a tidal creek population of *Fundulus heteroclitus* (Linnaeus). *Estuar. Coast. Mar. Sci.*, 8:99-118.
- Merz, J.E., P.S. Bergman, J.F. Melgo, and S. Hamilton. 2013. Longfin smelt: spatial dynamics and ontogeny in the San Francisco Estuary, California. *Calif. Fish Game.*, 99(3):122-148.
- Minello, T.J., K.W. Able, M.P. Weinstein, and C.G. Hays. 2003. Salt marshes as nurseries for nekton: testing hypotheses on density, growth and survival through meta-analysis. *Mar. Ecol. Prog. Ser.*, 246:39-59.
- Monroe, G.M., S.J. Thompson, P.G. Swartzell, B.M. Browning, J.W. Speth, and G. Arnett. 1973. The natural resources of Humboldt Bay. *Calif. Fish Game Coastal Wetland Ser.*, No. 6.



- Morrison, M.A., M.P. Francis, B.W. Hartill, and D.M. Parkinson. 2002. Diurnal and tidal variation in the abundance of the fish fauna of a temperate tidal mudflat. *Estuar. Coast. Shelf Sci.*, 54(5): 793-807.
- Moyle, P.B., 1976. Fish introductions in California: history and impact on native fishes. *Biol. Conserv.*, 9(2):101-118.
- Moser, H.G. (ed.). 1996. The early stages of fishes in the California Current region. California Coop. Ocean. Fish. Invest. Atlas No. 33. Natl. Mar. Fish. Serv.
- Moyle, P.B. 2002. Inland fishes of California: revised and expanded. University of California Press.
- Moyle, P.B., L.R. Brown, J.R. Durand, and J.A. Hobbs. 2016. Delta smelt: life history and decline of a once-abundant species in the San Francisco Estuary. *San Francisco Estuar. Water. Sci.*, 14(2):1-30.
- Moyle, P.B., and J.J. Cech. 2000. Fishes: an introduction to ichthyology. 4th Edition. Prentice Hall.
- Moyle, P.B., R.M. Quiñones, J.V. Katz, and J. Weaver. 2015. Fish species of special concern in California. Calif. Dept. Fish Wildlife.
- Mudie, P.J., R. Byrne, B. Browning, J. Speth, R. Hein, and H. MacKinnie. 1974. The natural resources of Los Penasquitos Lagoon and recommendations for use and development. *Calif. Fish Game Coast. Wetl. Ser.*, No. 7.
- Nobriga, M.L., and W.E. Smith. 2020. Did a shifting ecological baseline mask the predatory effect of striped bass on delta smelt? *San Francisco Estuar. Water. Sci.*, 18(1):1-26.
- Odum, W.E. 1970. Utilization of the direct grazing and plant detritus food chains by the striped mullet, *Mugil cephalus*. Pp. 222-240. In: Marine food chains. J.H. Steele (ed.). Univ. California Press.
- O'Leary, J.K., Goodman, M.C., Walter, R.K., Willits, K., Pondella, D.J. and Stephens, J., 2021. Effects of estuary-wide seagrass loss on fish populations. *Estuar. Coast.*, 44(8):2250-2264.
- Onuf, C.P. and M.L. Quammen. 1983. Fishes in a California coastal lagoon: effects of major storms on distribution and abundance. *Mar. Ecol. Prog. Ser.*, 12:1-14.
- Orcutt, H.G. 1950. The life history of the starry flounder *Platichthys stellatus* (Pallas). *Calif. Dept. Fish Game Fish. Bull.*, 78.
- Osterback, A.K., C.H. Kern, E.A. Kanawi, J.M. Perez, and J.D. Kiernan. 2018. The effects of early sandbar formation on the abundance and ecology of coho salmon (*Oncorhynchus kisutch*) and steelhead trout (*Oncorhynchus mykiss*) in a central California coastal lagoon. *C. J. Fish. Aquat. Sci.*, 75(12):2184-2197.
- Peeling, T.J. 1975. A proximate biological survey of San Diego Bay, California. Naval Undersea Center Tech. Publ., 389.
- Pihl, L., A. Cattrijsse, I. Codling, S. Mathieson, D.S. McLusky, and C. Roberts. 2002. Habitat use by fishes in estuaries and other brackish areas. Pp. 10-53. In: Fishes in estuaries. M. Elliott and K. Hemingway (eds.). Blackwell Science.
- Pihl, L., and R. Rosenberg. 1982. Production, abundance and biomass of mobile epibenthic marine fauna in shallow waters, western Sweden. *J. Exp. Mar. Biol. Ecol.*, 57:273-301.
- Plummer, K.M., E.E. DeMartini, and D.A. Roberts. 1983. The feeding habits and distribution of juvenile-small adult California halibut (*Paralichthys californicus*) in coastal waters off northern San Diego County. *CalCOFI Rep.*, 24:194-201.

- Polansky, L., K.B. Newman, M.L. Nobriga, and L. Mitchell. 2018. Spatiotemporal models of an estuarine fish species to identify patterns and factors impacting their distribution and abundance. *Estuar. Coast.*, 41(2):572-581.
- Pondella, D.J., L.G. Allen, M.T. Craig, and B. Gintert. 2006. Evaluation of eelgrass mitigation and fishery enhancement structures in San Diego Bay, California. *Bull. Mar. Sci.*, 78(1):115-131.
- Raney, E.C., 1952. The life history of the Striped Bass, *Roccus saxatilis* (Walbaum). Bingham Oceanographic Laboratory, Yale University.
- Rosales-Casian, J.A. 1996. Ichthyofauna of Bahía de San Quintín, Baja California, Mexico, and its adjacent coast. *Ciencias Mar.*, 22(4):443-458.
- Rosales-Casian, J.A. 1997. Inshore soft-bottom fishes of two coastal lagoons on the northern Pacific coast of Baja California. *CalCOFI Rep.*, 38:180-192.
- Rosales-Casian, J.A. 2004. Composición, importancia y movimiento de los peces de Bahía de San Quintín, Baja California, México. *Ciencias Mar.*, 30(1a):09-117.
- Sabal, M.C., C.J. Michel, J.M. Smith, A. Hampton, and S. A. Hayes. 2019. Seasonal movement patterns of striped bass (*Morone saxatilis*) in their nonnative range. *Estuar. Coast.*, 42(2):567-579.
- Scavia, D., J.C. Field, D.E. Boesch, R.W. Buddemeier, V. Burkett, D.R. Cayan, M. Fogarty, M.A. Harwell, R.W. Howarth, C. Mason, D.J. Reed, T.C. Royer, A.H. Sallenger, and J.G. Titus. 2002. Climate change impacts on U. S. coastal and marine ecosystems. *Estuaries*, 25:149-164.
- Schroeter, R.E., and P.B. Moyle. 2006. Alien fishes. Pp. 611-620 In: The ecology of marine fishes: California and adjacent waters, L.G. Allen, D.J. Pondella II, and M.H. Horn (eds.). University of California Press.
- Seesholtz, A.M., M.J. Manuel, and J.P. Van Eenennaam. 2015. First documented spawning and associated habitat conditions for green sturgeon in the Feather River, California. *Environ. Biol. Fish.*, 98(3):905-912.
- Smith, P.E. 1995. A warm decade in the Southern California Bight. *CalCOFI Rep.* 36:120-126.
- Snyder, R.J. 1991. Migration and life histories of the threespine stickleback: evidence for adaptive variation in growth rate between populations. *Environ. Biol. Fish.*, 31:381-388.
- Swanson, C., T. Reid, P.S. Young, and J.J. Cech Jr. 2000. Comparative environmental tolerances of threatened delta smelt (*Hypomesus transpacificus*) and introduced wakasagi (*H. nipponensis*) in an altered California estuary. *Oecologia*, 123:384-390.
- Swift, C.C., J. Nelson, C. Maslow, and T. Stein. 1989. Biology and distribution of the tidewater goby, *Eucyclogobius newberryi* (Pisces: Gobiidae) of California. *Contrib. Sci. Los Angeles Co. Mus. Nat. Hist.* 404.
- Swift, C.C., T.R. Haglund, M. Ruiz, and R.N. Fisher. 1993. The status and distribution of the freshwater fishes of southern California. *Bull. So. Calif. Acad. Sci.*, 92:101-167.
- Swift, C.C., B. Spies, R.A. Ellingson, and D.K. Jacobs. 2016. A new species of the bay goby genus *Eucyclogobius*, endemic to southern California: evolution, conservation, and decline. *PloS One*, 11(7):1-33.
- Talent, L.G. 1976. Food habits of the leopard shark, *Triakis semifasciata*, in Elkhorn Slough, Monterey Bay, California. *Calif. Fish Game*, 62:286-298.
- Talent, L.G. 1982. Food habits of the gray smoothhound (*Mustelus californicus*), the brown smoothhound (*Mustelus henlei*), the shovelnose guitarfish (*Rhinobatos productus*), and

- the bat ray (*Myliobatis californica*), in Elkhorn Slough, Calif. Calif. Fish Game., 68:224–234.
- Talent, L.G. 1985. The occurrence, seasonal distribution, and reproductive condition of elasmobranch fishes in Elkhorn Slough, CA, USA. Calif. Fish Game., 71:210–219.
- Talley, D.M. 2000. The Role of resident fishes in linking habitats of a southern California salt marsh. PhD Dissertation, University of California, San Diego.
- Teo, S.L.H., and K.W. Able. 2003. Growth and production of the mummichog (*Fundulus heteroclitus*) in a restored salt marsh. Estuaries, 26(1):51-63.
- Thiel, R., and I.C. Potter. 2001. The ichthyofaunal composition of the Elbe Estuary: an analysis in space and time. Mar. Biol., 138(3):603-616.
- Thomas, M.J., M.L. Peterson, E.D. Chapman, A.R. Hearn, G.P. Singer, R.D. Battleson, and A.P. Klimley. 2014. Behavior, movements, and habitat use of adult green sturgeon, *Acipenser medirostris*, in the upper Sacramento River. Environ. Biol. Fish., 97(2):133-146.
- Thomsen, P.F., J.O.S. Kielgast, L.L. Iversen, C. Wiuf, M. Rasmussen, M.T.P. Gilbert, L. Orlando, and E. Willerslev. 2012. Monitoring endangered freshwater biodiversity using environmental DNA. Mol. Ecol., 21(11):2565-2573.
- Valiela, I., J.E. Wright, J.M. Teal, and S.B. Volkmann. 1977. Growth, production and energy transformations in the salt marsh killifish *Fundulus heteroclitus*. Mar. Biol. 40:135-144.
- Valle, C.F., J.W. O'Brien, and K.B. Wiese. 1999. Differential habitat use by California halibut, *Paralichthys californicus*, barred sand bass, *Paralabrax nebulifer*, and other juvenile fishes in Alamitos Bay, California. Fish. Bull., 97:646-660.
- van Bleijswijk, J.D.L., J.C. Engelmann, L. Klunder, H. J. Witte, J.I.J. Witte, and H.W. van der Veer. 2020. Analysis of a coastal North Sea fish community: Comparison of aquatic environmental DNA concentrations to fish catches. Environ. DNA, 2:1-17.
- Vaz, P.G., E. Kebreab, S.S.O. Hung, J.G. Fadel, S. Lee, and N.A. Fangue. 2015. Impact of nutrition and salinity changes on biological performances of green and white sturgeon. PLoS One, 10(4):e0122029.
- Verhille, C.E., S. Lee, A.E. Todgham, D.E. Cocherell, S.S.O. Hung, and N.A. Fangue. 2016. Effects of nutritional deprivation on juvenile green sturgeon growth and thermal tolerance. Environ. Biol. Fish., 99(1):145-159.
- Wallace, M., S. Ricker, J. Garwood, A. Frimodig, and S. Allen. 2015. Importance of the stream-estuary ecotone to juvenile coho salmon (*Oncorhynchus kisutch*) in Humboldt Bay, California. Calif. Fish Game, 101(4):241-266.
- Waples, R.S. 1991. Genetic interactions between hatchery and wild salmonids: lessons from the Pacific Northwest. C. J. Fish. Aquat. Sci., 48:124-133.
- Warburton, K. 1979. Community structure, abundance and diversity of fish in a Mexican coastal lagoon system. Estuar. Coast. Mar. Sci., 7:497-519.
- West, J.M., and J. B. Zedler. 2000. Marsh-creek connectivity: fish use of a tidal salt marsh in southern California. Estuaries, 23:699-710.
- White, W.S., and R.C. Wunderlich. 1976. Fish and wildlife resources of Tijuana Estuary, California. U. S. Fish Wildl. Serv. Spec. Rept.
- Whitfield, A.K. 2020. Littoral habitats as major nursery areas for fish species in estuaries: a reinforcement of the reduced predation paradigm. Mar. Ecol. Prog. Ser., 649:219-234.
- Whitley, S.N., and S.M. Bollens. 2014. Fish assemblages across a vegetation gradient in a restoring tidal freshwater wetland: diets and potential for resource competition. Environ. Biol. Fish., 97(6):659-674.

- Whittaker, R.H., and G.E. Likens. 1973. Carbon in the biota. Pp. 281-300. In: Carbon and the biosphere. Conf. 72501. G.M. Woodwell and E.V. Pecan (eds.). Natl. Tech. Information Serv.
- Williams, G.D., J.M. West, and J.B. Zedler. 2001. Shifts in fish and invertebrate assemblages of two southern California estuaries during the 1997-98 El Niño. *Bull. S. Calif. Acad. Sci.*, 100(3):212-238.
- Workman, M.L. and Merz, J.E., 2007. Introduced yellowfin goby, *Acanthogobius flavimanus*: diet and habitat use in the lower Mokelumne River, California. *San Francisco Estuary and Watershed Science*, 5(1):1-13.
- Yagi, Y., I. Kinoshita, S. Fujita, D. Aoyama, and Y. Kawamura. 2011. Importance of the upper estuary as a nursery ground for fishes in Ariake Bay, Japan. *Environ. Biol. Fish.*, 91(3):337-352.
- Yanagitsuru, Y.R., et al. 2022. Growth, osmoregulation, and ionoregulation of longfin smelt (*Sprinchus thaleichthys*) yolk-sac larvae at different salinities. *Conserv. Phys.*, 10:1-13.
- Yoklavich, M.M. 1982a. Growth, food consumption, and conversion efficiency of juvenile English sole (*Parophrys vetulus*) p. 97–105. In: Fish food habit studies. G.M. Cailliet and C A. Simenstad (eds.). Proc. Third Pacific Workshop, Univ. Washington. Washington Sea Grant.
- Yoklavich, M.M. 1982b. Energy requirements of the English sole (*Parophrys vetulus*). Master's Thesis, Moss Landing Marine Laboratories. San Francisco State Univ.
- Yoklavich, M.M., G.M. Cailliet, J.P. Barry, D.A. Ambrose, and B.S. Antrim. 1991. Temporal and spatial patterns in abundance and diversity of fish assemblages in Elkhorn Slough, California. *Estuaries*, 14(4):465-480.
- Yoklavich, M.M., M. Stevenson, and G.M. Cailliet. 1992. Seasonal and spatial patterns of ichthyoplankton abundance in Elkhorn Slough, California. *Estuar. Coast. Shelf Sci.*, 34(2):109-126.
- Young, M.J., F.V. Feyrer, D.D. Colombano, J.L. Conrad, and A. Sih. 2018. Fish-habitat relationships along the estuarine gradient of the Sacramento-San Joaquin delta, California: implications for habitat restoration. *Estuar. Coast.*, 41(8):2389-2409.
- Yudin, K.G., and G.M. Cailliet. 1990. Age and growth of the gray smoothhound, *Mustelus californica*, and the brown smoothhound, *M. henlei*, sharks from central California. *Copeia*, 1990:191–204.
- Zedler, J.B., J.C. Callaway, and G. Sullivan. 2001. Declining biodiversity: why species matter and how their functions might be restored in Californian tidal marshes. *BioScience*, 51:1005-1017.
- Zeug, S.C., F.V. Feyrer, A. Brodsky, and J. Melgo. 2017. Piscivore diet response to a collapse in pelagic prey populations. *Environ. Biol. Fish.*, 100(8):947-958.