

- Aguzzi, J., V. Sbragaglia, S. Tecchio, J. Navarro, J.B. Company. 2015. Rhythmic behaviour of marine benthopelagic species and the synchronous dynamics of benthic communities. Deep Sea Research Part I: Oceanogr. Res. Pap., 95:1-11.
- Allen, L.G., E.E. Demartini. 1983. Temporal and spatial patterns of nearshore distribution and abundance of the pelagic fishes off San Onofre-Oceanside, California. Fish. Bull., 81(3):569-586.
- Allen, L.G., A.M. Findlay, C.M. Phalen. 2002. Structure and standing stock of the fish assemblages of San Diego Bay, California from 1994 to 1999. Bull. S. Calif. Acad. Sci., 101(2):49-85.
- Allen, L.G., M.P. Franklin. 1992. Abundance, distribution, and settlement of young-of-the-year white seabass *Atractoscion nobilis* in the Southern California Bight, 1988-89. Fish. Bull., 90:633-641.
- Allen, L.G., J.P. Williams, J. Bredvik-Curran, D.J. Pondella, S. Graham, N. Martinez-Takeshita. 2022. A quarter century of monitoring the fish assemblages of San Diego Bay, California from 1995 to 2019. Bull. S. Calif. Acad. Sci., 121(3):111-134.
- Allen, M., K. Herbinson. 1990. Settlement of juvenile California halibut, *Paralichthys californicus*, along the coasts of Los Angeles, Orange, and San Diego Counties In 1989. CalCOFI Rep., 31:84-96.
- Allen, M., K. Herbinson. 1991. Beam-trawl survey of bay and nearshore fishes of the soft-bottom habitat of southern California in 1989. CalCOFI Rep., 32:112-127.
- Allen, M.J. 1982. Functional structure of soft-bottom fish communities of the Southern California shelf. Ph.D. Dissertation. Univ. Calif., San Diego.
- Allen, M.J. 2006. Continental shelf and upper slope. Pp. 167-202. In: the ecology of marine fishes: California and adjacent waters. L.G. Allen, D.J. Pondella, and M.H. Horn (eds.). University of California Press.
- Alpin, J. 1967. Biological survey of San Francisco Bay, 1963 to 1966. California Fish Game, Sacramento, CA, MRO Ref. 67-4.
- Bailey, K.M., R.C. Francis, P.R. Stevens. 1982. The life history and fishery of Pacific whiting, *Merluccius productus*. CalCOFI Rep., 23:81-98.
- Baker, R., M. Sheaves. 2007. Shallow-water refuge paradigm: conflicting evidence from tethering experiments in a tropical estuary. MEPS, 349:13-22.
- Boehlert, G. 1977. Timing of the surface-to-benthic migration in juvenile rockfish, *Sebastes diploproa*, off southern California. Fish. Bull., 75:887-990.
- Bond, N.A., M.F. Cronin, H. Freeland, N. Mantua. 2015. Causes and impacts of the 2014 warm anomaly in the NE Pacific. Geophys. Res. Lett., 42(9):3414-3420.
- Bowers, G. 1906. Dredging and hydrographic records of the U.S. Fisheries steamer Albatross for 1904 and 1905. Report of the Commissioner of Fisheries for the Fiscal Year 1905 and Special Papers. George M. Bowers, Commissioner, vol. 604, U.S. Bureau of Fisheries Document.
- Buckley, T., G. Tyler, D. Smith, P. Livingston. 1999. Food habits of some commercially important groundfish off the coasts of California, Oregon, Washington, and British Columbia. 173.
- Burton, D. 2002. The physiology of flatfish chromatophores. Microsc. Res. Techniq., 58(6):481-487.

- Cailliet, G.M., A.H. Andrews, W.W. Wakefield, G. Moreno, K.L. Rhodes. 1999. Fish faunal and habitat analyses using trawls, camera sleds and submersibles in benthic deep-sea habitats off central California. *Oceanologica Acta*, 22(6):579-592.
- Carlisle Jr, J.G. 1969. Results of a six year trawl study in an area of heavy waste discharge: Santa Monica Bay, California. California Department of Fish and Game, Fish Bulletin, 35(1):26-46.
- Cerri, R.D. 1983. The effect of light intensity on predator and prey behaviour in cyprinid fish: factors that influence prey risk. *Anim. Behav.*, 31(3):736-742.
- Clarke, G., E. Denton. 1962. Light and animal life. Pp. 456-468. In: *The Sea, Volume 1: Physical Oceanography*. M.N. Hill (ed). Wiley.
- Cross, J.N. 1987. Demersal fishes of the upper continental slope off southern California. *CalCOFI Rep.*, 28:155-167.
- Curry, J.R. 1966. The Continental Terrace Pp. 207-214. In: R.W. Fairbridge (ed). *The Encyclopedia of Oceanography*. Reinhold.
- Cushing, D.H. 1975. *Marine Ecology and Fisheries*. Cambridge University Press.
- Domeier, M., C. Chun. 1995. A tagging study of the California halibut (*Paralichthys californicus*). *CalCOFI Rep.*, 36:204-207.
- Douglas, R., R. Harper, J. Case. 1998. The pupil response of a teleost fish, *Porichthys notatus*: description and comparison to other species. *Vision Res.*, 38(18):2697-2710.
- Ebeling, A.W., R.N. Bray. 1976. Day versus night activity of reef fishes in a kelp forest off Santa Barbara, California. *Fish. Bull.*, 74(4):703-717.
- Ellis, D., E. DeMartini. 1995. Evaluation of a video camera technique for indexing abundances of juvenile pink snapper, *Pristipomoides filamentosus*, and other Hawaiian insular shelf fishes. *Oceanographic Lit. Rev.*, 9(42):786.
- Emery, K.O. 1960. *The Sea off Southern California*. John Wiley & Sons, Inc.
- Frank, K.T., B. Petrie, W.C. Leggett, D.G. Boyce. 2018. Exploitation drives an ontogenetic-like deepening in marine fish. *P. Natl. Acad. Sci.*, 115(25):6422-6427.
- Friedman, M. 2008. The evolutionary origin of flatfish asymmetry. *Nature*, 454(7201):209-212.
- Gibson, R.N., L. Robb, H. Wennhage, M. Burrows. 2002. Ontogenetic changes in depth distribution of juvenile flatfishes in relation to predation risk and temperature on a shallow-water nursery ground. *Mar. Ecol. Prog. Ser.*, 229:233-244.
- Grossman, G. 1979. Symbiotic burrow-occupying behavior in the bay goby, *Lepidogobius lepidus*. *California Fish and Game*, 65:122-124.
- Gunderson, D.R., T.M. Sample. 1980. Distribution and abundance of rockfish off Washington, Oregon, and California during 1977. *Mar. Fish. Rev.*, 42(3):2-16.
- Halstead, B.W., M.J. Chitwood, F.R. Modglin. 1955. The venom apparatus of the California scorpionfish, *Scorpaena guttata* Girard. *Transactions of the American Microscopical Soc.*, 74(2):145-158.
- Hamann, M.G., J. Rosales-Casián. 1990. Taxonomía y estructura de la comunidad de peces del Estero de Punta Banda y Bahía de Todos Santos, Baja California, México. Pp. 153-192. In J.d.l. Rosa-Vélez, F. González-Farías (eds). *Temas de Oceanografía Biológica en México*. Universidad Autónoma de Baja California, Ensenada,.
- Haueisen, M., R.E. Reis. 2023. High resolution in turbid waters: Ampullae of lorenzini in the daggenose shark *Carcharhinus oxyrinchus* (Valenciennes, 1839) (Elasmobranchii: Carcharhinidae). *J. Fish Biol.*, 2023:1-15.

- Hecker, B. 1990. Variation in megafaunal assemblages on the continental margin south of New England. Deep Sea Research Part A. Oceanographic Research Papers 37(1):37-57.
- Heimann, R.F. 1963. Trawling in the Monterey Bay area, with special reference to catch composition. Calif. Fish Game, 49(3):152-173.
- Heimann, R.F., D.J. Miller. 1960. The Morro Bay otter trawl and partyboat fisheries, August 1957 to September 1958. Calif. Fish Game, 46(1):35-58.
- Helfman, G.S. 1978. Patterns of community structure in fishes: summary and overview. Environ. Biol. Fish., 3:129-148.
- Hirata, Y. 1966. Fine structure of the terminal buds on the barbels of some fishes. Archivum Histologicum Japonicum 26(5):507-523.
- Hirshberger, W., G. Smith. 1983. Spawning of twelve groundfish species in the Alaska and Pacific coast regions, 1975-81. U.S. Department of Commerce. NOAA Tech. Memo. NMFS F/NWC-44.
- Hobson, E.S. 1965. Diurnal-nocturnal activity of some inshore fishes in the Gulf of California. Copeia, 1965(3):291-302.
- Hobson, E.S., J.R. Chess. 1976. Trophic interactions between fish and zooplankters near shore at Santa Catalina Island, California. Fish. Bull., 74(3):567-598.
- Hobson, E.S., W.N. McFarland, J.R. Chess. 1981. Crepuscular and nocturnal activities of California nearshore fishes, with consideration of their scotopic visual pigments and the photic environment. Fish. Bull., 79(1):1-30.
- Hubbs, C.L. 1960. The marine vertebrates of the outer coast. Symposium: the biogeography of Baja California and adjacent seas. Syst. Zool., 9(3-4):134-147.
- Hubbs, C.L. 1964. History of ichthyology in the United States after 1850. Copeia, 1964(1):42-60.
- James, A.M., H. Pecorelli, J. Word. 1976. Marine organisms around outfall pipes in Santa Monica Bay. J. Water Pollut. Contr. Fed., 48(8):1881-1893.
- Jay, C.V. 1996. Distribution of bottom-trawl fish assemblages over the continental shelf and upper slope of the US west coast, 1977-1992. Can. J. Fish. Aquat. Sci., 53(6):1203-1225.
- Johnson, K.A., M.M. Yoklavich, G.M. Cailliet. 2001. Recruitment of three species of juvenile rockfish (*Sebastes* spp.) on soft benthic habitat in Monterey Bay, California. CalCOFI Rep., 42:153-166.
- Keller, A.A., J.R. Wallace, B.H. Horness, O.S. Hamel, I.J. Stewart. 2012. Variations in eastern North Pacific demersal fish biomass based on the US west coast groundfish bottom trawl survey (2003-2010). Fish. Bull., 110(2):63-80.
- Kolmann, M., T. Peixoto, J. Pfeiffenberger, A. Summers, C.M. Donatelli. 2020. Swimming and defence: competing needs across ontogeny in armoured fishes (Agonidae). J. Roy. Soc. Interface, 17(169):20200301.
- Kruppert, S., F. Chu, M.C. Stewart, L. Schmitz, A.P. Summers. 2020. Ontogeny and potential function of poacher armor (Actinopterygii: Agonidae). J. Morph., 281(9):1018-1028.
- Kyle, H.M. 1923. The asymmetry, metamorphosis and origin of flat-fishes. Philosophical Philos. T. Roy. Soc. Lon. B, 211(382-390):75-129.
- Lafrance, P., M. Castonguay, D. Chabot, C. Audet. 2005. Ontogenetic changes in temperature preference of Atlantic cod. J. Fish Biol., 66(2):553-567.
- Laidig, T.E., M.M. Yoklavich. 2016. A comparison of density and length of Pacific groundfishes observed from 2 survey vehicles: a manned submersible and a remotely operated vehicle. Fish. Bull., 114(4).

- Lea, R.N., R.H. Rosenblatt. 2000. Observations on fishes associated with the 1997-98 El Niño off California. *CalCOFI Rep.*, 41:117-129.
- Lindholm, J., M. Gleason, D. Kline, L. Clary, S. Rienecke, A. Cramer, M.L. Huertos. 2015. Ecological effects of bottom trawling on the structural attributes of fish habitat in unconsolidated sediments along the central California outer continental shelf. *Fish. Bull.*, 113:82-96.
- Love, M.S., B. Axell, P. Morris, R. Collins, A. Brooks. 1987. Life history and fishery of the California scorpionfish, *Scorpaena guttata*, within the Southern California Bight. *Fish. Bull.*, 85(1):99-116.
- Love, M.S., J.S. Stephens Jr, P.A. Morris, M.M. Singer, M. Sandhu, T. Sciarrotta. 1986. Inshore soft substrata fishes in the Southern California Bight: an overview. *CalCOFI Rep.*, 27:84-106.
- Macpherson, E., C.M. Duarte. 1991. Bathymetric trends in demersal fish size: is there a general relationship? *MEPS*, 71:103-112.
- Mallet, D., D. Pelletier. 2014. Underwater video techniques for observing coastal marine biodiversity: a review of sixty years of publications (1952–2012). *Fish. Res.*, 154:44-62.
- Martínez-Muñoz, M.A., A. Ortega-Salas. 2001. Growth and mortality of the bigmouth sole, *Hippoglossina stomata* Eigenmann & Eigenmann 1890 (Pisces: Paralichthyidae), off the western coast of Baja California, Mexico. *Bull. Mar. Sci.*, 69(3):1109-1119.
- Matabos, M., A.O. Bui, S. Mihály, J. Aguzzi, S.K. Juniper, R. Ajayamohan. 2014. High-frequency study of epibenthic megafaunal community dynamics in Barkley Canyon: A multi-disciplinary approach using the NEPTUNE Canada network. *J. Mar. Syst.*, 130:56-68.
- Mearns, A., M. Allen. 1978. Use of small otter trawls in coastal biological surveys. United States Environmental Protection Agency, Office of Research and Development, Corvallis Environmental Research Laboratory. EPA-600/3-78-083.
- Mensingher, A.F. 1995. Ecomorphological adaptations to bioluminescence in *Porichthys notatus*. *Ecomorph. Fish.*, 44:133-142.
- O'Shea, O.R., M. Thums, M. Van Keulen, M. Meekan. 2011. Bioturbation by stingrays at Ningaloo reef, Western Australia. *Mar. Freshwater Res.*, 63(3):189-197.
- Orlov, A.M. 1998. The diets and feeding habits of some deep-water benthic skates (Rajidae) in the Pacific waters off the northern Kuril Islands and southeastern Kamchatka. *Alaska Fish. Res. Bull.*, 5(1):1-17.
- Pondella II, D.J., S.E. Piacenza, J.T. Claisse, C.M. Williams, J.P. Williams, A.J. Zellmer, J.E. Caselle. 2019. Assessing drivers of rocky reef fish biomass density from the Southern California Bight. *MEPS*, 628:125-140.
- Posner, M., R. Lavenberg. 1999. Movement of California halibut along the coast of California. *Calif. Fish Game*, 85(2):45-55.
- Ramachandran, V., C. Tyler, R. Gregory, D. Rogers-Ramachandran, S. Duensing, C. Pillsbury, C. Ramachandran. 1996. Rapid adaptive camouflage in tropical flounders. *Nature*, 379(6568):815-818.
- Ryer, C., B. Laurel, A. Stoner. 2010. Testing the shallow water refuge hypothesis in flatfish nurseries. *MEPS*, 415:275-282.
- Ryer, C.H., M.L. Spencer, P. Iseri, B.A. Knott, B.J. Laurel, A.W. Stoner. 2013. Polychaete worm tubes modify juvenile northern rock sole *Lepidopsetta polyxystra* depth distribution in Kodiak nurseries. *J. Exp. Mar. Biol. Ecol.*, 446:311-319.

- Sakuma, K.M., S. Ralston, D.A. Roberts. 1999. Diel vertical distribution of postflexion larval *Citharichthys* spp. and *Sebastes* spp. off central California. Fish. Oceanogr., 8(1):68-76.
- Sasaki, T. 1985. Studies on the sablefish resources in the North Pacific Ocean. Far Seas Fish Research Laboratory Bulletin 22.
- Snelgrove, P., R. Haedrich. 1985. Structure of the deep demersal fish fauna off Newfoundland. MEPS, 27(1-2):99-107.
- Sogard, S.M. 1997. Size-selective mortality in the juvenile stage of teleost fishes: a review. Bull. Mar. Sci., 60(3):1129-1157.
- Spinner, M., M. Kortmann, C. Traini, S.N. Gorb. 2016. Key role of scale morphology in flatfishes (Pleuronectiformes) in the ability to keep sand. Sci. Rep., 6(1):26308.
- Standora, E.A., D.R. Nelson. 1977. A telemetric study of the behavior of free-swimming Pacific angel sharks, *Squatina californica*. Bull. S. Calif. Acad. Sci., 76(3):193-201.
- Stein, D., J. Drazen, K. Schlining, J. Barry, L. Kuhn. 2006. Snailfishes of the central California coast: video, photographic and morphological observations. J. Fish Biol., 69(4):970-986.
- Stephens, J., M. Singer, L. Targart. 1989. Notes of the first record of the orangethroat pikeblenny, *Chaenopsis alepidota* (Gilbert), in mainland California. Calif. Fish Game, 75(3):169-183.
- Stephens, J.S., D.J. Pondella II, J. Steinbeck, J. Carroll, M. Love. 2016. Biogeography of the trawl-caught fishes of California and an examination of the Point Conception faunal break. CalCOFI Rep., 57:89-108.
- Stephens, J.S., K.E. Zerba. 1981. Factors affecting fish diversity on a temperate reef. Environ. Biol. Fish., 6(1):111-121.
- Swain, D.P. 1993. Age-and density-dependent bathymetric pattern of Atlantic cod (*Gadus morhua*) in the southern Gulf of St. Lawrence. Can. J. Fish. Aquat. Sci., 50(6):1255-1264.
- Ulrey, A.B., P.O. Greeley. 1928. A list of the marine fishes (Teleostei) of southern California with their distribution. Bull. S. Calif. Acad. Sci., 27(1):1-53.
- Vaudo, J., C.G. Lowe. 2006. Movement patterns of the round stingray *Urobatis halleri* (Cooper) near a thermal outfall. J. Fish Biol., 68(6):1756-1766.
- Vetter, R.D., E.A. Lynn. 1997. Bathymetric demography, enzyme activity patterns, and bioenergetics of deep-living scorpaenid fishes (genera *Sebastes* and *Sebastolobus*): paradigms revisited. MEPS, 155:173-188.
- Voronina, E.P., V.G. Sideleva, D.R. Hughes. 2021. Lateral line system of flatfishes (Pleuronectiformes): Diversity and taxonomic distribution of its characters. Acta Zoologica 102(1):1-25.
- Walsh, J.E., R.L. Thoman, U.S. Bhatt, P.A. Bieniek, B. Brettschneider, M. Brubaker, S. Danielson, R. Lader, F. Fetterer, K. Holderied. 2018. The high latitude marine heat wave of 2016 and its impacts on Alaska. Bull. Am. Meteorol. Soc., 99(1):S39-S43.
- Walther, S.M., J.P. Williams, A. Latker, D.B. Cadien, D.W. Diehl, K. Wisenbaker, E. Miller, R. Gartman, C. Stransky, K. Schiff. 2017. Southern California Bight 2013 Regional Monitoring Program: Volume VII. Demersal Fishes and Megabenthic Invertebrates.
- Westrheim, S.J., A. Morgan. 1963. Results from tagging a spawning stock of Dover sole, *Microstomus pacificus*. Pac. Mar. Fish. Comm. Bull 6:13-21.
- Williams, J.P., L.G. Allen, M.A. Steele, D.J. Pondella II. 2007. El Nino periods increase growth of juvenile white seabass (*Atractoscion nobilis*) in the Southern California Bight. Mar. Biol., 152(1):193-200.

- Williams, J.P., C.M. Williams, C.A. Blanchette, J.T. Claisse, D.J. Pondella, J.E. Caselle. 2018. Where the weird things are: A collection of species range extensions in the Southern California Bight. *Bull. S. Calif. Acad. Sci.*, 117(3):189-202, 14.
- Wyrtki, K. 1975. El Niño – the dynamic response of the equatorial Pacific Ocean to atmospheric forcing. *J. Phys. Oceanogr.*, 5(4):572-584.
- Yang, Q., E.D. Cokelet, P.J. Stabeno, L. Li, A.B. Hollowed, W.A. Palsson, N.A. Bond, S.J. Barbeaux. 2019. How “The Blob” affected groundfish distributions in the Gulf of Alaska. *Fish. Oceanogr.*, 28(4):434-453.