

- Abecassis, M., H. Dewar, D. Hawn and J. Polovina 2012. Modeling swordfish daytime vertical habitat in the North Pacific Ocean from pop-up archival tags. *MEPS*, 452: 219-236.
- Abitia-Cárdenas, L.A., Galván-Magaña, F., Cruz-Escalona, V.H., Peterson, M.S., Rodríguez-Romero, J. 2011. Daily food intake of *Kajikia audax* (Philippi, 1887) off Cabo San Lucas, Gulf of California, Mexico. *Lat. Am. J. Aquat. Res.*, 39(3):449-460.
- Acosta-Pachón, T.A., R.O. Martínez-Rincón, and M.G. Hinton 2017. Habitat preferences of striped marlin (*Kajikia audax*) in the eastern Pacific Ocean. *Fish. Oceanogr.*, 26(6):615-624.
- Alexander, R.M. 1967. *Functional Design in Fishes*. London: Hutchinson Univ. Library.
- Alexander, R.M. 1990. Size, speed and buoyancy adaptations in aquatic animals. *Am. Zool.*, 30:189-196.
- Allen, G.R. and D.R. Robertson 1994. *Fishes of the tropical eastern Pacific*. Univ. Hawaii Press.
- Allen, L.G. and E.E. DeMartini. 1983. Temporal and spatial patterns of nearshore distribution and abundance of the pelagic fishes off San Onofre, Oceanside, California. *Fish. Bull.*, 81(3):569-586.
- Allen, M. J. 1982. Functional structure of soft-bottom fish communities of the Southern California shelf. Ph.D. Dissertation. University of California, San Diego.
- Altringham J.D. and B.A. Block 1997. Why do tuna maintain elevated slow muscle temperatures? Power output of muscle isolated from endothermic and ectothermic fish. *J. Exp. Biol.*, 200:2617-2627.
- Alvarez, F. and J.L. Butler 1992. First attempt to determine birthdates and environmental relationship of juvenile sardine, *Sardina pilchardus* (Walb.), in the region of Vigo (NW Spain) during 1988. *Biol. Inst. Exp. Oceanogr.* 8:115-121.
- Ambrose, D.A. 1996a. Hexagrammidae. Pp. 811-820. In: *The early stages of the fishes in the California current region*. H.G. Moser (ed). CalCOFI Atlas No. 33.
- Ambrose, D.A. 1996b. Cottidae. Pp. 821-840. In: *The early stages of the fishes in the California current region*. H.G. Moser (ed). CalCOFI Atlas No. 33.
- Arenas, P.R., J.R. Hunter, and L.D. Jacobson 1996. The 1994 Mexico-U.S. spawning biomass survey for Pacific sardine (*Sardinops sagax*) and the 1995 CalCOFI Sardine Symposium. *CalCOFI Rep.*, 37:129-133.
- Ashida, H., T. Goshio, K. Watanabe, M. Okazaki, T. Tanabe and K. Uosaki 2020. Reproductive traits and seasonal variations in the spawning activity of female albacore, *Thunnus alalunga*, in the subtropical western North Pacific Ocean. *J. Sea Res.*, 160:101902.
- Bagarinao, T. and J.R. Hunter 1983. The visual feeding threshold and action spectrum of northern anchovy (*Engraulis mordax*) larvae. *CalCOFI Rep.* 24: 245-254.
- Baumann H, Wells R.J.D., Rooker J.R., Zhang S., Baumann Z., Madigan D.J., Dewar H., Snodgrass O.E. and Fisher N.S. 2015 Combining otolith microstructure and trace elemental analyses to infer the arrival of juvenile Pacific bluefin tuna in the California current ecosystem. *ICES J. Mar. Sci.*, 72:2128-2138.
- Bedford. D.W., and F.B. Hagerman 1983. The billfish fishery resource of the California Current. *CalCOFI Rep.*, 24:70-78.
- Bernal, P.A. 1981. A review of the low-frequency response of the pelagic ecosystem in the California Current. *CalCOFI Rep.*, 22:49-62.
- Berry, F.H. and H.C. Perkins 1966. Survey of pelagic fishes of the California Current area. *Fish. Bull.*, 65:625-682.

- Bertignac, M., J. Hampton, and A. Coan 1999. Estimates of exploitation rates for north Pacific albacore, *Thunnus alalunga*, from tagging data. Fish. Bull., 97(3):421-433.
- Bestley S., Patterson T.A., Hindell M.A., Gunn J.S. 2008. Feeding ecology of wild migratory tunas revealed by archival tag records of visceral warming. J. Anim. Ecol., 77:1223-1233.
- Blake, R.W. 2004. Fish functional design and swimming performance. J. Fish Biol., 65:1193-1222.
- Boehlert, G.W. 1977. Timing of the surface-to-benthic migration in juvenile rockfish, *Sebastes diploproa*, off southern California. U.S. Natl. Mar. Fish. Serv. Fish. Bull., 75:887-890.
- Bone, Q. 1972. Buoyancy and hydrodynamic functions in integument in the castor oil fish, *Ruvettus pretiosus* (Pisces: Gempylidae). Copeia, 72:78-87.
- Bone, Q. and Roberts, B.L. 1969. The density of elasmobranchs. J. Mar. Biol. Assoc. U.K., 49:913-937.
- Booman, C., A. Folkvord, and J.R. Hunter 1991. Responsiveness of starved northern anchovy *Engraulis mordax* larvae to predatory attacks by adult anchovy. Fish. Bull., 89(4):707-711.
- Boustany, A.M., R. Matteson, M. Castleton, C. Farwell, and B.A. Block 2010. Movements of pacific bluefin tuna (*Thunnus orientalis*) in the Eastern North Pacific revealed with archival tags. Prog. Oceanogr., 86:94-104.
- Boyce D., Tittensor D.P., Worm B. 2008. Effects of temperature on global patterns of tuna and billfish richness. MEPS, 355:267-276
- Brewer, G.D. and P.E. Smith 1982. Northern anchovy and Pacific sardine spawning off Southern California during 1978-1980: Preliminary observations on the importance of the nearshore coastal region. CalCOFI Rep., 23:160-171.
- Butler, J.L. 1990. Growth during the larval and juvenile stages of the northern anchovy, *Engraulis mordax*, in the California Current during 1980-84. Fish. Bull., 87:645-652.
- Butler, J.L. 1991. Mortality and recruitment of Pacific sardine, *Sardinops sagax caerulea*, larvae in the California Current. Can. J. Fish. Aquat. Sci., 48:1713-1723.
- Butler, J.L. and B. Rojas de Mendiola. 1985. Growth of larval sardines off Peru. CalCOFI Rep., 26:113-117.
- Butler, J.L. and D. Pickett 1988. Age specific vulnerability of Pacific sardine (*Sardinops sagax*) to predation by northern anchovy (*Engraulis mordax*). Fish. Bull., 86:163-167.
- Butler, J.L., M.L. Granados G., J.T. Barnes, M. Yaremko, and B.J. Macewicz 1996. Age composition, growth and maturation of the Pacific sardine, *Sardinops sagax*, during 1994. CalCOFI Rep., 37:152-159.
- Butler, J.L., P.E. Smith, N.C.H. Lo. 1993. The effect of natural variability of life-history parameters on anchovy and sardine population growth. CalCOFI Rep., 34:104-111.
- Butler, J.L., Dahlin, K.A. and Moser, G.H., 1996. Growth and duration of the planktonic phase and a stage based population matrix of Dover sole, *Microstomus pacificus*. Bull. Mar. Sci., 58(1):29-43.
- Cailliet, G.M., and D.W. Bedford 1983. The biology of three pelagic sharks from California waters, and their emerging fisheries: A review. CalCOFI Rep., 24:57-69.
- Cailliet, G.M., K.A. Karpov and D.A. Ambrose 1979. Pelagic assemblages as determined from purse seine and large midwater trawl catches in Monterey Bay and their affinities with the market squid, *Loligo opalescens*. CalCOFI Rep., 24:57-69.
- Cartamil, D.P. and C.G. Lowe 2004. Diel movement patterns of ocean sunfish *Mola mola* off southern California. MEPS, 266:245-253.

- Castillo, G., E. Aguilera, G. Herrera, P.A. Bernal, J.L. Butler, J. Chong, H. Gonzalez, C. Oyarzun, and C. Veloso 1985. Larval growth rates of the Pacific sardine, *Sardinops sagax*, off Central Chile, determined by daily ring counts in otoliths. *Biol. Pesc. Chile.*, 14:3-10.
- Castro, P. and M.E. Huber 2000. *Marine Biology*, 3rd Edition. W.C. Brown Publ.
- Chavez, F.P., Ryan, J., Lluch-Cota, S.E., and Niquen, M. 2003. From anchovies to sardines and back: multidecadal change in the Pacific Ocean. *Science*, 300:217-221.
- Checkley Jr, D.M., Asch, R.G., Rykaczewski, R.R. 2017. Climate, anchovy, and sardine. *Annu. Rev. Mar. Sci.*, 9:469-493.
- Checkley, D.M., Jr., R.C. Dotson, and D.A. Griffith 2000. Continuous, underway sampling of eggs of Pacific sardine (*Sardinops sagax*) and northern anchovy (*Engraulis mordax*) in spring 1996 and 1997 off southern and central California. *Deep-Sea Res. II.*, 47:1139-1155.
- Chen E., Holmes J.A. 2015. Manual of best practices for age determination of north Pacific Albacore Tuna. *Can. Tech. Rep. Fish. Aquat. Sci.* 3145.
- Chen K., P. Crone and C. Hsu 2006. Reproductive biology of female Pacific bluefin tuna *Thunnus orientalis* from south-western North Pacific Ocean. *Fish. Sci.*, 72:985-994.
- Chen K.S., P.R. Crone and C-C Hsu 2010. Reproductive biology of albacore *Thunnus alalunga*. *J. Fish Biol.*, 77(1):119-136.
- Chen K.S., T. Shimose, T. Tanabe and C.C. Chen 2012. Age and growth of albacore *Thunnus alalunga* in the North Pacific Ocean. *J. Fish Biol.*, 80:2328-2344.
- Chen, K.S., P.R. Crone, and C.C. Hsu 2010. Regional growth patterns of juvenile albacore (*Thunnus alalunga*) In the eastern north Pacific. *Fish Biol.*, 77(1):119-136.
- Childers, J., S. Snyder and S. Kohin 2011. Migration and behavior of juvenile North Pacific albacore (*Thunnus alalunga*). *Fish. Oceanogr.*, 20(3):157-173.
- Childress, J.J., S.M. Taylor, G.M. Cailliet, and M.H. Price 1980. Patterns of growth, energy utilization and reproduction in some meso- and bathypelagic fishes off southern California. *Mar. Biol.*, 61:27-40.
- Churnside, J.H. and Hunter, J.R., 1996, November. Laser remote sensing of epipelagic fishes. *SPIE* 2964:38-53.
- Clark T.D., W.T. Brandt, J. Nogueira J, L.E. Rodriguez, M. Price, C.J. Farwell and B.A. Block 2010. Postprandial metabolism of Pacific bluefin tuna (*Thunnus orientalis*). *J. Exp. Biol.*, 213:2379-2385.
- Clark T.D., Taylor B.D., Seymour R.S., Ellis D., Buchanan J., Fitzgibbon Q.P., Frappell P.B. 2008. Moving with the beat: heart rate and visceral temperature of free-swimming and feeding bluefin tuna. *Proc. R. Soc. Lond. B Biol. Sci.*, 275:2841-2850.
- Collette B.B. 1978. Adaptations and systematics of the mackerels and tunas. Pp. 7-39. In: *The physiological ecology of tunas*. Sharp G.D., and Dizon A.E. (eds.) Academic Press, New York.
- Collette, B. and J. Graves 2019. *Tunas and Billfishes of the World*. Johns Hopkins University Press, Baltimore.
- Coyer, J.A., and S.J. Hall. 1993. Predation on small northern anchovy (*Engraulis mordax*) by large silversides (Atherinidae). *Calif. Fish Game*, 79(2):82-84.
- Cross, J.N. and L.G. Allen 1993. Fishes. Chapter 9. Pp. 459-540. In: *Ecology of the Southern California Bight: A Synthesis and Interpretation*. M.D. Dailey, D.J. Reish, and J. Anderson (eds). UC Press, Berkeley.

- Cross, J.N. 1987. Demersal fishes of the upper continental slope off southern California. CalCOFI Rep., 28:155-167.
- Davenport, J. 1994. How and why do flying fish fly? Rev. Fish. Biol. Fisheries, 4:184-214.
- Davison, P.C., Sydeman, W.J., and Thayer, J.A. 2017. Are there temporal or spatial gaps in recent estimates of anchovy off California? CalCOFI Rep., 58:56-68.
- Demer, D.A., Zwolinski, J.P., Byers, K., Cutter Jr., G. R., Renfree, J. S., Sessions, S. T., and Macewicz, B. J. 2012. Seasonal migration of Pacific sardine (*Sardinops sagax*) in the California Current ecosystem: prediction and empirical confirmation. Fish. Bull., 110:52-70.
- Dickerson, T.L., B.J. Macewicz, and J. R. Hunter 1992. Spawning frequency and batch fecundity of chub mackerel, *Scomber japonicus*, during 1985. CalCOFI Rep., 33:130-140.
- Dickson KA, N.M. Johnson J.M. Donley, J.A. Hoskinson, M.W. Hansen and J. D'Souza Tessier 2000. Ontogenetic changes in characteristics required for endothermy in juvenile black skipjack tuna (*Euthynnus lineatus*). J. Exp. Biol., 203:3077-3087.
- Dickson, J.M. and K.A. Dickson 2019. Ontogenetic change in the amount and position of slow-oxidative myotomal muscle in relationship to regional endothermy in juvenile yellowfin tuna *Thunnus albacares*. J. Fish. Biol., 95:940-951.
- Domeier, M.L. and N. Nasby-Lucas 2008. Migration patterns of white sharks *Carcharodon carcharias* tagged at Guadalupe Island, Mexico, and identification of an eastern Pacific shared offshore foraging area. MEPS, 370:221-237.
- Domeier, M.L. 2006. An analysis of Pacific striped marlin (*Tetrapturus audax*) horizontal movement patterns using pop-up satellite archival tags. Bull. Mar. Sci., 79:811-825.
- Domeier, M.L., Dewar, H., Nasby-Lucas, N. 2003. Mortality rate of striped marlin (*Tetrapturus audax*) caught with recreational tackle. Mar. Freshwater Res., 54:435-445.
- Domenici, P., A.D.M. Wilson, R.H.J.M. Kurvers, S. Marras, J.E. Herbert-Read, J.F. Steffensen, S. Krause, P.E. Viblanc, P. Couillaud, and J. Krause, 2014. How sailfish use their bills to capture schooling prey. Proc. R. Soc. Lond. B Biol. Sci., 281(1784):20140444.
- Dorval, E., Macewicz, B.J., Griffith, D.A., and Gu, Y. 2018. Spawning biomass of the central stock of northern anchovy (*Engraulis mordax*) estimated from the daily egg production method off California in 2017. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-SWFSC-607.
- Dotson, R.C. 1976. Minimum swimming speed of albacore, *Thunnus alalunga*. Fish. Bull., 74(4):955-960.
- Dotson, R.C. 1978. Fat deposition and utilization in albacore. Pp. 343-355. In: The physiological ecology of tunas. G.D. Sharp, and A.E. Dizon (eds.). Academic Press.
- Dotson, R.C. 1980. Fishing methods and equipment of the U.S. West Coast Albacore Fleet. NOAA-TM-NMFSSWFC-8.
- Dotson, R.C. and R.M. Laurs 1984. Exploratory longline fishing for albacore tuna in Eastern North Pacific waters during November-December 1983. NMFS, SWFC Admin. Rep. LJ-84-14.
- Dufour, F., Arrizabalaga, H., Irigoien, X. and Santiago, J., 2010. Climate impacts on albacore and bluefin tunas migrations phenology and spatial distribution. Prog. Oceanogr., 86(1-2):283-290.
- Ellis, R. 1989. The book of sharks. Knopf Pub.

- Felix-Uraga R., G V.M. Gomez-Munoz, C. Quinonez-Velazquez, F.N. Melo-Barrera, and W. Garcia-Franco. 2004. On the existence of Pacific sardine groups off the west coast of Baja California and southern California. *CalCOFI Rep.*, 45:146-51.
- Fierstine, H.L., Cailliet, G.M. and Neer, J.A. 1997. Shortfin Mako, *Isurus oxyrinchus*, impaled by blue marlin, *Makaira nigricans* (Teleostei: Istiophoridae). *Bull. So. Calif. Acad. Sci.*, 96(3):117-121.
- Fissel, B.E., Lo, N.C.H., and Herrick, S.F. Jr. 2011. Daily egg production, spawning biomass and recruitment for the central subpopulation of northern anchovy 1981-2009. *CalCOFI Rep.*, 52:116-129.
- Fitch, J.E. and R.J. Lavenberg 1968. Deep-water teleostean fishes of California. UC Press.
- Folkvord, A. and J. R. Hunter 1986. Size-specific vulnerability of northern anchovy, *Engraulis mordax*, larvae to predation by fishes. *Fish. Bull.*, 84(4):859-869.
- Fonteneau, A. and J.P. Hallier 2015. Fifty years of dart tag recoveries for tropical tuna: A global comparison of results for the western Pacific, eastern Pacific, Atlantic, and Indian Oceans. *Fish. Res.*, 163:7-22.
- French, R.P., Lyle, J., Tracey, S., Currie, S., Semmens, J.M. 2015. High survivorship after catch-and-release fishing suggests physiological resilience in the endothermic shortfin mako shark (*Isurus oxyrinchus*). *Conserv. Physiol.*, 3(1):cov044.
- Fujioka, K., H. Fukuda, S. Furukawa, Y. Tei, S. Okamoto, and S. Ohshimo. 2018a. Habitat use and movement patterns of small (age-0) juvenile Pacific bluefin tuna (*Thunnus orientalis*) relative to the Kuroshio. *Fish. Oceanogr.*, 27:185-198
- Fujioka, K., H. Fukuda, Y. Tei, S. Okamoto, H. Kiyofuji, S. Furukawa, J. Takagi, E. Estess, C.J. Farwell, D.W. Fuller, N. Suzuki, S. Ohshimo, and T. Kitagawa. 2018b. Spatial and temporal variability in the trans-Pacific migration of Pacific bluefin tuna (*Thunnus orientalis*) revealed by archival tags. *Prog. Oceanogr.*, 162:52-65.
- Fujioka, K., Y. Aoki, Y. Tsuda, K. Okamoto, H. Tsuchida, A. Sasaki, and H. Kiyofuji. 2024. Influence of temperature on hatching success of skipjack tuna (*Katsuwonus pelamis*): Implications for spawning availability of warm habitats. *J. Fish Biol.*, 105(1):372-377.
- Furukawa S., K. Fujioka, H. Fukuda, N. Suzuki, Y. Tei, and S. Ohshimo. 2017. Archival tagging reveals swimming depth and ambient and peritoneal cavity temperature in age-0 Pacific bluefin tuna, *Thunnus orientalis*, off the southern coast of Japan. *Environ. Biol. Fish.*, 100:35-48.
- Garcia-Morales B.S.G., R. Felix-Uraga, and E.L. Perez-Lezama. 2012. Conceptual models of Pacific sardine distribution in the California Current System. *Curr. Develop. Oceanogr.*, 5(1):23-47.
- Giannoulaki, M., Schismenou, E., Pyrounaki, M.-M. and Tsagarakis, K. 2014. Habitat characterization and migrations. Pp. 191-241. In: *Biology and ecology of sardines and anchovies*. K. Ganas (ed.), CRC Press.
- Glaser, S.M. 2010. Interdecadal variability in predator-prey interactions of juvenile North Pacific albacore in the California Current System. *MEPS*, 414:209-221.
- Goldman, K. 1997. Regulation of body temperature in the white shark, *Carcharodon carcharias*. *J. Comp. Physiol. B*, 167(6):423-429.
- Goldman, K.J. and J.A. Musick 2008. The Biology and Ecology of the Salmon Shark, *Lamna ditropis*. Pp. 95-104. In: *Sharks of the Open Ocean: Biology, Fisheries and Conservation*. M.D. Camhi, E.K. Pikitch, and E.A. Babcock (eds.) Blackwell Publishing Ltd.

- Graham, J.B. and K.A. Dickson 2000. The evolution of thunniform locomotion and heat conservation in scombrid fishes: new insights based on the morphology of *Allothunnus fallai*. Zoolog J. Linnean Soc., 129:419-466.
- Graham, J.B. and K.A. Dickson 2001. Anatomical and physiological specializations for endothermy. Pp. 121-165. In: Tuna: Physiology, Ecology and Evolution. B.A. Block, and E.D. Stevens (eds.). Academic Press.
- Graham, J.B. and Dickson, K.A., 2004. Tuna comparative physiology. J. Exp. Biol., 207(23):4015-4024.
- Habegger M.L., M.N. Dean, J.W.C. Dunlop, G. Mullins, M. Stokes, D.R. Huber, D. Winters, P.J. Motta 2015. Feeding in billfishes: inferring the role of the rostrum from a biomechanical standpoint. J. Exp. Biol., 2015 218: 824-836.
- Haedrich, R.L. 1967. The stromateoid fishes: systematics and a classification. Bull. Mus. Comp. Zool. Harvard Univ., 135:31-139.
- Hanan, D.A., D.B. Holts, and A.L. Coan, Jr. 1993. The California drift net fishery for sharks and swordfish 1981-81 through 1990-91. Calif. Fish Game, Fish Bull. 175.
- Helfman, G.S., B.B. Collette, and D.E. Facey 1997. The diversity of fishes, Blackwell Science, Inc.
- Hewitt, R.P., P.E. Smith, and J.C. Brown 1976. Development and use of sonar mapping for pelagic stock assessment in the California Current area. Fish. Bull., 74:281-300.
- Hinton, M.G. 2001. Status of blue marlin in the Pacific Ocean. Inter-Amer. Trop. Tuna Comm., Stock Assess. Rep., 1:284-319.
- Hinton, M.G., and W.H. Bayliff 2002. Status of swordfish in the Pacific Ocean. Inter-Amer. Trop. Tuna Comm., Stock Assess. Rep., 2:297-338.
- Horn, M.H. 1974. Fishes. Pp. 1-11 to 11-124. In: A Summary of knowledge of the Southern California coastal zone and offshore areas. Vol. II, Biological Environment. M.D. Dailey, B. Hill, and N. Lansing (eds.). Div. Mar. Minerals, Bur. Land Manage., U.S. Dept. of Interior, Contract No. 08550-CT4-1. South. Calif. Ocean Studies Consortium.
- Horn, M.H. 1975. Swim-bladder state and structure in relation to behavior and mode of life in stromateoid fishes. Fish. Bull., 73:95-109.
- Hoyle S.D., Maunder M.N., Status of yellowfin tuna in the eastern Pacific Ocean in 2004 and outlook for 2005. Inter-Amer Trop Tuna Comm, Stock Assessment Report. 2006, 6:3-102.
- Hunter, J.R. 1968. Effects of light on schooling and feeding of jack mackerel, (*Trachurus symmetricus*). J. Fish. Res. Bd. Canada, 25(2):393-407.
- Hunter, J.R. 1969. Communication of velocity changes in jack mackerel (*Trachurus symmetricus*) schools. Anim. Behav., 17(3):507-514.
- Hunter, J.R. 1971. Sustained speed of jack mackerel, *Trachurus symmetricus*. Fish. Bull., 69(2):267-271.
- Hunter, J.R. 1972. Swimming and feeding behavior of larval anchovy, *Engraulis mordax*. Fish. Bull., 70:821-848.
- Hunter, J.R. 1976. Culture and growth of northern anchovy, *Engraulis mordax*, larvae. Fish. Bull., 74:81-88.
- Hunter, J.R. 1977. Behavior and survival of northern anchovy *Engraulis mordax* larvae. CalCOFI Rep., 19:138-146.
- Hunter, J.R. 1985. Preservation of northern anchovy in formaldehyde solution. Pp. 63-65. In: An egg production method for estimating biomass of pelagic fish: application to the northern

- anchovy (*Engraulis mordax*). R. Lasker (ed.). U.S. Dep. Comm. NOAA Tech. Rep. NMFS-36.
- Hunter, J.R., and B.J. Macewicz. 1980. Sexual maturity, batch fecundity, spawning frequency, and temporal pattern of spawning for the northern anchovy, *Engraulis mordax*, during the 1979 spawning season. CalCOFI Rep., 21:139-149.
- Hunter, J.R., and B.J. Macewicz. 1985. Pp. 79-94. In: An egg production method for estimating biomass of pelagic fish: application to the northern anchovy (*Engraulis mordax*). R. Lasker (ed.). U.S. Dep. Comm. NOAA Tech. Rep. NMFS-36.
- Hunter, J.R., and B.J. Macewicz 1985. Rates of atresia in the ovary of captive and wild northern anchovy, *Engraulis mordax*. Fish. Bull., 83(2):119-136.
- Hunter, J.R., and C.A. Kimbrell 1980. Early life history of chub mackerel, *Scomber japonicus*. Fish. Bull., 78(1):89-101.
- Hunter, J.R. and C.A. Kimbrell 1980. Egg cannibalism in the northern anchovy, *Engraulis mordax*. Fish. Bull., 78(3):811-816.
- Hunter, J.R., and C. Sanchez. 1977. Diel changes in swim bladder inflation of the larvae of the northern anchovy, *Engraulis mordax*. Fish. Bull., 74(4):847-855.
- Hunter, J.R., and G.L. Thomas. 1974. Effect of prey distribution and density on the searching and feeding behavior of larval anchovy *Engraulis mordax* Girard. Pp. 559-574. In: The early life history of fish. J.H.S. Blaxter (ed.). Springer-Verlag.
- Hunter, J.R., and H. Dorr. 1982. Thresholds for filter feeding in northern anchovy, *Engraulis mordax*. CalCOFI Rep., 23:198-204.
- Hunter, J.R., and J.R. Zweifel. 1971. Swimming speed, tail beat frequency, tail beat amplitude, and size in jack mackerel, *Trachurus symmetricus*, and other fishes. Fish. Bull., 69(2):253-266.
- Hunter, J.R., and K.M. Coyne 1982. The onset of schooling in northern anchovy larvae, *Engraulis mordax*. CalCOFI Rep., 23:246-251.
- Hunter, J.R., and R. Nicholl 1985. Visual threshold for schooling in northern anchovy, *Engraulis mordax*. Fish. Bull., 83(3):235-242.
- Hunter, J.R. 1968. Effects of light on schooling and feeding of jack mackerel, *Trachurus symmetricus*. J. Fish. Res. Board Can., 25:393-407.
- Hunter, J.R., and R. Leong 1981. The spawning energetics of female northern anchovy, *Engraulis mordax*. Fish. Bull., 79(2):215-230.
- Hunter, J. R., and R. Nicholl 1985. Visual threshold for schooling in northern anchovy, *Engraulis mordax*. Fish. Bull., 83:235-242.
- Hunter, J.R., and S.R. Goldberg 1980. Spawning incidence and batch fecundity in northern anchovy, *Engraulis mordax*. Fish. Bull., 77(3):641-652.
- Hunter, J.R., J.H. Taylor, and H.G. Moser 1979. Effect of ultraviolet irradiation on eggs and larvae of the northern anchovy, *Engraulis mordax*, and the chub mackerel, *Scomber japonicus*, during the embryonic stage. Photochem. Photobio., 29:325-338.
- Hunter, J.R., N.C.H. Lo, and R.J.H. Leong 1985. Batch fecundity in multiple spawning fishes. p. 67-77. In: An egg production method for estimating spawning biomass of pelagic fish: Application to the northern anchovy (*Engraulis mordax*). R. Lasker (ed.), U.S. Dep. Comm. NOAA Tech. Rep. NMFS-36.
- Hunter, J. R., S. E. Kaupp and J. H. Taylor 1981. Effects of solar and artificial ultraviolet-B radiation on larval northern anchovy, *Engraulis mordax*. Photochem. Photobio., 34:477-486.

- Ichinokawa M., H. Okamura, K. Oshima, K. Yokawa, and Y. Takeuchi. 2014 Spatiotemporal catch distribution of age-0 Pacific bluefin tuna *Thunnus orientalis* caught by the Japanese troll fishery in relation to surface sea temperature and seasonal migration. *Fish. Sci.*, 80:1181-1191.
- Ichinokawa, M., A.L. Coan, Jr., and Y. Takeuchi 2008. Transoceanic migration rates of young North Pacific albacore, *Thunnus alalunga*, from conventional tagging data. *Can. J. Fish. Aquat. Sci.*, 65:1681-1691.
- Inagake, D., Yamada, H., Segawa, K., Okazaki, M., Nitta, A., Itoh, T. 2001. Migration of young bluefin tuna, *Thunnus orientalis* Temminck et Schlegel, through archival tagging experiments and its relation with oceanographic condition in the western North Pacific. *Bull. Natl. Res. Inst. Far Seas Fish.*, 38:53-81.
- Ishihara T., M. Watai, S. Ohshimo, and O. Abe. 2019 Differences in larval growth of Pacific bluefin tuna (*Thunnus orientalis*) between two spawning areas, and an evaluation of the growth-dependent mortality hypothesis. *Environ. Biol. Fish.*, 102:581-594.
- Itoh T., S. Tsuji, and A. Nitta. 2003a. Migration patterns of young Pacific bluefin tuna (*Thunnus orientalis*) determined with archival tags. *Fish. Bull.*, 101:514-534.
- Itoh T., S. Tsuji, and A. Nitta. 2003b. Swimming depth, ambient water temperature preference, and feeding frequency of young Pacific bluefin tuna (*Thunnus orientalis*) determined with archival tags. *Fish. Bull.*, 101:535-544.
- Jacobson, L.D. and A.D. MacCall. 1995. Stock-recruitment models for Pacific sardine (*Sardinops sagax*). *Can. J. Fish. Aquat. Sci.*, 52:566-577.
- Jacobson, L.D., N.C.H. Lo, and J.T. Barnes. 1994. A biomass-based assessment model for northern anchovy, *Engraulis mordax*. *Fish. Bull.*, 92:711-724.
- Kaupp, S.E., and J.R. Hunter. 1981. Photorepair in larval anchovy, *Engraulis mordax*. *Photochem. Photobio.*, 33:253-256.
- Kimura S., M. Nakai, and T. Sugimoto. 1997. Migration of albacore, *Thunnus alalunga*, in the North Pacific Ocean in relation to large oceanic phenomena. *Fish. Oceanogr.*, 6:51-57.
- Kingsford, M.J., and A. Defries. The ecology of and fishery for *Coryphaena* spp. in the waters around Australia and New Zealand. *Scientia Marina*. 63(3-4):267-275.
- Kitagawa T., and K. Fujioka. 2017. Rapid ontogenetic shift in juvenile Pacific bluefin tuna diet. *MEPS*, 571:253-257.
- Kitagawa T., S. Kimura, H. Nakata, and H. Yamada. 2006. Thermal adaptation of Pacific bluefin tuna *Thunnus orientalis* to temperate waters. *Fish. Sci.*, 72:458-458.
- Kitagawa T., H. Nakata, S. Kimura, T. Itoh, S. Tsuji, and A. Nitta. 2000. Effect of ambient temperature on the vertical distribution and movement of Pacific bluefin tuna *Thunnus thynnus orientalis*. *MEPS*, 206:251-260.
- Kitagawa T., H. Nakata, S. Kimura and S. Tsuji. 2001. Thermoconservation mechanisms inferred from peritoneal cavity temperature in free-swimming Pacific bluefin tuna *Thunnus thynnus orientalis*. *MEPS*, 220:253-263.
- Kitagawa, T., A.M. Boustany, C.J. Farwell, T.D. Williams, M.R. Castleton, and B.A. Block 2007. Horizontal and vertical movements of juvenile bluefin tuna (*Thunnus orientalis*) in relation to seasons and oceanographic conditions in the eastern Pacific Ocean. *Fish. Oceanogr.*, 16(5):409-421.
- Kitagawa, T., S. Kimura, H. Nakata, H. Yamada, A. Nitta, Y. Sasai, and H. Sasaki 2009.. Immature Pacific bluefin tuna, *Thunnus orientalis*, utilizes cold waters in the Subarctic Frontal Zone for trans-Pacific migration. *Environ. Biol. Fish.*, 84:193-196.

- Konno, E. and P. Wolf 2001. Pacific mackerel. Pp. 306-308. In: California's Living Marine Resources: A Status Report. W.S. Leet, C.M. Dewees, R. Klingbeil, E.J. Larson (eds.). Calif. Dept Fish Game, U.C. Agri. Nat. Res. Pub. SG01-11.
- Kopf, R.K., P.S. Davie, D.B. Bromhead and J.W. Young 2012. Reproductive biology and spatiotemporal patterns of spawning in striped marlin *Kajikia audax*. J. Fish Biol., 81(6):1834-1858.
- Koslow, J.A., Goericke, R., Watson, W. 2013. Fish assemblages in the Southern California Current: relationships with climate 1951-2008. Fish. Oceanogr., 22:207-219.
- Kramer, D. and P.E. Smith 1970. Seasonal and geographic characteristics of fishery resources - California Current Region --I. Jack Mackerel. Comm. Fish. Rev., 32(5):27-31.
- Kramer, D. and P.E. Smith 1971. Seasonal and geographic characteristics of fishery resources - California Current Region -- VII. Pacific sardine. Comm. Fish. Rev., 33(10):7-11.
- Lama, C.H., D.A. Kiefer, and M.L. Domeier 2015. Habitat characterization for striped marlin in the Pacific Ocean. Fish. Res., 166:80-91.
- Lasker, R. 1970. Utilization of zooplankton energy by a Pacific sardine population in the California Current. Pp. 265-284. In: Marine food chains. J.H. Steele (ed.). Univ. Calif. Press.
- Laurs, R.M. 1989. Applications of satellite remote sensing to North Pacific albacore, *Thunnus alalunga* (Bonnaterre). FAO Fish. Tech. Pap., 302:87-97.
- Laurs, R.M. and R.C. Dotson 1983. Exploratory longline fishing for albacore tuna in Eastern North Pacific waters during November- December 1982. NMFS, SWFC, Admin. Rep. LJ-83-05.
- Laurs, R.M., et. al. 1982. Exploratory albacore longline fishing in the Eastern North Pacific during winter 1982. NMFS, SWFC, Admin. Rep. LJ-82-06.
- Laurs, R.M., R.J. Lynn, R. Nishimoto, and R.C. Dotson 1981. Albacore trolling and longline exploration in Eastern Pacific waters during mid-winter 1981. NOAA-TM-SWFC-10.
- Lavenberg, R.J., and A.W. Ebeling 1967. Distribution of midwater fishes among deep water basins of the southern California shelf. Pp. 185-201. In: Proceedings, Symposium on the Biology of the California Channel Islands. R.N. Philbrick (ed.). Santa Barbara Botanic Garden.
- Lindegren, M., D.M. Checkley, T. Rouyer, A.D. MacCall, and N.C. Stenseth. 2013. Climate, fishing, and fluctuations of sardine and anchovy in the California Current. PNAS, 110:13672-13677.
- Lluch-Belda, D., S.E. Lluch-Cota, A.D. MacCall, Y. Matsuura, M.O. Nevarez-Martinez, R.H. Parrish, C. Roy, R. Serra, K.V. Shust, M.N. Ward, and J.Z. Zuzunaga. 1999. Worldwide large-scale fluctuations of sardine and anchovy populations. S. Afr. J. Mar. Sci., 21:289-347.
- Litz, M.N.C., Emmett, R.L., Heppell, S.S., Brodeur, R.D. 2008. Ecology and distribution of the northern subpopulation of Northern anchovy (*Engraulis mordax*) off the U.S. West coast. CalCOFI Rep., 49:167-182.
- Lo, N.C., J.R. Hunter, and R. Charter. 2001. Use of a continuous egg sampler for ichthyoplankton surveys: application to the estimation of daily egg production of Pacific sardine (*Sardinops sagax*) off California. Fish. Bull., 99:554-571.
- Lo, N.C.H., B.J. Macewicz, and D.A. Griffith. 2005. Spawning biomass of Pacific sardine (*Sardinops sagax*), from 1994-2004, off CalCOFI Rep., 46:93-112.

- Lo, N.C., Macewicz, B.J. and Griffith, D.A., 2013. Spawning biomass of Pacific sardine (*Sardinops sagax*) off the US in 2012. U.S. Dep. Commer., NOAA Tech. Memo. NMFS swfsc-505.
- Lo, N.C., P.E. Smith, and J.L. Butler 1995. Population growth of northern anchovy and Pacific sardine using stage-specific matrix models. MEPS, 127:15-26.
- Logerwell, E.A. 2001. Metabolic rate of California Pacific sardine estimated from energy losses during starvation. Tran. Amer. Fish. Soc., 130:526-530.
- Logerwell, E.A. and P.E. Smith 2001. Mesoscale eddies and survival of late stage Pacific sardine (*Sardinops sagax*) larvae. Fish. Oceanogr., 10(1):13-25.
- Love, M.S., M. Yoklavich, and L. Thornstein 2002. The rockfishes of the northeast Pacific. UC Press.
- MacCall, A.D. 1979. Population estimates for the waning years of the Pacific sardine fishery. CalCOFI Rep., 20:72-82.
- MacCall, A.D. 1983. Variability of pelagic fish stocks off California. Pp. 101-112. In: Reports of the Expert Consultation to Examine Changes in Abundance and Species Composition of Neritic Fish Resources. J. Csirke, and G. D. Sharp (eds.). FAO Fish. Rep./FAO . Inf. Pesca, No. 291, Vol. 2.
- MacCall, A.D., R.A. Klingbeil, and R. D. Methot 1985. Recent increased abundance and potential productivity of chub mackerel (*Scomber japonicus*). CalCOFI Rep., 26:119-129.
- MacCall, A.D., K.T. Hill, P. Crone and R. Emmett 2012. Weak evidence for sardine collapse. PNAS, 109: E1131.
- MacCall A. D., Sydeman, W.J., Davison, P.C., and Thayer, J.A. 2016. Recent collapse of northern anchovy biomass off California. Fish. Res., 175:87-94.
- Macdonald J.I., J.H. Farley, N.P. Clear, A.J. Williams, T.I. Carter, C.R. Davies, and S.J. Nicol. 2013. Insights into mixing and movement of South Pacific albacore *Thunnus alalunga* derived from trace elements in otoliths. Fish. Res., 148:56-63.
- Macewicz, B.J. and J.R. Hunter. 1993. Spawning frequency and batch fecundity of jack mackerel, *Trachurus symmetricus*, off California during 1991. CalCOFI Rep., 34:112-121.
- Macewicz, B.J., J.J. Castro-González, C.E. Coto-Altamirano, and J.R. Hunter 1996. Adult reproductive parameters of Pacific sardine (*Sardinops sagax*) during 1994. CalCOFI Rep., 37:140-151.
- Madigan D.J., Z. Baumann, A.B. Carlisle, O. Snodgrass, H. Dewar, and N.S. Fisher. 2018. Isotopic insights into migration patterns of Pacific bluefin tuna in the eastern Pacific Ocean. Can. J. Fish. Aquat. Sci., 75:260-270.
- Madigan D.J., Z. Baumann, N.S. Fisher. 2012 Pacific bluefin tuna transport Fukushima-derived radionuclides from Japan to California. PNAS, 109:9483-9486.
- Madigan, D.J., A. Boustany, and B.B. Collette 2017. East not least for Pacific bluefin tuna. Science, 357(6349):356-357.
- Madigan, D.J., Z. Baumann, Aaron B. Carlisle, D.K. Hoen, B.N. Popp, H. Dewar, O.E. Snodgrass, B.A. Block, and N.S. Fisher 2014. Reconstructing transoceanic migration patterns of Pacific bluefin tuna using a chemical tracer toolbox. Ecology, 95(6):1674-1683.
- Magnuson, J.J. 1973. Comparative study of adaptations for continuous swimming and hydrostatic equilibrium of scombroid and xiphoid fishes. Fish. Bull., 71(2):337-356.

- Magnuson, J.J. 1978. Locomotion in scombroid fishes: hydrodynamics, morphology, and behaviour. Pp. 239-313. In: Fish physiology, Vol VII, locomotion. W.S. Hoar and D. J. Randall (eds.). Academic Press.
- Mais, K.F. 1974. Pelagic fish surveys in the California Current, State of California, Resources Agency, Dept. of Fish and Game.
- Mais, K.F. 1977. Acoustic surveys of northern anchovies in the California current system 1966-1972. Rapp. P.-V. Reun. Cons. Int. Explo. Mer., 177:287-295.
- Mais, K.F. 1981. Age-composition changes in the anchovy, *Engraulis mordax*, central population. CalCOFI Rep., 22:82-87.
- Malik, A., K.A. Dickson, T. Kitagawa, K. Fujioka, E.E. Estess, C. Farwell, K. Forsgren, J. Bush, and K.A. Schuller. 2020. Ontogeny of regional endothermy in Pacific bluefin tuna (*Thunnus orientalis*). Mar. Biol., 167:133.
- Mallicoate, D.L. and Parrish, R.H., 1981. Seasonal growth patterns of California stocks of northern anchovy, *Engraulis mordax*, Pacific mackerel, *Scomber japonicus*, and jack mackerel, *Trachurus symmetricus*. CalCOFI Rep., 22:69-81.
- Marcinek, D.J., S.B. Blackwell, H. Dewar, E.V. Freund, C. Farwell, D. Dau, A.C. Seitz, and B.A. Block. 2001. Depth and muscle temperature of Pacific bluefin tuna examined with acoustic and pop-up satellite tags. Mar. Biol., 138(869):885.
- Marshall, N.B. 1960. Swimbladder structure of deep-sea fishes in relation to their systematics and biology. Discovery Repts., 31:1-122.
- Marshall, N.B. 1971. Explorations in the life of fishes. Harvard Books in Biology, 7.
- Marshall, N.B. 1972. Swimbladder organization and depth ranges of deep-sea teleosts. Symp. Soc. Exp. Biol., 26:261-272.
- Matthew, C., S. Bograd, H. Dewar, M. Kinney, H.H. Lee, B. Muhling, and B. Taylor 2017. Status review report of Pacific bluefin tuna (*Thunnus orientalis*). NOAA technical memorandum NMFS, NOAA-TM-NMFS-SWFSC, 587.
- Maunder, M.N., Piner, K.R., Aires-da-Silva, A. 2014. Stock status of Pacific bluefin tuna and the urgent need for management action. IATTC Stock Assess. Rep., 15:47-73.
- McFarlane G.A., P.E. Smith, T.R. Baumgartner, and J.R. Hunter. 2002. Climate variability and pacific sardine populations and fisheries. Am. Fish. Soc., 32:195-214.
- McKinnell, S. and M.P. Seki 2017. Arcane epipelagic fishes of the subtropical North Pacific and factors associated with their distribution. Prog. Oceanogr., 150:48-61.
- Messersmith, J.D., J.L. Baxter, and P.M. Roedel 1969. The anchovy resources of the California Current region off California and Baja California. CalCOFI Rep., 13:32-38.
- Methot, R.D. 1982. Age-specific abundance and mortality of northern anchovy. NOAA-NMFS-SWFC Admin. Rep. LJ-82-31. Southwest Fish. Center.
- Miller, D.J., and R.N. Lea 1972. Guide to the coastal marine fishes of California. Calif. Dept. Fish Game Fish Bull. No. 157.
- Mitchell, C.T., and J.R. Hunter 1970. Fishes associated with drifting kelp, *Macrocystis pyrifera*, off the coast of southern California and northern Baja California. Calif. Fish Game., 56:288- 297.
- Moser, H.G. 1996. Scorpaenidae. Pp. 733-796. In: The early stages of the fishes in the California current region. H.G. Moser (ed.). CalCOFI Atlas No. 33.
- Moser, H.G., and T. Pommeranz 1999. Vertical distribution of eggs and larvae of northern anchovy, *Engraulis mordax*, and of the larvae of associated fishes at two sites in the Southern California Bight. Fish. Bull., 97:4:920-943.

- Moser, H.G., and E. H. Ahlstrom. 1978. Larvae and pelagic juveniles of blackgill rockfish, *Sebastes melanostomus*, taken in midwater trawls off southern California and Baja California. J. Fish. Res. Board Can., 35:981-996.
- Moser, H. G., and W. Watson. 2006. Ichthyoplankton. Pp. 269-319. In: The ecology of marine fishes: California and adjacent waters. L.G. Allen, D.J. Pondella II, and M.H. Horn (eds.). 2006. University of California Press.
- Muhling, B., S. Brodie, O. Snodgrass, D. Tommasi, J. Childers, S. Brodie, M. Jacox, C.A. Edwards, Y. Xu, S. Snyder 2019. Dynamic habitat use of albacore and their primary prey species in the California current system. CalCOFI Rep., 60:79-93.
- Murphy, G.I. 1966. Population biology of the Pacific sardine (*Sardinops caerulea*). P. Calif. Acad. Sci. 24:1-84.
- Musyl, M.K., Brill, R.W., Curran, D.S., Fragoso, N.M., McNaughton, L.M., Nielsen, A., Kikkawa, B.S., Moyes, C.D. 2011. Postrelease survival, vertical and horizontal movements, and thermal habitats of five species of pelagic sharks in the central Pacific Ocean. Fish. Bull., 109(4):341-368.
- Nauen, J.C. and Lauder, G.V., 2001. Locomotion in scombrid fishes: visualization of flow around the caudal peduncle and finlets of the chub mackerel *Scomber japonicus*. J. Exp. Biol., 204(13):2251-2263.
- Nieto, K., X. Yi, S.L.H. Teo, S. McClatchie and J. Holmes 2017. How important are coastal fronts to albacore tuna (*Thunnus alalunga*) habitat in the Northeast Pacific Ocean? Prog. Oceanogr., 150:62-71.
- Nonacs, P., P. E. Smith, and M. S. Mangel 1998. Modeling foraging in the northern anchovy (*Engraulis mordax*): individual behavior can predict school dynamics and population biology. Can. J. Fish. Aqua. Sci., 55(5):1179-1188.
- Nonacs, P., P.E. Smith, A. Bouskila, and B. Luttbeg 1994. Modeling the behavior of the northern anchovy, *Engraulis mordax*, as a schooling predator exploiting patchy prey. Deep-Sea Res. Part II, 41(1):147-170.
- O'Connell, C.P. 1953. Life history of the cabezon, *Scorpaenichthys marmoratus*. Calif. Dept. Fish and Game, Fish Bull. 93.
- Ohshimo S., T. Sato, Y. Okochi, S. Tanaka, T. Ishihara, H. Ashida, and N. Suzuki. 2018 Evidence of spawning among Pacific bluefin tuna, *Thunnus orientalis*, in the Kuroshio and Kuroshio-Oyashio transition area. Aquat. Living Resour., 31:33.
- Olson R.J., J.W. Young, F. Ménard, M. Potier, V. Allain, N. Goñi, J.M. Logan, and F. Galván-Magaña. 2016. Bioenergetics, trophic ecology, and niche separation of tunas. Adv. Mar. Biol., 74:199-344.
- Ortega García, S., D.I. Arizmendi-Rodríguez, and M. Zúñiga-Flores. 2018. Striped marlin (*Kajikia audax*) diet variability off Cabo San Lucas, B.C.S., Mexico during El Niño-La Niña events. J. Mar. Biol. Assoc. U.K., 98(6):1513-1524.
- Owen, R.W., N.C.H. Lo, J.L. Butler, G.H. Theilacker, A. Alvarino, J.R. Hunter, and Y. Watanabe. 1990. Spawning and survival patterns of larval northern anchovy, *Engraulis mordax*, in contrasting environments CA site-intensive study. Fish. Bull., 87:673-688.
- Palance, D.G., B.J. Macewicz, K. Stierhoff, D.A. Demer, J.P. Zwolinski. 2019. Length conversions and mass-length relationships of five forage-fish species in the California current ecosystem. Fish Biol., 95(4):1116-1124.
- Parin, N.V. 1968. Ichthyofauna of the epipelagic zone. Acad. Sci. USSR., Inst. Oceanol., translation, U.S. Dept. Commerce, Fed. Sci. Tech. Inf., Springfield, Virginia. 206 pp.

- Parrish, J.K. 1989a. Layering with depth in a heterospecific fish aggregation. *Env. Biol. Fish.*, 26:79-85.
- Parrish, J.K. 1989b. Predation on a school of flat-iron herring, *Harengula thrissina*. *Copeia* 1989:1089-1091.
- Parrish, R.H., A. Bakun, D.M. Husby, and C.S. Nelson 1983. Comparative climatology of selected environmental processes in relation to eastern boundary current pelagic fish reproduction. Pp. 731-777. In: Reports of the expert consultation to examine changes in abundance and species composition of neritic fish resources. J. Csirke, and G.D. Sharp, (eds.). FAO Fish. Rep. FAO Inf. Pesca, 291(3).
- Parrish, R.H., and A.D. MacCall. 1978. Climatic variation and exploitation in the chub mackerel fishery. Calif. Dep. Fish Game Fish Bull. 167.
- Parrish, R.H., C S. Nelson, and A. Bakun 1981. Transport mechanisms and reproductive success of fishes in the California Current. *Biol. Oceanogr.*, 1:175-203.
- Partridge, B.L. 1982. Structure and function in fish schools. *Sci. Amer.*, 245:114-123.
- Pelster, B. 1997. Buoyancy at depth. Pp. 195-237. In: Fish physiology, Vol XVI, deep sea fishes. W.S. Hoar and D.J. Randall and, A.P. Farrell (eds.). Academic Press.
- Petatán-Ramírez, D., M.Á. Ojeda-Ruiza, L. Sánchez-Velascob, D. Rivas, H. Reyes-Bonilla, G. Cruz-Piñóna, H.N. Morzaria-Luna, A.M. Cisneros-Montemayor, W. Cheung, and C. Salvadeo 2019. Potential changes in the distribution of suitable habitat for Pacific sardine (*Sardinops sagax*) under climate change scenarios. *Deep-Sea Res. II*, 169-170:104632.
- Philips A.J., L. Ciannelli, R.D. Brodeur, W.G. Pearcy, and J. Childers. 2014. Spatio-temporal associations of albacore CPUEs in the Northeastern Pacific with regional SST and climate environmental variables. *ICES J. Mar. Sci.*, 71(7):1717-1727.
- Pinkas, L., M.S. Oliphant, and I.L.K. Iverson. 1971. Food habits of albacore, bluefin tuna, and bonito in California waters. Calif. Dep. Fish and Game, Fish Bull. 152.
- Polovina, J.J. 1996. Decadal variation in the Trans-Pacific migration of northern Bluefin tuna (*Thunnus thynnus*) coherent with climate-induced change in prey abundance. *Fish. Oceanogr.* 5(2):114-119.
- Pondella II, D.J., M.J. Robart, J.T. Claisse, J.P. Williams, C.M. Williams, A.J. Zellmer, and S.E. Piacenza. 2018. Spatial and Temporal Fishing Patterns at the Outer Banks of the Southern California Bight. *West. N. Am. Naturalist.*, 78(3):341-357.
- Pope, E.C., G.C. Hays, T.M. Thys, T.K. Doyle, D.W. Sims, N. Queiroz, V.J. Hobson, L. Kubicek, and J.D.R. Houghton 2010. The biology and ecology of the ocean sunfish *Mola mola*: a review of current knowledge and future research perspectives. *Rev. Fish Biol. Fisheries.*, 20:471-487.
- Prager, M.H., and A. D. MacCall 1988. Revised estimates of historical spawning biomass of the chub mackerel, *Scomber japonicus*. *CalCOFI Rep.*, 29:81-90.
- Prince, E.D., R.K. Cowen, E.S. Orbesen, S.A. Luthy, J.K. Llopiz, D.E. Richardson, and J.E. Serafy. 2005. Movements and spawning of white marlin (*Tetrapturus albidus*) and blue marlin (*Makaira nigricans*) off Punta Cana, Dominican Republic. *Fish. Bull.*, 104 (3):659-669.
- Pritchard, A.W., J.R. Hunter, and R. Lasker 1971. The relation between exercise and biochemical changes in red and white muscle and liver in the jack mackerel, *Trachurus symmetricus*. *Fish. Bull.*, 69(2):379-386.
- Quinn, T.P and A.H. Dittman 1990. Pacific salmon migrations and homing: mechanisms and adaptive significance. *Trends Ecol. Evol.*, 5:174-177.

- Radovich, J. 1952. Report on the young sardine, *Sardinops caerulea*, survey in California and Mexican waters 1950 and 1951. Calif. Fish Game, Fish. Bull., 57:31-63.
- Radovich, J. 1982. The collapse of the California sardine fishery: what have we learned? CalCOFI Rep., 23:56-78.
- Ralston, S., J.C. Field, and K.M. Sakuma. 2015. Long-term variation in a central California pelagic forage assemblage. J. Mar. Syst., 146: 26-37.
- Reiss, C.S., D.M. Checkley, and S.J. Bograd. 2008. Remotely sensed spawning habitat of Pacific sardine (*Sardinops sagax*) and Northern anchovy (*Engraulis mordax*) within the California Current. Fish. Oceanogr., 17:126-136.
- Renck C.L., D.M. Talley, R.J. D. Wells, and H. Dewar. 2014. Regional growth patterns of juvenile albacore (*Thunnus alalunga*) in the Eastern North Pacific. CalCOFI Rep., 55:135-143
- Ribot-Carballa. M.C., F. Galvan-Magana, C. Quinonez-Velazquez 2005. Age and growth of the shortfin mako shark, *Isurus oxyrinchus*, from the western coast of Baja California Sur, Mexico. Fish. Res., 76:14-21.
- Roberts, J.L. 1978. Ram gill ventilation in fish. Pp. 83-88. In: The physiological ecology of tunas. G.D. Sharp and A.E. Dizon (eds), Academic Press.
- Rooker J.R., D.H. Secor, V.S. Zdanowicz, and T. Itoh. 2001. Discrimination of northern bluefin tuna from nursery areas in the Pacific Ocean using otolith chemistry. MEPS, 218:275-282.
- Rooker J.R., R.J.D. Wells, D.G. Itano, S.R. Thorrold, J.M Lee. 2016 Natal origin and population connectivity of bigeye and yellowfin tuna in the Pacific Ocean. Fish. Oceanogr. 25:277-291.
- Sandknop, E. M. and W. Watson 1996. Mugilidae. Pp. 1078-1081. In: The early stages of the fishes in the California current region. H.G. Moser (ed.). CalCOFI Atlas No. 33.
- Santander, H., J. Alheit, and P.E. Smith 1984. Estimacion de la biomasa de la poblacion desovante de anchoveta Peruana *Engraulis ringens* en 1981 por aplicacion del "metodo de produccion de huevos" Bol. Inst. Mar. Peru Callao, 8:213-250.
- Sawada Y, T. Okada, S. Miyashita, O. Murata, H. Kumai. 2005. Completion of the Pacific bluefin tuna *Thunnus orientalis* (Temminck et Schlegel) life cycle. Aquat. Res., 36:413-421.
- Schaefer K.M. 2001. Reproductive biology of tunas. Fish. Physiol., 19:225-270.
- Schaefer, K.M., and D.W. Fuller 2005. Behavior of bigeye (*Thunnus obesus*) and skipjack (*Katsuwonus pelamis*) tunas within aggregations associated with floating objects in the equatorial eastern Pacific. Mar. Biol., 146:781-792.
- Schaefer, K.M., D.W. Fuller, and B.A. Block 2011. Movements, behavior, and habitat utilization of yellowfin tuna (*Thunnus albacares*) in the Pacific Ocean off Baja California, Mexico, determined from archival tag data analyses, including unscented Kalman filtering. Fish. Res., 112:22- 37.
- Schwartzlose, R.A., and P.E. Smith 1989. World-wide fluctuations of sardine and anchovy stocks: the regime problem. S. Afr. J. Mar. Sci., 8:195-205.
- Scott, J.M. 1969. Tuna schooling terminology. Calif Fish Game. 55:136-140.
- Scott, J.M., and G.A. Flittner. 1972. Behavior of bluefin tuna schools in the eastern North Pacific Ocean as inferred from fishermen's logbooks 1960-67. Fish. Bull., 70:915-927.
- Sepulveda, C.A., N.C. Wegner, D. Bernal, and J.B. Graham. 2005. The red muscle morphology of the thresher sharks (family Alopiidae). J. Exp. Biol., 208:4255-4261.

- Sepulveda, C.A., S.A. Aalbers, C. Heberer, S. Kohin, H. Dewar. 2018. Movements and behaviors of swordfish *Xiphias gladius* in the United States Pacific Leatherback Conservation Area. *Fish. Oceanogr.*, 27:381-394.
- Sepulveda, C.A., C. Heberer, S.A. Aalbers, N. Spear, M. Kinney, D. Bernal, and S. Kohin. 2015. Post-release survivorship studies on common thresher sharks (*Alopias vulpinus*) captured in the southern California recreational fishery. *Fish. Res.*, 161:102-108.
- Sepulveda, C.A., A. Knight, N. Nasby-Lucas, N., and M.L. Domeier. 2010. Fine-scale movements and temperature preferences of swordfish in the Southern California bight. *Fish. Oceanogr.*, 19(4):279-289.
- Sepulveda, C.A., S. Kohin, C. Chan, R. Vetter, and J.B. Graham. 2004. Movement patterns, depth preferences, and stomach temperatures of free-swimming juvenile mako sharks, (*Isurus oxyrinchus*), in the Southern California Bight. *Mar. Biol.*, 145:191-199.
- Sepulveda, C.A., M. Wang, S.A. Aalbers, and J.R. Alvarado-Bremer. 2020. Insights into the horizontal movements, migration patterns, and stock affiliation of California swordfish. *Fish. Oceanogr.*, 29:152-168.
- Sepulveda, C.A., S.A. Aalbers, M. Wang, J. Kneebone, and D. Bernal. 2020. Post-release survivorship of Pacific bluefin tuna (*Thunnus orientalis*) captured in the California recreational fishery. *Fish. Res.*, 223:105413.
- Sharp, G.D., and R.C. Dotson. 1977. Energy for migration in albacore (*Thunnus alalunga*) *Fish. Bull.*, 75(2):447-450.
- Shiao, J., S. Wang, K. Yokawa, M. Ichinokawa, Y. Takeuchi, Y. Chen, and C. Shen. 2010. Natal origin of Pacific bluefin tuna *Thunnus orientalis* inferred from otolith oxygen isotope composition. *MEPS*, 420:207-219.
- Shimose, T., K. Yokawa, and H. Saito 2010. Habitat and food partitioning of billfishes (Xiphiidae). *Fish Biol.*, 76(10):2418-2433.
- Shimose, T., T. Tanabe, K.S. Chen, and C.C. Hsu. 2009. Age determination and growth of Pacific bluefin tuna, *Thunnus orientalis*, off Japan and Taiwan. *Fish. Res.*, 100:134-139.
- Shimose, T., H. Watanabe, T. Tanabe, and T. Kubodera. 2013. Ontogenetic diet shift of age-0 year Pacific bluefin tuna *Thunnus orientalis*. *J. Fish Biol.*, 82:263-276.
- Shimose, T., K. Yokawa, M. Saito, and K. Tachihara. 2007. Evidence for use of the bill by blue marlin, *Makaira nigricans*, during feeding. *Ichthyol. Res.* 54:420-422.
- Simmonds, E.J., and D.N. MacLennan. 2005. *Fisheries Acoustics: Theory and Practice*, Blackwell.
- Sims, D.W. 1999. Threshold foraging behaviour of basking sharks on zooplankton: life on an energetic knife-edge? *Proc. R. Soc. B Biol. Sci.*, 266:437-1443.
- Sims, D.W. 2000. Filter-feeding and cruising swimming speeds of basking sharks compared with optimal models: they filter-feed slower than predicted for their size. *J. Exp. Mar. Biol. Ecol.*, 249:65-76.
- Skomal, G.B. 2007. Evaluating the physiological and physical consequences of capture on post-release survivorship in large pelagic fishes. *Fish. Manage. Ecol.*, 14:81-89.
- Skomal, G.B., and B.C. Chase. 2002. The physiological effects of angling on post-release survivorship in tunas, sharks, and marlin. *Am. Fish. Soc. Symp.* 2002:135-138.
- Skrivernek, A., and I. Hendy. 2015. A 500-year climate catch: pelagic fish scales and paleoproductivity in the Santa Barbara Basin from the medieval climate anomaly to the little ice age (AD 1000-1500). *Quatern. Int.*, 387:6-45.

- Smith, A.D.M., C.J. Brown, C.M. Bulman, E.A. Fulton, P. Johnson, I.C. Kaplan, H. Lozano-Montes, S. Mackinson, M. Marzloff, L.J. Shannon, Y. Shin and J. Tam. 2011. Impacts of fishing low-trophic level species on marine ecosystems. *Science*, 333:1147-1150.
- Smith, P.E., J.K. Horne, and D.C. Schneider. 2001. Spatial dynamics of anchovy, sardine, and hake pre-recruit stages in the California Current. *ICES J. Mar. Sci.*, 58:1063-1071.
- Smith, P.E. 1972. The increase in spawning biomass of northern anchovy, *Engraulis mordax*. *Fish. Bull.*, 70:849-874.
- Smith, P. E. 1973. The mortality and dispersal of sardine eggs and larvae. *Rapp. P.-v Reun. Cons. Explor. Mer.*, 164:282-292.
- Smith, P.E. 1980. A time series of age composition and apparent abundance of the northern anchovy, *Engraulis mordax*, with inferences about the strength of recruitment. *SWFC-LJ-80-07*.
- Smith, P.E. 1981. Fisheries of coastal pelagic schooling fish. pp. 1-31. In: *Marine Fish larvae*. R. Lasker (ed.). Washington Sea Grant Program, Seattle.
- Smith, P.E. 1990. Monitoring interannual changes in spawning area of Pacific sardine (*Sardinops sagax*). *CalCOFI Rep.*, 31:145-151.
- Smith, P.E. 1978a. Biological effects of ocean variability: Time and space scales of biological response. *Rapp. P.- V. Reun. Cons. Int. Explor. Mer.*, 173:117-127.
- Smith, P.E. 1978b. Precision sonar mapping for pelagic fish assessment in the California Current. *J. Cons. Int. Explor. Mer.*, 38:33-40.
- Smith, P.E., H. Santander, and J. Alheit. 1983. Comparison of egg sample probability distributions of the anchovy (*Engraulis ringens*) and sardine (*Sardinops sagax*) off Peru and the anchovy (*Engraulis mordax*) and the sardine (*Sardinops caerulea*) off California. Pp. 1027-1038. In: *Proceedings of the expert consultation to examine changes in abundance and species composition of neritic fish resources*. G.D. Sharp, and J. Csirke (eds.). *FAO Fish. Rep.* 291, Vol. 3.
- Smith, P.E., H. Santander, and J. Alheit 1989. Comparison of the mortality rates of sardine (*Sardinops sagax*) and anchovy (*Engraulis ringens*) eggs off Peru. *Fish. Bull.*, 87(3):497-513.
- Smith, P.E., N.C. H. Lo, and J.L. Butler 1992. Life-stage duration and survival parameters as related to interdecadal population variability in Pacific sardine. *CalCOFI Rep.*, 33:41-49.
- Smith, P.E., W.C. Flerx, and R.P. Hewitt 1985. The CalCOFI Vertical Egg Tow (CalVET) net. Pp. 27-33. In: *An egg production method for estimating spawning biomass of pelagic fish: Application to the northern anchovy, Engraulis mordax*. R. Lasker. (ed.) NOAA Technical Report NMFS 36.
- Smith, P. E., J.K. Horne, and D.C. Schneider. 2001. Spatial dynamics of anchovy, sardine, and hake pre-recruit stages in the California Current. *ICES J. Mar. Sci.* 58:1063-1071.
- Soutar, A. and J.D. Isaacs 1974. Abundance of pelagic fish during the 19th and 20th centuries as recorded in anaerobic sediment off the Californias. *Fish. Bull.*, 72(2):257-273.
- Squire, J.L., Jr. 1983a. Warm water and southern California recreational fishing: A brief review and prospects for 1983. *Mar. Fish Rev.*, 45(4-6):27-34.
- Squire, J.L., Jr. 1983b. Abundance of pelagic resources off California 1963-78, as measured by an airborne fish monitoring program. NOAA Tech. Rep NMFS SSRF-762, 75 p.
- Stevens, J.D. 2008. The biology and ecology of the shortfin mako shark, *Isurus oxyrinchus*. Pp. 87-94. In: *Sharks of the open ocean: biology, fisheries and conservation*. M.D. Camhi, E.K. Pikitch, and E.A. Babcock (eds.), Blackwell Publishing Ltd.

- Sydeman, W.J., S. Dedman, M. Garcia-Reyes, S.A. Thompson, J.A. Thayer, A. Bakun, and A.D. MacCall. 2020. Sixty-five years of northern anchovy population studies in the southern California Current: a review and suggestion for sensible management. *ICES J. Mar. Sci.*, 77:486-499.
- Sydeman, W.J., M. Garcia-Reyes, A.I. Szoboszlai, S.A. Thompson, and J.A. Thayer. 2018. Forecasting herring biomass using environmental and population parameters. *Fish. Res.*, 205:141-148.
- Szoboszlai, A.I., J.A. Thayer, S.A. Wood, W.J. Sydeman, and L.E. Koehn. 2015. Forage species in predator diets: synthesis of data from the California Current. *Ecol. Info.*, 29:45-56.
- Tanaka, Y., M. Mohri, and H. Yamada. 2007. Distribution, growth and hatch date of juvenile Pacific bluefin tuna *Thunnus orientalis* in the coastal area of the Sea of Japan. *Fish. Sci.*, 73:534-542.
- Tanaka Y., A. Tawa, T. Ishihara, E. Sawai, M. Nakae, M. Masujima, and T. Kodama. 2019. Occurrence of Pacific bluefin tuna (*Thunnus orientalis*) larvae off the Pacific coast of Tohoku area, northeastern Japan: possibility of the discovery of the third spawning ground. *Fish. Oceanogr.*, 29:46-51.
- Thayer, J.A., A.D. MacCall, P.C. Davison, and W.J. Sydeman. 2017. California anchovy population remains low 2012-2016. *CalCOFI Rep.*, 58:69-76.
- Therriault, T.W., A.N. McDiarmid, W. Wulff, and D.E. Hay. 2002. Review of anchovy (*Engraulis mordax*) biology and fisheries, with suggested management options for British Columbia. *Can. Sci. Advis. Secr. Res.*, 2002/112.
- Uematsu Y., T. Ishihara, Y. Hiraoka, T. Shimose, and S. Ohshimo. 2018. Natal origin identification of Pacific bluefin tuna (*Thunnus orientalis*) by vertebral first annulus. *Fish. Res.*, 199:26-31.
- Van der Elst, R.P., and M. Roxburgh 1981. Use of bill during feeding in the black marlin (*Makaira indica*). *Copeia*, 1981(1):215.
- Vetter, R.D., A. Kurtzman, and T. Mori 1999. Diel cycles of DNA damage and repair in eggs and larvae of northern anchovy, *Engraulis mordax*, exposed to solar ultraviolet radiation. *Photochem. Photobiol.*, 69:27-33.
- Vlymen, W.J. 1977. A mathematical model of the relationship between larval anchovy (*Engraulis mordax*) growth, prey microdistribution, and larval behavior. *Env. Biol. Fish.*, 2:211-233.
- Vrooman, A.M., and P.E. Smith 1971. Biomass of the subpopulations of northern anchovy, *Engraulis mordax* Girard. *CalCOFI Rep.*, 15:49-51.
- Watai, M., Y. Hiraoka, T. Ishihara, I. Yamasaki, T. Ota, S. Ohshimo, and C.A. Strussman. 2018. Comparative analysis of the early growth history of Pacific bluefin tuna *Thunnus orientalis* from different spawning grounds. *MEPS*, 607:207-220.
- Watanabe, H., T. Kubodera, S. Masuda, and S. Kawahara. 2004. Feeding habits of albacore *Thunnus alalunga* in the transition region of the central North Pacific. *Fish. Sci.*, 70:573-579.
- Watson, W. 1996. Blenniidae. Pp. 1182-1200 In: The early stages of the fishes in the California current region. H.G. Moser (ed.). *CalCOFI Atlas No. 33*.
- Webb, P.W. 1994. The biology of fish swimming. Pp. 45-62. In: The mechanics and physiology of animal swimming. L. Maddock, Q. Bone, and J.M.V. Rayner (eds.). Cambridge University Press.

- Weber, E.D. and S. McClatchie. 2012. Effect of environmental conditions on the distribution of Pacific mackerel (*Scomber japonicus*) larvae in the California Current system. Fish. Bull., 110(1):85-97.
- Wegner, N.C., O.E. Snodgrass, H. Dewar, and J.R. Hyde 2015. Whole-body endothermy in a mesopelagic fish, the opah, *Lampris guttatus*. Science, 348(6236):786-789.
- Wells, R.J.D., S. Kohin, S.L.H. Teo, O.E. Snodgrass, and K. Uosaki 2013. Age and growth of North Pacific albacore (*Thunnus alalunga*): Implications for stock assessment. Fish. Res., 147:55- 62.
- Wells, R.J.D., J.A. Mohan, H. Dewar, J.R. Rooker, Y. Tanaka, O.E. Snodgrass, S. Kohin, N.R. Miller, and S. Ohshimo. 2020. Natal origin of Pacific bluefin tuna from the California Current Large Marine Ecosystem. Biol. Lett., 16:20190878.
- Wells, R.J.D., J.R. Rooker, and D.G. Itano. 2012. Nursery origin of yellowfin tuna in the Hawaiian Islands. MEPS, 461:187-196.
- Weng, K.C., P.C. Castilho, J.M. Morrisette 2005. Satellite tagging and cardiac physiology reveal niche expansion in salmon sharks. Science 310:104-106.
- Whitlock, R.E., A. Walli, P. Cermeño, L.E. Rodriguez, C. Farwell, and B.A. Block. 2013. Quantifying energy intake in Pacific bluefin tuna (*Thunnus orientalis*) using the heat increment of feeding. J. Exp. Biol., 216:4109-4123.
- Wisner, R.L. 1958. Is the spear of istiophorid fishes used in feeding? Pac. Sci., 12:60-70.
- Wolf, P., and P.E. Smith 1985. An inverse egg production method for determining the relative magnitude of Pacific sardine spawning biomass off California. CalCOFI Rep., 26:130-138.
- Wolf, P., and P.E. Smith 1986. The relative magnitude of the 1985 Pacific sardine biomass off Southern California. CalCOFI Rep., 27:25-31.
- Wolf, P. and P.E. Smith 2001. Pacific sardine. Pp. 299-302. In: California's living marine resources: a status report. W.S. Leet, C.M. Dewees, R. Klingbeil, and E.J. Larson (eds). Calif. Dept Fish Game, U. C. Agri. Nat. Res. Pub. SG01-11.
- Wolf, P., P.E. Smith, and C.L. Scannell 1987. The relative magnitude of the 1986 Pacific sardine spawning biomass off California. CalCOFI Rep., 28:21-26.
- Zainuddin M., K. Saitoh and S.I. Saitoh 2008. Albacore (*Thunnus alalunga*) fishing ground in relation to oceanographic conditions in the western North Pacific Ocean using remotely sensed satellite data. Fish. Oceanogr., 17:61-73.
- Zwolinski, J.P., and D.A. Demer. 2012. A cold oceanographic regime with high exploitation rates in the Northeast Pacific forecasts a collapse of the sardine stock. PNAS, 109:4175-4180.
- Zwolinski, J.P., D.A. Demer, K.A. Byers, G.R. Cutter, J.S. Renfree, T.S. Sessions, and B.J. Macewicz. 2012. Distributions and abundances of Pacific sardine (*Sardinops sagax*) and other pelagic fishes in the California Current Ecosystem during spring 2006 2008, and 2010, estimated from acoustic- trawl surveys. Fish. Bull., 110:110-122.
- Zwolinski, J.P., D.A. Demer, B.J. Macewicz, G.R. Cutter Jr, S. Mau, D. Murfin, D. Palance, J.S. Renfree, T.S. Sessions, and K. Stierhoff. 2017. Distribution, biomass and demography of the central-stock northern anchovy during summer 2016, estimated from acoustic-trawl sampling. NOAA Technical Report. NOAA-TM-NMFS-SWFSC-572.
- Zwolinski, J.P., and D.A. Demer. 2019. Re-evaluation of the environmental dependence of Pacific sardine recruitment. Fish. Res., 216:120-125.